INDEX

For Volume 55

INDEX FOR VOLUME 55

AUTHOR AND SUBJECT INDEX. Junior authorship is indicated by page numbers in parentheses. Page numbers of illustrations are in bold face. A special listing is made of "new diseases, species, and varieties."

Abawi, G. S., 1051
Abies fraseri, Phytophthora cinnamomi population recovery from stands of, 1183
Acer spp., decay and discoloration of, 648, **649, 650**
  platanoides, crown gall on, effect of chemicals on incidence of, 212
  rubrum, decay and discoloration in sprouts of, 957, **958, 959, 960**
  saccharum
    canker initiation by Fusarium solani, effect of inoculation date, 1285
    decline, ecological implications, 1283
    Verticillium dahliae on, effect of nutrition and inoculum, 1056
Aceria tulipae, strains of, relationship to transmission of wheat streak mosaic virus, 1168, **1170**
Acha, Isabel Garcia, 40
Acorn drip of Quercus, new disease, 1061
Acyrthosiphon pisum (see also **aphid(s)**)
  pea enation mosaic virus in, electron microscopy, 1285
Adlerz, W. C., (1074)
aerobiology, Puccinia spp. urediospores, 132
aflatoxin, in Spanish peanut, relation of pod and kernel condition, 464
Agallia constricta
  transovarial transmission of wound-tumor virus by, 324
  wound-tumor virus
    in, electron microscopy of, 1076
    in, evidence for systemic vector of, 129
    resistance, effect of age on, 1077
    and wound-tumor-soluble antigen, 1072
Agnihotri, V. P., (498)
Agrios, G., 127
Agrobacterium spp., proteins, acrylamide-gel electrophoresis of, 1062
  radiobacter-A. tumefaciens group, isolation from soil, 645
  tumefaciens
    antagonism by soil organisms, effect of chemicals on, 212
    interaction with 2 viruses on tobacco, 130
    isolation from soil, 645
    pathogenicity influenced by fungicides and antibiotics, 212
    on tomato and cherry, effect of nutrition on, 575
    toxicity of certain hydrocarbons to, 126
    tumor formation, relation of chlorogenic acid to, 1004
Agropyron smithii, wheat curl mites on, relationship to transmission of wheat streak mosaic virus, 1168
Agrostis spp.
    algae control in, 501
    Pythium ultimum on, enzyme activity associated with, 1069
  palustris
    galactose in cultures of Sclerotinia homeocarpa toxic to, 775, **776, 777**
    morphological and cytohistological responses of, to Sclerotinia homeocarpa and D-galactose, 781, **782, 783, 785, 786, 787**
  tenuis, Marasmius oreades on, 1132, **1133**
Ahmed, Q. A., (749)
air pollution, chlorotic dwarf of white pine, etiology, 1055
Alaban, C., 125
Alabanza, A. A., (1056)
Albert, J. J., 503
Albugo candida, radish cotyledon metabolism affected by, 1052
Aleurites fordii
  angular leaf spot of, etiology and control, 502
  resistance to, effect of leaf age and side on, 926, **927**
Alexander, J. V., 125, (963)
Alexander, L. J., (802), (1083)
alfalfa
  Ascochyta imperfecta on, enzyme importance, 346, 356
  Colletotrichum trifolii on,
    accumulation of Ca^{45} in stem lesions, 346, **352**
    enzyme importance, 346, 356
  Fusarium spp. polygalacturonate trans-eliminase production, 130
  Leptosphaerulina briosiana on, factors affecting, 546, **548**
  nematodes on
    biochemical changes from, 127
    harvesting intervals, maneb and soil fumigation as affecting, 615
    N compounds as affecting, 504
  Phytophthora cryptogea root rot of, reclassification as P. megasperma, 1139
  Pratylenchus penetrans on, biochemical effects of, 127
  snow mold control with boron, 1066
  Stemphylium spp. on, histology of relationship, 909, **911**
  Stemphylium botryosum on, enzyme importance, 346, 356
  Xiphinema americanum and crop yield, effects of soil treatment, spraying, and cutting, 615, **618**
alfalfa mosaic virus
  in alfalfa fields, incidence of, 1069
  differentiated from Wisconsin pea streak virus, 336
  on tobacco, naturally occurring, 1108, **1109, 1110, 1112**
  in white clover, effect of temperature, 1053
algae, on fine-leaf turfgrasses, control, 501
Allan, R. E., (1071)
Allen, T. C., Jr., (1280)
allergenic fungi, Cryptostroma corticale, 811
Allium spp. (see **onion** and **garlic**)
Allomyces arbuscula, zoospores inactivated by papain, 125
Alma, S., (612)
almond, crown gall, toxicity of hydrocarbons to host and parasite, 126
Alopecurus carolinianus, nematode on, 1359
Alternaria spp.
    antagonism to, by Bacillus sp., 500
    chlorophyll production inhibited by, 49, **51**
    spore germination inhibition by SO_2 affected by moisture, 525
  ricini, physiological studies of, 1072
  solani
    fungitoxicity from irreversible water leakage, 1062
    sporulation inhibition by blue light, reversal by red light, 1032
    on tomato
      control with DACONIL-2787, 1080
      effect of epiphytic bacterium on, 760
  tenuis
    bell pepper fruit rot by, new disease, 1072
    calcium hypochlorite activity on spores of, factors affecting, 1075
    chlorosis toxin, factors affecting response of cucumber to, 1079
    group, apple leaf chlorosis caused by, 1079
Altman, J., 1051
aluminum, polygalacturonate trans-eliminase, effect on, 130
Amador, E. J., (813)
amaryllis, Pratylenchus scribneri and Scutellonema brachyurum, pathological effects of, 228, **229**
Amelanchier laevis, stem-pitting virus in, anatomy of, 36
American Phytopathological Society
  annual meeting abstracts, 1051
  annual report, 1

division reports and abstracts
Caribbean, 125
Northeastern, 1283
Potomac, 503
Southern, 497
Amin, K. S., 1051
amines, nematode discharge of, 429
amino acid(s)
Blasticidin S affects incorporation rate of, in tobacco, 291
Cronartium fusiforme aeciospore inhibition by, 996
crown rust release in S^{35}-labeled spores, 499
Fusarium solani f. phaseoli chlamydospore germination, effect on, 254
glycine, formation of HCN from, by a snow mold, 1081
incorporation by bacteria in presence of ribosomes, 1079
Meloidogyne incognita, hatching response of, affected by, 128
nematode discharge of, 429
in pea and alfalfa, effect of nematodes on, 504
pea roots infected with Aphanomyces euteiches, effect on, 249
Pythium spp. longevity and morphology affected by, 1064
Rhizopus arrhizus
DCNA as affecting synthesis in, 159
metabolism during germination, 1082
proline-, germination stimulant, 262
in Vaccinium corymbosum fruit, affected by Glomerella cingulata, 302
Venturia inaequalis, in cell walls, 401
Amphorophora rubi (see also **aphid(s)**)
transmission of raspberry mosaic virus by, 276
amylase (see **enzymes**)
Andersen, A. L., 592
Anderson, G. W., 171
Anderson, N. A., (1058)
Anderson, W. S., (1337)
angular leaf spot of tung, etiology and control, 502
antagonism
Agrobacterium tumefaciens, by soil organisms, effect of chemicals on, 212
of Bacillus sp.
to Dematiaceae, 500
by Sclerotium rolfsii, 121
Erwinia amylovora vs. Bacterium herbicola-Xanthomonas trifolii group, 217
fungi to 4 soil-borne plant pathogens, factors affecting, 570
Pythium ultimum on beets by fungi and bacteria, 986
soil amendments, effect on, 986
Streptomyces scabies, by Bacillus subtilis, 126
anthracnose, of jute, resistance to, 749, **750**
antibiotics
Bacillus subtilis, produced by, similar to bacitracin, 126
from bacterium (epiphytic), effect on leaf spot of cucumber, tomato, and corn, 760
Blasticidin S, effect on virus multiplication, 291
crown gall affected by, on hosts, 212
Cytospora cincta, effect on, 382
filipin, sterols and resistance of Pythium spp. to, 1075
flavensomycin and humidin, from Streptomyces griseus, 587
Fusarium solani f. phaseoli chlamydospore germination, effect on, 254
griseofulvin, inhibition of Botrytis cinerea, mechanism, 1060
oxytetracycline + dimethyl sulfoxide, for peach bacterial leaf spot control, 505
patulin, effect on chemical composition of Claviceps purpurea, 1077
puromycin, tobacco mosaic virus multiplication inhibition with, 1065
from Streptomyces spp., nutrition effects, 1083
antigenicity, Phytophthora spp. mycelium, factors affecting, 1052
Aphanomyces
cochlioides, on sugar beet, factors affecting, 1066
euteiches
enzymes produced by, 249
ultrastructure of somatic hyphae of, 1076
Aphelenchoides spp., nematocides and soil amendments, effect of, 1051
besseyi, on hibiscus, new disease, 478
Aphelenchus spp., nematocides and soil amendments, effect of, 1051
aphid(s) (see also **Acyrthosiphon pisum, Amphorophora rubi, Aphis gossypii, Macrosiphum, Rhopalosiphum padi, Therioaphis trifolii**)
(see also **insect transmission** and **viruses**)
intraseasonal abundance of spp. trapped where bean common mosaic virus occurs, 1085
Aphis gossypii (see also **aphid(s)**)
virus transmission affected by temperature, 1076
Apple, J. L., (666)
apple (see also **Malus spp.**)
chlorotic leaf spot disease (virus) of, 859
eradication of, by heat therapy, 1084
indicators, 504
cover spray, time of application, 504
Erwinia amylovora
interaction of 2 isolates from buds of, 217, **219**
movement in leaves and stems of, 719
extracts from virus-free and virus-infected tissues, growth of fungi on, 127
flexuous particles associated with, 859
latent mosaic virus 2, purification, properties, and host range of, 286, **288**
latent viruses in, biochemical factors associated with host sensitivity, 1068
powdery mildew, resistance to, 76
scab, bacterial control, 1375
spy lethal virus, indicators for, 504
stem-pitting disease of
flexuous particles of, 859
pathological anatomy, 34, **35, 37, 38**
apple latent virus, sensitivity in apple, biochemical factors associated with, 1068
apple leaf chlorosis, Alternaria tenuis group cause of, 1079
apple mosaic virus, host extracts, growth of pathogenic fungi on, 127
apple scab (see **Venturia inaequalis**)
appressoria, Colletotrichum gloeosporioides on Populus tremuloides, 408, **409, 410**
apricot (see also **Prunus**)
Eutypa armeniacae on, 1057
Aragaki, M., (125), (1223)
arbutin-hydroquinone complex, differences in, in fireblight-resistant and -susceptible Pyrus spp., 1075
Armillaria mellea
glucose and ethanol uptake and metabolism, 1059
rhizomorph production vs. exposure of ethanol, 1082
Armoracia rusticana (see **horseradish**)
Armstrong, G. M., 237
Armstrong, Joanne K., (237)
Arthrobacter spp., suppression of Pythium debaryanum and Fusarium oxysporum lycopersici by, 156
Ascochyta imperfecta, on alfalfa, relative importance of several enzymes to, 346, 356
ash (see **Fraxinus americana**)
Ashworth, L. J., Jr., (464), 1051, (1144)
aspen (see **Populus**)
Aspergillus spp. (see also **Penicillium** and **storage molds**)
relation of moisture content and storage time to invasion and deterioration of rough rice by, 953
flavus
aflatoxin production, by strains on media, 497, 498
growth and infection of peanut kernels at various temperatures, 46
in peanut
aflatoxin content and fatty acid composition, 1057

reduction of Sclerotium bataticola infection by, 934
glaucus, in stored corn, 125
niger
enzymes affecting, 1328
growth and infection of peanut kernels at various temperatures, 46
aster, Fusarium wilt of, 711
aster yellows virus, in barley, compared with barley yellow dwarf virus, 838, **840, 841, 842**
Atkins, I. M., (1064)
Atkins, J. G., 993
Atkinson, T. G., (1066)
Avena sterilis, seedling resistance to Puccinia coronata avenae, 700
Avizohar-Hershenzon, Z., (87)
avocado, resistance to Phytophthora cinnamomi, **487, 488**
Aycock, R., (1063)
Ayers, W. A., (111), 249, 503

bachelor's button, Fusarium wilt of, 711
Bacillus spp.
antagonistic to Dematiaceae, 500
decays and discolorations of hardwoods, isolated from, 129
inhibition by Sclerotium rolfsii, 121
subtilis
antagonistic to Streptomyces scabies, 126
soybean root rot associated with, effect of iron and manganese on, 1055
bacteria
agar-gel diffusion tests vs. fluorescent antibody and microagglutination tests for identification of Pseudomonas solanacearum in 4 solanaceous hosts, 1191
amino acid incorporation increased by ribosomes, 1079
antagonistic to Pythium ultimum on beets, 986
capsular antigens correlated with pathogenicity, 1060
decays and discolorations of hardwoods, isolated from, 129
dissemination in soil between roots, 304
epiphytic, influence of on leaf diseases of cucumber, tomato, and corn, 760
exudates of, longevity of bacteria in, 1135
filamentous forms of Erwinia amylovora, 876, **877**
growth on intercellular tobacco foliage fluids, 1033
identification, Pseudomonas solanacearum in 4 solanaceous hosts, 1191
isolation of agrobacteria from soil, 645
metabolites, effect on mortality of Pratylenchus penetrans, 131
movement in apple, use of streptomycin agar and streptomycin-resistant strains, 719
nonbacterial chemical effect on Xanthomonas vesicatoria, 506
penetration in apple leaf and stem, 719
polysaccharides of, longevity of bacteria in, 1135
preservation, by freezing, 415
rhizosphere-, effect of Pythium debaryanum and Fusarium oxysporum, 156
root rot of soybeans associated with, 1055
soil-inhabiting-, fungistatic effects of, on root-rot fungi, 901, **904**
virulent isolates, compared with avirulent isolates of Erwinia spp., 1076
wood decay and discoloration associated with, 957
bacterial blight
bean, isolation technique, 504
celery, Pseudomonas cichorii, differentiation from P. apii, 554, **555**
bacterial leaf spot of banana, new disease, **1035**
bacterial spot
pepper, serological procedures for identification, 421, **422, 423**
tomato, serological techniques for, 500
bacterial wilt, soil transmission, root-to-root, 304
bactericides
kerosene and component hydrocarbons, toxicity to hyperplastic tissue, 126
metallic copper and Nabac, effect on Xanthomonas vesicatoria, 506
bacteriophage
Erwinia amylovora and Bacterium herbicola-Xanthomonas trifolii group, 217, **219**
T_2 of Escherichia coli, effect of flavensomycin on, 587
Bacterium herbicola,-Xanthomonas trifolii, interaction with Erwinia amylovora from apple buds, 217
Badger, Alison M., 688
Bagnall, R. H., 707
Baines, R. C., 1051
Baker, R., (69), 495, 1381
banana
Cercospora hayi on, new disease, **977, 978, 979**
-crown rotting fungi, effect of relative humidity on, 688
Fusarium oxysporum cubense, resistance to, 135, **137**
Gloeosporium musarum on, observations of, 125
Mycosphaerella musicola lesion morphology related to anatomy, **1179**
Pseudomonas solanacearum
resistance, genetics of, 1206, **1207**
root-to-root spread, 304
Radopholus similis reaction of, 1082
Xanthomonas musicola sp. nov. on, **1035**
Bancroft, J. B., (859), (906), (1084)
Banfield, W. M., 1283
Banttari, E. E., 838, (1063)
Barash, I., 1257
Barbe, C. G., 815
barium, polygalacturonate trans-eliminase, effect on, 130
Barksdale, T. H., 503
barley
aster yellows virus on, comparison with barley yellow dwarf virus, 838, **840, 841, 842**
bromegrass mosaic virus in, double-stranded forms of RNA from, 1061
$C^{14}O_2$ fixation by fungus-infected-, 940, **941**
-cover crop, effect on Streptomyces scabies, 126
Erysiphe graminis f. sp. hordei on
effect on starch content of host, 1068
propagation of avirulent strain, 92
respiratory enzymatic activities of host and pathogen, 438, 442
Erysiphe graminis tritici, propagation of, on, 92
field fungi, elimination by storage, 399
gamma irradiation of, effect on barley stripe mosaic virus in, 1039
Helminthosporium sativum on, effect on sugar levels in, 341
leaf galls, caused by leafhopper toxin, 1059
lesions produced by metabolite of Leptosphaerulina briosiana, 546
Pyrenophora teres development on varieties of, 1063
scald, inhibition of sporulation by herbicides, 43
seeds, treatment for fungi on, 128
storage, effect on microflora of, 399
barley stripe mosaic virus
embryo test for detecting seed-borne-, in barley, 798
gamma irradiation, effect on symptoms, 1039
infectivity related to ribonuclease activity, 1079
protein of, isolation and properties, 1060
seed-borne, embryo test for, 798
barley yellow dwarf virus
in barley, comparison with aster yellows virus, 838, **840, 841, 842**
on corn, transmission of, 1078
thermal inactivation, 809
vector specificity, loss of, after double infection by 2 strains, 62, 1284
Barnes, D. K., (612)
Barnett, H. L., (1073)
basal canker of white pine, 1062
basidiospore, infective agent in bean, Pellicularia filamentosa, **698**
Bassett, R. D., (604)

Bateman, D. F., 127, 204, 494, 734, 1283, (1285)
bean (see also **Phaseolus spp.**)
alfalfa mosaic virus on, 1108, **1110**
anthracnose lesions, influence of tissue age on, 915, **917**
bean pod mottle virus in, rate of accumulation, specific infectivity, and electrophoretic characteristics, 906
CO_2 fixation, by fungus-infected, 940, **941,** 1073
cell wall loss of birefringence in Rhizoctonia-infected tissue, **494**
common mosaic virus, intraseasonal abundance of aphids, 1085
Corynebacterium flaccumfaciens, factors affecting, 174, **175, 176**
Erysiphe polygoni on, control with DACONIL-2787, 1080
foot, root, and hypocotyl lesions, frequency of organisms isolated from, 126
Fusarium solani on, pathogenicity, 1085
f. phaseoli
cellulose, glucose, and nitrogen as affecting, 69
chlamydospores, germination affected by C and N, 254
dissemination in soil to, **1188**
field tolerance to, **1045**
growth and survival in soil, effect of exudates of, 1021, **1023**
pathogen behavior in different soils, 1122, **1124**
pectic enzymes associated with, 1283
plant spacing, affected by, **757**
resistance to, breeding for, 1227
growth in gnotobiotic environment, 1066
histopathological relationships with Fusarium solani or Thielaviopsis basicola, 1284
hypocotyl collar rot of, factors affecting, 506
lesions produced by metabolite of Leptosphaerulina briosiana, 546
lima-
Phytophthora phaseoli on, 1083
Pythium irregulare population density related to death of, 1064
Rhizoctonia pathogenicity on, 506
Macrophomina phaseoli on, sporulation and pathogenicity, 1156
pea enation mosaic virus on, 127
Pellicularia filamentosa on, basidiospore infection, **698**
phenol oxidase activity and distribution in Rhizoctonia-infected hypocotyls of, 127
Pinto-, tobacco mosaic virus multiplication inhibition in, with puromycin, 1065
Pseudomonas phaseolicola in,
genetics of host tolerance, 1071
isolation technique, **930**
new virulent strain, 1075
races isolated from, 1284
resistance to, 889, **893**
resistance to tobacco mosaic virus and bean rust correlated with leaf age, 454
Rhizoctonia solani on,
for assay of PCNB in soil, 1051
infection cushion formation in response to, 129
proteolytic activity of, 1285
resistance to, relation of Ca content and pectic substances to, 734
ringspot-like virus from leaves of Fraxinus americana, transmission to, symptoms, 128
root rots of, 1084, 1381
rust
CO_2 fixation
in darkness, 1303, **1306**
effect on mildew, **1372**
effect of pustule density on, 1073
translocation from leaves affected by, 528
Sclerotium rolfsii on, oxalic acid and polygalacturonase related to, 204, **209**
snap-, Rhizoctonia root rot control in, 503
soil temperature, susceptibility to Thielaviopsis basicola influenced by, 126
southern bean mosaic virus in, 1084, 1299
tobacco mosaic virus multiplication inhibition by Blasticidin S, 291
toxicity to, from auto exhaust, 27
translocated effects in, of 2 fungus infections, 330, **331**
ultrastructure, inclusions and organelles in bean yellow mosaic virus infected-, 1082
Uromyces phaseoli in,
accumulation kinetics of Ca^{45} and P^{32} in, 1056
stimulation and inhibition of viruses by, 141
var. typica on,
effect of indole acetic acid, 1054
effect on respiration, transpiration, and distribution of P^{32}, 57
effect on starch of host, 1068
virus on bean pod mottle virus, purification, 502
virus multiplication stimulated and inhibited by Uromyces phaseoli, 141
bean pod mottle virus
infectivity, effect of homologous incomplete nucleoprotein particles on, 1084
purification using agar column, 502
rate of accumulation, specific infectivity, and electrophoretic characteristics of, in bean and soybean, 906
in soybean, effect of infection sequence with soybean mosaic virus on virus titer and host, 1074
bean yellow mosaic virus
fine structure of inclusions and organelles in infected cells, 1082
in red clover
environmental factors in local lesion formation, 1055
necrotic reaction, inheritance of, 1041
in vetch, nuclear inclusions as indicators of cross protection, **242**
Vigna spp. resistance to, 1077
Wisconsin pea streak virus differentiated from, 336
Bechtol, Mary K., (1079)
Beer, S. V., (204)
beet
$C^{14}O_2$ fixation by fungus-infected, 940, **941**
Heterodera glycines on, variation in, 1068
Heterodera schactii on, hybridized with H. glycines, 800
Pythium ultimum control, by antagonistic microorganisms, 986
beet pseudo-yellows virus, new disease, transmission by whitefly, 450
Bekker, J., (131)
BeMiller, J. N., 1237, 1241
bentgrass (see **Agrostis spp.**)
bentonite, purification of apple viruses, 859
benzoic acid, as toxic component in lettuce corky root rot, 1051
Berbee, J. G., (408)
Berger, R. G., 127
bermudagrass, algae control in, 501
Beta vulgaris (see **beet**)
Betula spp., decay and discoloration of, 648, **649**
papyrifera, comparison of metabolic inhibitors with filtrate of Ceratocystis ulmi, 1065
Bhatt, B. D., (1283)
Bhatti, M. A., (132)
Bidens bipinnata, Pseudomonas solanacearum infection of, 1055
biocides, N-methyl dithiocarbamate (vapam), detoxification by nematocides, 1068
biological control
apple scab, 1375
bean root rot, 1381
corn northern leaf blight, 760, 1375
cucumber anthracnose, 760, 1375
plant-parasitic nematodes, 702

Rhizoctonia solani, comparison with PCNB, 1144
tomato early blight, 760, 1375
Birchfield, W., 497, 1051, 1359
Bird, L. S., 497
birdsfoot trefoil
effect of propagules on root rot of, 505
Stemphylium spp. on, histology of host-parasite relationship, 909
Birk, Y., (970)
Black, H. S., (813)
Black, L. L., 1052
Black, L. M., (1072), (1077)
blackberry (see **Rubus spp.**)
black point of wheat, fungi and cultural filtrates in relation to, 1064
black shank of tobacco, growth and inoculum potential of pathogen as influenced by O_2 and CO_2 tensions, 666
black spot disease of citrus, relation of disease incidence and fumigation with HCN, 486
blast, of oats, caused by smut, **1368**
Bloom, J. R., (128), (885)
blueberry (see **Vaccinium corymbosum**)
bluegrass
Helminthosporium vagans fungicidal control, 708
Marasmius oreades on, 1132, **1133**
Meloidogyne on, 1359
rust, control of, 1337
blue lupine (see **Lupinus angustifolius**)
Bockholt, A. J., (1058)
Bollenbacher, Katharina, (49), (1079)
Boone, L. V., (501)
Boothroyd, C. W., (1285)
Borlaug, N. E., 1088
boron, crown gall on tomato and cherry affected by, 575
Botryotinia ricini, effect of gallic acid on germination, growth, and sporulation, 468, **469**
Botrytis cinerea
conidia electron microscopy, 1052
on grape, factors affecting, 1013
griseofulvin inhibition mechanism, 1060
on tomato, influence of Ca-P balance, 447
Bourke, P. M. A., 943
Bourret, J. A., (125), 1052
Bowman, T., (126)
boysenberry (see **Rubus spp.**)
Bozarth, R. F., 127, 492
Brakke, M. K., 79, 1052
Bramlage, W. J., (1013)
Brandt, C. S., (27)
Brandt, W. H., 1200
Brantley, B. B., (1077)
Braverman, S. W., (1283)
Bringhurst, R. S., (731), (1203)
bromegrass mosaic virus, in barley, double-stranded form of RNA from host, 1061
broomcorn, Helminthosporium turcicum from, pathogenicity on corn, 418
Browder, L. E., (1072)
Brown, D. H., 127
brown spot disease of banana, 977, 978
Bryan, Mary A., (502)
Buckley, Patricia M., 1052
Bugbee, W. M., 1052
Burke, D. W., 757, 1045, 1122, 1188
Burrell, R. G., 1052
Byther, R., 852

cabbage
bacterial spot of, caused by Pseudomonas spp., 1082
Meloidogyne incognita and Plasmodiophora brassicae, relationship between, in roots of, 506
Plasmodiophora brassicae in roots of, starch synthesis in, 1084
Pseudomonas cichorii, pathogenicity on, 554
cacao galls, Fusarium spp. associated with, 125
cachexia virus, control methods evaluated, 675
caffeic acid, -oxidation products, inhibition of pectolytic activity of Verticillium by, 1071
Calavan, E. C., 1053
calcium
polygalacturonate trans-eliminase, effect on, 130
safflower resistance to Phytophthora related to, 1079
calcium pectate
conversion from pectin, association with bean resistance to Rhizoctonia, 734
hydrolysis by Sclerotium rolfsii, 204
Callistephus chinensis, variation in pathogenicity of Fusarium oxysporum on, 848
Calpouzos, L., 1053, 1370
cambium, tabasco pepper infected with tobacco etch virus, necrosis of, 267, **268**
Cameron, H. R., 653
Campbell, M. A., (1377)
Campbell, R. N., 1053
Campbell, W. A., (1061)
canker disease, peach, induced by chilling, **805**
canker initiation, on maple by Fusarium solani, effect of inoculation time on, 1285
Cappellini, R. A., (127), (302)
Capsicum spp. (see **pepper**)
carbamates, Cytospora cincta, effect on, 382
carbohydrates
clover root rot and exudates, role in, 131
metabolism, in barley infected with Erysiphe graminis hordei, 442
nematode discharge of, 432
stimulation of Rhizoctonia infection cushion formation in soil, 129
carbon dioxide, chlamydospore formation inhibited in Fusarium solani, 1052
carbon dioxide tension
effect on growth and inoculum potential of Phytophthora parasitica, 666
Fusarium oxysporum growth, 502
Carica papaya (see **papaya**)
carnation, stem rot of, effect of pathogen nutrition on, 328
β-carotene, in Puccinia striiformis uredospores, hydration effect, 1219
Carpenter, W. D., (1309)
Carroll, T. W., 928
carrot
Meloidogyne incognita host-parasite interaction on, 393, **394**
new virus disease of, 450
Carter, R. L., (1147)
Carthamus spp.
histological response to Puccinia carthami, 296, **298, 299**
Phytophthora drechsleri resistance related to Ca and water-insoluble pectic substances, 1079
Castillo, Jessica M., 127
Castro, C. E., 1053
cations
Penicillium digitatum spore germination affected by, 1216
Pythium spp. reproduction affected by, 1127
cauliflower, soil fumigation for Pythium ultimum on, 1016, **1017, 1018**
cedar (see **Juniperus virginiana**)
celery, bacterial blight of, differentiation from P. apii, 554, **555,** 1365
cell death
corn, effect of planting date on, 501
in sorghum
relationship with Colletotrichum graminicola, 1063
seasonal trends in, 97
in sugarcane and relation to stalk rot, 805
cell leakage, cause of fungitoxicity, 1062

cell wall
birefringence, loss of with infection by Rhizoctonia, **494**
Erwinia amylovora, 876, **877**
cell wall analysis, Venturia inaequalis, 401
cellulase (see **enzymes**)
cellulose
in cell wall of Venturia inaequalis, 401
enzymatic degradation by Pseudomonas solanacearum, 148
soil amendment, effect on bean root rot, 69
Cephaleuros virescens, pathogenicity in the Neotropics, 1082
Cephalosporium sp., oak decline associated with, 1060
gregatum, in soybeans, 1065
Ceratocystis
coerulescens, growth in culture, 1070
fagacearum
environment, effect on disease development, 1114
infection of oaks by, 179, 1194
inoculation season, effect on disease and incubation period, 131
fimbriata, in sweetpotato roots, eradication by heat, 1066
ulmi
in elm wood, distribution, 477
in paper birch, metabolic inhibitors vs. culture filtrate of, 1065
Ulmus americana clone susceptible to, 1284
on Ulmus carpinifolia, natural infection, 130
Ceratoma trifurcata, transmission of southern bean mosaic virus, cowpea strain, by, 1081
Cercospora
beticola
$C^{14}O_2$ fixation by beets infected with, 940, **941**
sporulation, affected by
light, 1053, 1370
temperature, 1370
hayi, on banana, new, brown spot disease, **977, 978, 979**
Cercosporella herpotrichoides, C and N sources, and C:N ratio, effect on sporulation and stroma, 127
Cetas, R. D., (1284)
Chacko, C. I., 587
Chambers, A. Y., (100), 497, (498)
Chapman, R. A., (1058), (1073)
Chen, T. A., 128, 490
Chenopodiaceae, watermelon mosaic virus 2 on, 895
Chenopodium amaranticolor
indicator for interaction of 2 viruses and bacterium, in tobacco, 130
potato aucuba mosaic virus indicator host, 1284
Cherewick, W. J., 1042, 1368
cherry (see also **Prunus**)
Eola rasp leaf virus from, serology of, 1280
sour- (see **Prunus** cerasus)
sweet- (see **Prunus** avium)
Chessin, M., 933
Chet, I., (87)
Chidester, J. L., (1053)
Childs, J. F. L., 675, 681
chilli mosaic virus, potato ringspot virus and Agrobacterium tumefaciens, interaction of, in tobacco, 130
chitin, in cell wall of Venturia inaequalis, 401, 1309
chlamydospores
formation, Fusarium solani 'Coeruleum', 1060
Fusarium spp., conversion from conidia, survival, 963
Fusarium solani f. phaseoli
CO_2 inhibition of formation, 1052
formation in different soils, 1122
germination, Thielaviopsis basicola, 466
of Phytophthora cinnamomi in soil, 499
chloramphenicol, effect on respiration of Rhizopus arrhizus, 1159
Chlorella pyrenoidosa, test organism for biochemical studies of pathogenesis, 244, **245**
chlorogenic acid
crown gall tumor formation, association between, 1004
-oxidation products, inhibition of pectolytic activity of Verticillium by, 1071
chlorophyll, synthesis of,
effect of fungicides on, 844
inhibition by Alternaria spp., 49, **51**
chloroplasts, structure of, in tobacco lesions infected with tobacco mosaic virus, 387, **388, 389, 390, 391**
chlorotic dwarf of eastern white pine
etiology of, 1055
results of grafting, 404
chlorotic leaf spot virus
eradication of, by heat therapy in apple, 1084
Malus spp. and varieties as indicators for, 504
Choopanya, D., 1053
Chow, C. C., (127), (492)
Christensen, C. M., (125), (399), 953
Christiansen, E. C., 1053
chrysanthemum
Pseudomonas cichorii pathogenicity on, 554
Stemphylium sp. on, 1313
Cicadulina pastusae, cause of leaf galls on small grains, 1059
Cicer arietinum, control, distribution and host types of, susceptible to Uromyces ciceris-arietini, 125
Citrus spp. (see also **lemon, orange, Poncirus trifoliata**)
budwood certification programs, 675
decline of, evaluation of Pratylenchus in, 1058
Geotrichum candidum "citrus race" on, taxonomy, pathogenicity, and physiology, 1262
Physoderma citri sp. nov. on, 681, **683, 684**
roots and nematodes of, nematocides for, 1103
stem-end rot fungi, grove inoculation, 1077
stubborn disease of, rapid indexing of, 1053
virus detection in, stains and pathological histology for, 543
excelsa, tatter leaf virus of, purification and properties, 1081, 1354, **1355, 1357**
limonia
Geotrichum candidum pathogenicity on, 498, 1210, **1212**
Guignardia citricarpa on, relation of disease incidence to fumigation with HCN, 486
sinensis
extracts of, effect on spore germination of Penicillium digitatum, 1216
Phytophthora parasitica and P. citrophthora on, effect of soil moisture and aeration, 270, **272, 273, 274**
virus disease control methods, 675
Cladosporium cucumerinum, on cucumber, pectinase inhibitor in resistant plants, 1000
Claviceps purpurea
chemical composition of, effect of patulin on, 1077
cross infectivity and alkaloid production of isolates of, 1073
Clayton, C. W., (1052)
clover (see also **Trifolium**)
crimson-
wound-tumor virus on:
antigen concentration determined by, 1072
systemic in vector, 129
transovarial transmission of, 324
red-
bean yellow mosaic virus on:
environmental effect on local lesions, 1055
inheritance of necrotic reaction, 1041
Erysiphe polygoni on, races of and resistance to, 1078
root exudates, carbohydrates in, 131
Stemphylium spp. on, histology of host-parasite relationship, 909
white-
alfalfa mosaic virus symptoms on, effect of temperature, 1053

effect of irrigation and 10 spp. of soil fungi on growth of, 499
Stemphylium spp. on, histology of host-parasite relationship, 909
wound-tumor virus in, electron microscopy of, 1076
clover leafhopper (see **Agallia constricta**)
clover wound-tumor virus, Agallia constricta, evidence for systemic vector of, 129
Cobb, F. W., (131), 179, 1194
Cochran, G. W., 1053
coconut palm, red ring disease, transmission of, 117
Colletotrichum
corchori, on jute, resistance to, 749, **750**
gloeosporioides, penetration of Populus tremuloides leaves, 408, **409, 410**
graminicola, in sorghum, relationship of cell death patterns to spread of, 1063
lagenarium, on cucumber, effect of epiphytic bacterium on, 760
lindemuthianum, on bean, effect of tissue age on lesions, 915, **917**
phomoides, virulence affected by nitrogen, 333
trifolii
on alfalfa, enzyme importance, 346, 356
polygalacturonate trans-eliminase production, effect of pH on, 1061
Collins, R. J., 1103
Colocasia esculenta, Phytophthora colocasiae, effect of relative humidity and temperature on zoosporangia, 126, 183, **185**
common mosaic virus of bean, aphid abundance, 1085
competition
Agrobacterium tumefaciens vs. microorganisms, effect of chemicals on hosts, 212
Erwinia amylovora vs. bacterium from apple buds, 217
Fusarium spp., inorganic nitrogen as a factor, 852
Compositae, Meloidogyne incognita hatching response affected by root exudates of, 128
Connor, S. R., 503, (504)
Converse, R. H., 276, 503
Cook, R. J., (125), 254, 1021, 1053
Cooper, W. E., (231)
Corbett, M. K., (370)
Corchorus capsularis (see **jute**)
Corden, M. E., 222
coremia, Hypoxylon pruinatum, seasonal development, 771
corn
barley yellow dwarf virus on, transmission, 1078
cell death, effect of planting date on, 501
Diplodia zeae resistance, relation to
6-methoxy-2(3)-benzoxazolinone fraction of 2,4-dihydroxy-7-methoxy-1,4-benzoxazin-3-one glucoside, 1241
water-soluble, 1-butanol-soluble glycoside fraction of 2,4-dihydroxy-7-methoxy-1,4-benzoxazin-3-one glucoside, 1237
germination, effect of storage fungi on, 125
Gibberella stalk rot in, relationship to pith ratings and density, 623
growth in gnotobiotic environment, 1066
Helminthosporium pedicellatum in roots of, 1285
Helminthosporium turcicum on,
avirulence on monogenic resistant-, 462
pathogenicity evaluated, 418
reactions to strains of, 189, **190, 191**
violent spore release, 1099
host-parasite relationships of Puccinia sorghi in isogenic lines of seedlings, 563, **565, 566, 568**
inbred lines from Latin America, genetics of resistance to Puccinia sorghi, 193
maize dwarf mosaic virus on,
new disease, **802**
resistance to, 1285
mosaic virus of, relation to sugarcane mosaic virus, 1250, **1252, 1254**
northern leaf blight of, effect of epiphytic bacterium on, 760, 1375
pith condition ratings and density, relationship to stalk rot of, 623
Puccinia polysora
inheritance of resistance, 425, **426**
pathogenicity on Latin American germ plasm, 1074
Puccinia sorghi on,
genetics of resistance of 11 inbred lines to, 193
pathogenicity on Latin American germ plasm, 1074
races, reaction of Puccinia sorghi on, 126
seed, stored-, moisture content vs. germination, 125
Sclerospora sorghi on, host reaction, 1058
stalk rot susceptibility, effect of planting date on, 501
stunt virus, strains of, 129
Trichodorus christiei feeding on root cells of, 128
victoxinine specificity on, **1037, 1038**
virus in dent-, hosts, properties, and purification, 1075
virus, red-streaked-, from grain of, 1083
wheat curl mites on, relationship to wheat streak mosaic virus, 1168
corn stunt virus, new isolates vs. Rio Grande and Mesa Central strains, 129
cortex, breakdown in tabasco pepper by tobacco etch virus, 267, **268**
Corticium
fuciforme, on fescue, environment effect on, 507
microsclerotia, on bean, basidiospore infection, **698**
Corynebacterium flaccumfaciens, on bean, factors affecting, 174, **175, 176**
Cosenza, B., (129)
cotton
Macrophomina phaseoli on, sporulation, 1156
seedling chlorosis caused by Alternaria spp., 49, **51**
seedling disease, in-covering soil fungicides for, 497
seed treatments, effect on infection and viability of, 1083
structural damage caused by Rhizopus spp., 52
Thielaviopsis basicola chlamydospore germination, in root extracts of, 1067
Verticillium wilt of, severity when inoculated by stem puncture, 663, **664**
Couch, H. B., (507)
Couey, H. M., 525, 1013
cover crops, susceptibility of, to nematodes, 1026
Cowling, E. B., (130), (148), 1054, (1067), (1341), (1347)
cowpea (see also **Vigna sinensis**)
alfalfa mosaic virus on, 1108, **1109**
cowpea yellow mosaic virus in, method for selecting resistant varieties, 923, **924**
ringspot-like virus from leaves of Fraxinus americana, transmission and symptoms, 128
cowpea chlorotic mottle virus, Vigna spp. resistance to, 1077
cowpea mosaic virus, infectivity, effect of nucleoprotein particles on, 1084
cowpea yellow mosaic virus, relationship of local reaction to immunity, resistance, and susceptibility in cowpea, 923, **924**
Cox, E. A., (1059)
Coyne, D. P., (1075)
creeping red fescue (see **Festuca rubra**)
Criconemoides
curvatum, on garden balsam, host-parasite relationship, 763
xenoplax, effect on roots and growth on grape, 1070
Crittenden, H. W., (506)
Cronartium
coleosporioides, Cronartium quercuum differentiated from, **171**
fusiforme
aeciospore germination inhibition by chemicals, 996
aeciospore response to metabolites, 475
pathogenicity of secondary basidiospores of, 1074
serological comparison with C. quercuum and C. ribicola, 670, **672**

quercuum
Cronartium coleosporioides differentiated from, **171**
mycelial characteristics of, 1325, **1326**
serological comparison with C. fusiforme and C. ribicola, 670, **672**
ribicola
in Pinus monticola bark, cytochemical localization of dehydrogenases, 1064
serological comparison with C. fusiforme and C. quercuum, 670, **672**
crop rotation, cover crops and bermudagrass as nematode-reducing crop plants, 1026
crop sequence, Heterodera glycines population dynamics, effect on, 100
Crosier, W. F., 128, 1283
Crossan, D. F., 503, 506
crown gall (see **Agrobacterium** tumefaciens)
Cryptostroma corticale, allergenic, pathogenic, and saprophytic fungus, 811
cucumber
chlorosis toxin of Alternaria tenuis, factors affecting, 1079
Cladosporium cucumerinum, resistance to, presence of pectinase inhibitor, 1000
Colletotrichum lagenarium on, control with epiphytic bacterium, 760, 1375
Erwinia tracheiphila resistance, related to growth habits, 1071
new virus disease of, 450
Skimmia ringspot virus isolated from, 131
virus-infected callus tissues of, 1073
cucumber anthracnose, effect of epiphytic bacterium on, 760, 1375
cucumber mosaic virus
in callus tissues of tobacco and cucumber, 1073
on muskmelon, effect of temperature on symptoms and concentration of, 981, **983**
transmission by 3 aphids affected by temperature, 1076
Vigna spp. resistance to, 1077
Cucurbitaceae, watermelon mosaic viruses 1 and 2 on, 895
cucurbit latent virus, on muskmelon, effect of temperature on symptoms and concentration of, 981
Curl, E. A., 497, 1054, (1064)
Curry, T. L., (1055)
Curtis, B. C., (502)
Curtis, C. R., 1054
Curvularia geniculata, antagonism to, by Bacillus sp., 500
cuticle
of Ginkgo biloba resistant to penetration by Monilinia fructicola and Stemphylium sarcinaeforme, 225
thickness related to strawberry resistance to Sphaerotheca macularis, 281
Cylindrocarpon radicicola, Quercus spp. root rot associated with, **1154**
cytochrome c, synthesis, control by zinc in Ustilago sphaerogena, 127
cytology
Heterodera spp., comparative morphometric studies, 1061
methyl green in glycerin-jelly, for staining and mounting fungi, 246
Puccinia striiformis uredospores, hydration effects, 1219, **1221**
Cytospora sp., growth on extracts of virus-free and virus-infected apple and pear, 127
cincta, 50 substances tested for fungitoxicity to, 382
decipiens
in maple sprouts, 957
in trees, 648
cytospora canker of Prunus spp., 511

Daft, G. C., (760), (1375)
dahlia mosaic virus, transmission to Verbesina enceliodes, 715, **717**
Dalbulus maidis, corn stunt virus, transmission of, 129
damping-off
of lima bean, relation to population density of Pythium irregulare, 1064
of Tephrosia vogelii, potential of 3 Rhizoctonia spp. for, 612
tomato, effect of rhizosphere bacteria on, 156
Darpoux, H., 1157
Datura stramonium
hypertrophy in leaves of, induced by bacteria, 1074
potato virus X in, effect of incubation temperature on virus particle length and infectivity, 607
Pseudomonas solanacearum infection of, 1055
radioautography of local lesions, 558, **560**
tobacco mosaic virus in local lesions of, 928, **929**
David, K. A. V., 121
Davidson, R. W., (1070)
Davis, D., 1054
Davis, J. R., 805, (1057)
Davis, N. D., (497), (498), (1057)
Davis, P. L., 1216
Davis, R. E., 1054
decay (see **wood** decay)
Deep, I. W., 212, (575)
DeGroot, R. C., 1055
DeHertogh, A. A., (1067)
Dell, T. R., (1058)
del Rosario, Maria S. E., 1168
Dendryphium spp., on bean, isolation from lesions, 126
density-gradient tubes, apparatus for preparing sucrose-, **1031**
deoxyribonucleic acid, synthesis
effect of fungicides on, 844
in Rhizopus arrhizus, DCNA effect on, 159
Desjardins, P. R., (504)
Desulfovibrio sp., effect of soil oxygen on, 501
DeVay, J. E., (511)
dew, Piricularia oryzae requirements, for rice infection, 503
Dhaliwal, A. S., (1053)
Dhaliwal, G. K., (1053)
Diachun, S., 1041, 1055
Dianthus caryophyllus (see **carnation**)
Dibotryon morbosum, ascospore germination, effect of temperature on, 506
dicamba (see **herbicides**)
2,6-dichloro-4-nitroaniline (DCNA), mode of action in Rhizopus arrhizus, 159, **161**
2,4-dichlorophenyl methanesulfonate, nematocidal properties of, 1051
Dickson, D. W., 497
DiDario, A., 1055
Diener, T. O., 503, (1075)
Diener, U. L., 497, (498), (1057)
2,4-dihydroxy-7-1,4-benzoxazin-3-one glucoside, 1-butanol-soluble, water-soluble glycoside fraction, corn stalk rot resistance related to, 1237
dilution plate technique, problems of sampling soil suspensions with, 1062
dimethyl sulfoxide, plus oxytetracycline for control of peach bacterial leaf spot, 505
Dimond, A. E., (1071)
2,4-dinitrophenol, effect on respiration of Rhizopus arrhizus, 159
m-dioxanes and related substituted compounds, toxicity to Monilinia fructicola and Stemphylium sarcinaeforme, 129
Diplodia
gossypina
decay ability on several spp., 231
on peanut, interaction with heat injury, and etiology, 231, **232, 234**
natalensis, on Citrus spp., grove inoculation studies with, 1077
viticola, taxonomy of pathogen of summer bunch rot of grapes, **815**
zeae, corn resistance to, 1237, 1241

disease forecasting, contribution of modern meteorology to, symposium, 943
disease severity, peanut collar rot, crop rotation effect, 231
dissemination
Fusarium solani f. phaseoli, in soil, **1188**
Leptosphaerulina briosiana ascospores, 546
phases defined, 1157
Pseudomonas solanacearum, in soil, 304
Ditylenchus spp., organic substances discharged by, 429
dipsaci, nitrogen compounds in alfalfa and pea, effect on, 504
Dochinger, L. S., 404, 1055
Donnelly, E. D., (500)
Dothidella ulei, substance from leaves of Hevea brasiliensis toxic to, 125
Doupnik, B., Jr., 1055
Drake, C. R., (1114)
Draper, A. C., 926
Driver, C. H., (1064)
Dudman, W. F., 635
Duffus, J. E., 450
Dukes, P. D., (502), 666, 1055, (1063), (1069), (1191)
Dunleavy, J. M., 1055, (1065)
Dunning, J. A., (27)
Durbin, R. D., (57), 471, (528), 1056, (1062)
Dutta, S. K., 1056
dwarfness, in oats, caused by smut hybrid, **1042**
Dwinell, L. D., 1056

early blight of tomato, effect of epiphytic bacterium on, 760, 1375
Echandi, E., (125), 698
Echinochloa colonum, Meloidogyne on, **1360**
Eckert, J. W., (1262)
Eckess, E. D., (1377)
eclosion, definition, French usage explained, 1157
Edgington, L. V., 1056
Edgington, P. E., 128
Edwards, D. I., (1082)
Edwardson, J. R., (627)
eggplant, Pseudomonas solanacearum in, identification by 3 serological techniques and 2 sampling methods, 1191
Ehrlich, H. C., (1056)
Ehrlich, Mary A., 1056
Eide, C. J., 1056, (1083)
Elaeis guineensis, Ganoderma lucidum infection of, 937
Eldridge, D. W., 498, 1057
electron microscopy
Botrytis cinerea conidia, 1052
pea enation mosaic virus, in pea and pea aphid, 1285
Puccinia striiformis uredospores, processes associated with hydration, 1219, **1221**
electrophoresis (see also **techniques**)
acrylamide-gel-, of proteins from Agrobacterium spp., 1062
Eleusine indica, nematode on, 1359
El-Kandelgy, S. M., 1057
Ellingboe, A. H., (365)
elm (see **Ulmus**)
Elsaid, H. M., 543
El-Tobshy, Zeineb, 498, (1066), 1210
El-Zayat, M. M., 1057
Embabi, M. S., 1057
embryo test, barley, for seed-borne barley stripe mosaic virus, 798
Emmatty, D., 1057
Endo, B. Y., 375
Endo, R. M., (775), 781
Endothia parasitica, metabolism of glucose-C^{14} by light- and dark-grown cultures of, 1067
English, H., (511), (805), 1057
Eno, H. G., (1062)
enzymes (general) (see also **enzymes,** specific)
Fusarium oxysporum f. callistephi, variations in, 848
in Glomerella cingulata perithecial isolates, 1078
isozymes, in walnut infected with Hendersonula toruloidea, 21
Rhizoctonia solani, activity affected by age, 1069
Sclerotium bataticola, activity affected by age, 1069
tobacco, effect of wildfire toxin on, 519
tobacco foliage intercellular, technique, 1033
viscometric determination of enzyme activity, 471
enzymes (specific) (see also **enzymes,** general)
aconitase
in barley-Erysiphe graminis hordei interaction, 438
role in germination, 1330
amylase, produced by Hendersonula toruloidea in culture, 21
ascorbic acid oxidase, association with crown gall tumors, 1004
bromelin, inactivation of Phytophthora parasitica and related fungi by, 125
catalase
Glomerella cingulata sporulative ability affected by, 369
soil amendments, effect of on production, 87
cellulase
assays for activity, 148
associated with 3 alfalfa diseases, 356
inhibitor for, in cucumbers resistant to Cladosporium cucumerinum, 1000
pathogenesis, relation to in Pseudomonas solanacearum, 148
produced by Hendersonula toruloidea in culture, 21
production by sweetpotato fusaria, 396
synthesis repression by sugars, 1063
temperature and pH effects, 148
cellulolytic
in Fusarium oxysporum f. callistephi, 848
Pythium ultimum-blighted bentgrass associated with, 1069
viscometric determination of, 471
chitinase, of Streptomyces spp., lysis of mycelium, 871
chlorogenic acid oxidase, association with crown gall tumors, 1004
α-chymotrypsin, inactivation of Phytophthora parasitica and related fungi by, 125
dehydrogenase
in healthy and Cronartium ribicola-infected bark of Pinus monticola, 1064
in potato tuber tissue infected with Phytophthora infestans, 970
endopolygalacturonase
importance in 3 alfalfa diseases, 346
inhibitor for, in cucumber resistant to Cladosporium cucumerinum, 1000
synthesis repression by sugars, 1063
endopolymethylgalacturonase, importance in 3 alfalfa diseases, 346
enolase, in barley-Erysiphe graminis hordei interaction, 438
exopolygalacturonase, importance in 3 alfalfa diseases, 346
fumarase, role in germination, 1330
glucanase, role in lysis of Pythium debaryanum mycelium, 156
glucose-6-phosphate dehydrogenase
in barley-Erysiphe graminis hordei interaction, 438, 442
role in germination, 1329
β-glucosidase, in Erwinia amylovora and Pseudomonas syringae, 31
glyceraldehyde-3-phosphate dehydrogenase, role in germination, 1329
hexokinase, role in germination, 1329
hydrolytic, production by sweetpotato fusaria, 396
isocitratase, role in germination, 1330
isocitrate dehydrogenase, in barley-Erysiphe graminis hordei interaction, 438
malate dehydrogenase, in barley-Erysiphe graminis hordei interaction, 438
malic dehydrogenase, role in germination, 1330

maltase, produced by Hendersonula toruloidea in culture, 21
NADH
cytochrome c reductase, role in germination, 1330
oxidase, role in germination, 1330
papain, inactivation of Phytophthora parasitica and related fungi by, 125
papain and other proteolytic enzymes, inactivation of Phytophthora parasitica, 1223, **1225**
pectic
in Fusarium solani f. phaseoli culture and diseased bean, 1283
Pythium ultimum-blighted bentgrass associated with, 1069
pectic acid depolymerase, from Aphanomyces euteiches, 249
pectinase
inhibitor for, in cucumber resistant to Cladosporium cucumerinum, 1000
in Juglans spp. infected by Hendersonula spp., 21
pectin methylesterase
in diseased and healthy peas, 249
in Fusarium oxysporum f. callistephi, 848
in Fusarium solani f. phaseoli culture and diseased bean, 1283
production induced by pectin and carboxymethylcellulose, 204
production by sweetpotato fusaria, 396
Rhizoctonia praticola and R. solani, of single-spore isolates of, 111
pectinolytic, viscometric determination of, 471
pectolytic
Fusarium solani f. sp. phaseoli on bean, 1284
importance in 3 alfalfa diseases, 346
inhibition by oxidation products of chlorogenic and caffeic acids, 1071
technique for determining presence of, 503
peroxidase, in tobacco, effect of tobacco mosaic virus, 1078
phenoloxidase(s)
in Rhizoctonia-infected hypocotyls of bean, 127
of 18 wood-decaying basidiomycetes, relation to lignin degradation, 739
phosphofructokinase, in barley-Erysiphe graminis hordei interaction, 438
6-phosphogluconate dehydrogenase
in barley-Erysiphe graminis hordei interaction, 438
role in germination, 1329
phosphohexoisomerase, in barley-Erysiphe graminis hordei interaction, 438
phosphoriboisomerase, in barley-Erysiphe graminis hordei interaction, 442
phosphoribulokinase, in barley-Erysiphe graminis hordei interaction, 442
photosynthetic, in barley infected with Erysiphe graminis hordei, 442
polygalacturonase
in bean pathogenesis and tissue maceration, 734
in Fusarium oxysporum f. callistephi, 848
in Fusarium oxysporum f. lycopersici, activity related to Ca-nutrition of host, 222
production induced by pectin and carboxymethylcellulose, 204
production by sweetpotato fusaria, 396
Rhizoctonia praticola and R. solani, of single-spore isolates of, 111
Sclerotium rolfsii, production by, and action on bean, 204, **209**
synergistic action with oxalic acid during pathogenesis on bean, 204, **209**
technique for determining presence of, 503
Verticillium albo-atrum
characteristics of, and production by, 130
production of pectic plugs in tomato, 1067
polygalacturonate trans-eliminase
Colletotrichum trifolii production of, pH effect, 1061
Fusarium spp., production by and properties of, 130
importance in 3 alfalfa diseases, 346
technique for determining presence of, 503
polyphenol oxidase, in tobacco, effect of tobacco mosaic virus, 1078
protease
associated with 3 diseases of alfalfa, 356
role in lysis of Pythium debaryanum mycelium, 156
proteolytic
in bean infected with Rhizoctonia, 1285
Phytophthora parasitica inactivation, 1223
respiratory, in barley-Erysiphe graminis hordei relationship, 438, 442
ribonuclease
barley stripe mosaic virus infectivity related to, 1079
protection to tobacco mosaic virus, 503
ribulose-1,5-diphosphate carboxylase, in barley-Erysiphe graminis hordei interaction, 442
succinic dehydrogenase, role in germination, 1330
trypsin, inactivation of Phytophthora parasitica and related fungi by, 125
tyrosinase, Hypomyces solani cucurbitae perithecial primordium formation related to, 1084
urease, nematode discharge of, 432
xylanase
associated with 3 alfalfa diseases, 356
produced by Hendersonula toruloidea in culture, 21
epidemiology, micrometeorology and plant disease, symposium, 945
epiphytic bacterium, effect on
apple scab, 1375
leaf diseases of cucumber, tomato and corn, 760, 1375
Epps, J. M., 100, (497), 498
eradication
Ceratocystis fimbriata from sweetpotato roots by dry heat, 1066
Guignardia citricarpa from citrus, 486
ergosterol, in Botrytis cinerea, effect of griseofulvin on, 1060
Erwin, D. C., 663, (1065), 1139
Erwinia spp.
acorn drip of Quercus caused by, 1061
decay and discoloration of hardwoods, isolated from, 129
amylovora
filamentous forms of, 876, **877**
β-glucosidase, synthesis by, 31
histopathology of, in apple leaf and stem, 719
interaction with bacterium from apple buds, 217
on pear, insects related to, 1063
penetration and movement in apple leaf and stem, 719
Pyrus spp. resistance to, differences in arbutin-hydroquinone complex, 1075
virulent and avirulent isolates, physiological and biochemical differences of similar organisms, 1076
tracheiphila, cucumber resistance to, association of host growth habits, 1071
Erysiphe
graminis hordei
on barley
enzymatic activities of host and pathogen, 438
enzymatic activity changes, 442
starch content, affected by, 1069
$C^{14}O_2$ fixation by barley infected with, 940, **941**
propagation of avirulent strain, 92
in wheat, propagation of, 92
graminis tritici
in barley, propagation of, 92
conidial germination, 365
polygoni
on bean, control with DACONIL-2787, 1080
on Pisum sativum, resistance to, 1075
race identification on Trifolium pratense, 1078

translocated effects of infection on bean, 330, **331**
Trifolium pratense resistance to, 1078
escarole, Pseudomonas cichorii pathogenicity on, 554
Estes, Alice P., (79), (1052)
ethanol, Armillaria mellea rhizomorph production related to exposure to, 1082
ethylene, Penicillium digitatum production of, factors affecting, 1077
Eugenio, C. P., 1058
Euphorbiaceae, watermelon mosaic virus 2 on, 895
Eutypa armeniacae, in apricot, pathogenicity, 1057
Evans, T., (1079)
Everett, T. R., (1065)
exocortis virus
control methods evaluated, 675
detecting infection in citrus seedlings, 543
petunia, herbaceous host of, 1081
exudates, bacterial-, longevity of bacteria in, 1135

Fagus grandifolia
decay and discoloration of, 648
dieback of, association of Lepidosaphes ulmi, 1055
Fakir, G. A., 749
Farkas, G. L., 519
fats, in Venturia inaequalis cell wall, 401
fatty acids
chain length and aeciospore germination, 996
in peanuts inoculated with Aspergillus flavus, 1057
in plant parasitic nematodes, 1065
toxicity to plant parasitic nematodes, 1074
Faulkner, L. R., 257, 583
Feder, W. A., 1058
Feldman, A. W., (1103)
Feldmesser, J., 1058
Fergus, C. L., (1194)
Festuca rubra
Marasmius oreades on, 1132
susceptibility to Corticium fuciforme, environmental effects, 507
field resistance (see **resistance**)
Figari, A., 125
Filer, T. H., Jr., 1132
fine structure (see also **ultrastructure**)
lesion periphery produced by tobacco mosaic virus, 387, **388, 389, 390, 391**
fire blight (see **Erwinia** amylovora)
Fisher, K. D., 396
flat limb apple virus, host extracts, growth of pathogenic fungi on, 127
flax
Melampsora lini on, inheritance of pathogenicity and smooth-walled urediospores, 724
new virus disease of, 450
Rhizoctonia seedling blight of, control, 498
Fleischmann, G., 767
Flentje, N. T., (1053)
Flor, H. H., 724
Flores, H., 1058
foliage density, effect on gray mold of tomato, 447
foliar blight, of Tephrosia vogelii, potential of 3 spp. of Rhizoctonia for, 612
Follstad, M. N., 399
Fomes annosus
biotic soil factors and cultural practices, influence on behavior of, 1064
coniferous spp., relative decay resistance to, 130
decay ability, relative to, of tissue and monobasidiospore isolates, 130, 1347
lignin degradation as related to phenoloxidases of, 739
in pine plantations, factors associated with, 1058
pinosylvins and borax, influence of on growth and germination, 129, 1341
sporulation, environmental effect on, 131
Forbes, I., 627
Forbes, I. L., 1086
Ford, R. E., 935
Forsberg, J. L., 1058
Foster, R. E., 981
Fox, J. A., (800)
Fragaria spp. (see also **strawberry**)
chiloensis, virus inactivation in, by high-temperature environment, 1203
Francki, R. I. B., 533
Fraxinus americana
decay and discoloration in, 648
ringspot-like virus in leaves of, transmission and symptoms, 128
Frazier, N. W., 1203
Frederiksen, R. A., 498, 1058
Freeman, T. E., (967)
French, D. W., (171), (771), (1059)
French, E. R., 498
Froelich, R. C., 1058
fructose, from clover roots, role in root rot, 131
fruit, amino acids and reducing sugars of blueberry, effect of Glomerella cingulata infection, 302
Fukutomi, M., (844)
Fry, P. R., (1053)
Fulton, N. D., 49, (1079)
Fulton, R. H., 1059, (1179)
Funderburk, H. H., Jr., (497), (1054), (1073)
fungi
biological relationships, 823
chemical dips for control of, on clay pots, 1081
populations of, in bark of healthy trembling aspen, 1059
seed-borne, on cereals, treatments for, 128
surfactants, effect on growth of, 1009
fungicides (general) (see also **fungicides,** specific)
algae control in turfgrasses, 501
apple diseases, time of application, 504
apple scab control, comparison of, 503
bluegrass foot-rot control with drenches, 708
chlorophyll, synthesis affected by, 844
compatibility with insecticides and leaf nutrients, 1074
cottonseed, viability preserved with, 1083
cotton seedling disease, soil fungicides for, 497
crown gall increase with use of, 212
for Cytospora cincta, 50 substances tested, 382
for Gloeosporium musarum appressoria, surfactants as, 1059
hot dry air, for seeds, 128
nucleic acid synthesis affected by, 844
penetration into soil, 1072
rice seed rot, 500
seeds, for reduction of fungi on, 128
snapbean root rot, control of, 503
sprayer, simplified logarithmic-, 128
fungicides (specific) (see also **fungicides,** general)
boron
for alfalfa snow mold, 1066
for Fomes control, 1341
calcium hypochlorite, factors affecting activity on spores of Alternaria tenuis, 1075
captan
apple scab control, 503
imide structure, fungitoxicity of, 1066
Rhizoctonia solani, effect on growth, 501
captan + others, control of cotton seedling disease, 497
Ceresan M-DB, for seeds, 128
Chemagro 4497, for seeds, 128
1-chloro-2-nitropropane, for Rhizoctonia seedling blight of flax, 498
chloronitropropane + others, control of cotton seedling disease, 497
chloropicrin, Pythium ultimum, plant growth in response to fumigation with, 1016
Clorox, clay pot dips with, 1081
cyclohexamide
Cronartium fusiforme aeciospore germination inhibition by, 996
effect of chlorophyll synthesis and nucleic acids in onion leaves, 844

DACONIL-2787
fumigation with, to control fungal diseases, 1080
particle size and crystalline form, effect on biological performance, 1055
DCTFA, control of Poa rusts, 1337
Dexon, penetration into soil, 1072
2,6-dichloro-4-nitroaniline, mode of action in Rhizopus arrhizus, 159, **161**
m-dioxanes, toxicity to Monilinia fructicola and Stemphylium sarcinaeforme, 129
dodine, for apple scab, 503
Dyrene
effect on chlorophyll synthesis and nucleic acids in onion leaves, 844
for tobacco brown spot, 500
ethylene oxide, for seeds, 128
Folpet, for tobacco brown spot, 500
Folpet + others, control of cotton seedling disease, 497
glyodin, for apple scab, 503
Hercules 13274, for Rhizoctonia root rot of snapbean, 503
Lanstan, for Rhizoctonia root rot of snapbean, 503
LF-10, clay pot dips with, 1081
maneb
effect on nematode populations and alfalfa yields, 615
Rhizoctonia solani, effect on growth, 501
for tobacco brown spot, 500
manganese ethylene bisdithiocarbamate and zinc ion, for algae in turf, 501
methyl bromide-chloropicrin mixture reduced inoculum potential of pythiaceous fungi on papaya, 126
nickel sprays, for rust control on Poa, 1337
PCNB
assays for, biological and chemical, 1051
for Rhizoctonia seedling blight of flax, 498
for Rhizoctonia solani, mode of action compared with soil amendments, 1144
Rhizoctonia solani, effect on growth, 501
PCNB + others, for cotton seedling disease, 497
R-group, role in fungitoxicity, 658
surfactants, effect on fungi, 1009
Terraclor, for Rhizoctonia root rot of snapbean, 503
thiram, for rice seed rot, 500
zinc ion and manganese ethylene bisdithiocarbamate, for algae in turf, 501
zineb, effect on chlorophyll synthesis and nucleic acids in onion leaves, 844

fungistasis
Cytospora cincta, various substances causing, 382
to root-rotting fungi, by soil bacteria, 901
Trichoderma viride
effect of nutrition and pH on conidia of, 1057
role of soil pH in, 1060

fungitoxicity
captan imide structure, 1066
Cytospora cincta, substances causing, 382
R-group, role of in R-$SCCl_3$ compounds, 658

fusaric acid, production by sweetpotato fusaria, 396

Fusarium spp.
perfect stages, current status of taxonomy in, 833
plate-profile technique for isolation, 592
potato lenticel spot associated with, 1284
on soybean roots, 506
on tobacco, influence of Meloidogyne spp. on, 1067, 1071
decemcellulare, associated with cacao gall, 125
moniliforme, associated with cacao gall, 125
oxysporum
cacao gall, associated with, 125
clover root exudate, effect on, 131
host-parasite phytoirritants in hosts, 1054
nematodes predispose soybeans to, 361, **362, 363**
polygalacturonate trans-eliminase, production and properties, 130
on soybeans, predisposition of host by 2 nematodes, 361, **362, 363**
on sweetpotato during storage, role of harvest practices, 640, **643**
oxysporum f. batatas
hydrolytic enzymes and toxins, 396
inoculum potential, effect on pathogenesis, 498
oxysporum f. callistephi
on marigolds, **711**
pathogenic and enzymatic variations in, 848
oxysporum f. cepae, pathogenicity and variability, 1051
oxysporum f. cubense
banana wilt resistance to, 135, **137**
isolation of 3-indoleacetic acid from, 240
oxysporum f. glycines, new form, on soybean, 237
oxysporum f. lycopersici
Ca nutrition of tomato vs. disease severity and polygalacturonase activity, 222
mycelial decomposition by Arthrobacter spp., 156
on tomato, resistance to, 1056
tomato selection and resistance to races of, 1213
oxysporum f. melonis, survival and effects of overwintering on virulence, 1083
oxysporum f. tracheiphilum, effect of O_2 and CO_2 tensions on growth, 502
roseum
cacao gall, associated with, 125
clover root exudate, effect on, 131
effect of relative humidity on, 688
inorganic nitrogen and competition with F. solani, 852
polygalacturonate trans-eliminase, properties of, 130
soil pH and fertilization, influence on fungi antagonistic to, 570
roseum f. cerealis
competition with F. solani phaseoli in soil, 104
pathogenicity affected by nutrition, 328
rugidiuscula, associated with cacao gall, 125
solani
on beans, major cause of root rot, 1084
on bean and pea, pathogenicity of, 1085
cacao gall, associated with, 125
clover root exudate, effect on, 131
inorganic nitrogen and competition with F. roseum, 852
polygalacturonate trans-eliminase, properties of, 130
soil pH and fertilization, influence on fungi antagonistic to, 570
sugar maple canker initiation, effect of inoculation time on, 1285
solani 'Coeruleum', chlamydospore formation in, 1060
solani f. cucurbitae, survival in soil compared to f. phaseoli, 963, **965**
solani f. phaseoli
bean root rot by, effect of C and N compounds on, 69, 1381
behavior in different soils, 1122, **1124**
chlamydospore formation inhibition by CO_2, 1052
competition with F. roseum cerealis in soil, 104
dissemination in natural soils, **1188**
effect of planting spacing on root rot, **757**
field tolerance to, **1045**
frequency of isolation from lesions, 126
growth and survival in soil, effect of host exudates on, 1021
histopathological relationships on bean, 1284
pectic enzymes produced in culture and associated with diseased bean, 1283
resistance, breeding for, in Phaseolus spp., 1227
survival in soil compared to F. solani f. curcurbitae, 963, **965**
solani f. pisi
growth and survival, effect of soil water on, 1053
lysis by Streptomyces spp. and their chitinase systems, 871
tricinctum, polygalacturonate trans-eliminase, 130

Gabelman, W. H., (752)
Gabrial, S. A., 498
Gabrielson, R. L., 1059
galactose
from clover roots, role in root rot, 131
morphological and cytohistological responses of bentgrass roots to, 781, **786, 787**
toxic to bentgrass roots in cultures of Sclerotinia homeocarpa, 775
Gallegly, M. E., (1052)
Gallegos, H. M. L., 125
gallic acid, Botryotinia ricini germination, growth, and sporulation affected by, 468, **469**
galls
of small grains caused by leafhopper toxin, 1059
toxicity of certain hydrocarbons to, 126
Galvez-E., G. E., 1059
gamma radiation
effect on 3 viruses, 1039
effect of spore population and age of infection on Botrytis cinerea, 1013
Ganoderma lucidum, on oil palms, 937
Garber, M. J., (1051)
garden balsam, nematodes on, 9 spp., host-parasite relationships, 763
garlic, onion yellow dwarf virus on, mechanical transmission, 129
Garner, J. H. B., 1059
Garraway, M. O., 1059, (1082)
Gaughan, E. J., (1053)
genetics
apple resistance to powdery mildew, 76
banana resistance to
Fusarium oxysporum cubense, 135
Pseudomonas solanacearum, 1206
bean resistance to Fusarium solani f. phaseoli, 1227
bean tolerance to Pseudomonas phaseolicola races, 1071
blue lupine resistance to Stemphylium solani, 627
corn resistance
of 11 inbred lines to Puccinia sorghi, 193
to Puccinia polysora, 425, **426**
jute resistance to Colletotrichum corchori, 749, **750**
onion resistance to pink root, 752
pea mosaiclike mutant, 1284
potato major and minor gene interaction, in Phytophthora infestans, 73
red clover necrotic reaction, to bean yellow mosaic virus, 1041
resistance to nematodes, 1162
rice resistance to Piricularia oryzae, 993
Rubus spp., resistance to Verticillium albo-atrum, 731
tobacco resistance to viruses, 504
tomato resistance to Fusarium oxysporum f. lycopersici races 1 and 2, 1213
genetics of microorganisms
Helminthosporium carbonum pathogenicity to 8 spp. of Gramineae, 1069
Helminthosporium turcicum pathogenic potential, 418
Heterodera spp., 1061
Heterodera schachtii and H. glycines hybridization, 800
Melampsora lini, pathogenicity and smooth-walled urediospores, 724
Pleurotus ostreatus, 1058
Tilletia controversa compatibility relationships, 1061
Geotrichum candidum
citrus race, pathogenicity, physiology, and taxonomy, 1262, **1264, 1266**
pathogenicity of plant, soil, and mammalian isolates on plants, 498, 1210, **1212**
pH, effect on resistance of plants to, 1066
Gerbera jamesonii, tobacco rattle virus on, 501
germination
aeciospores
Cronartium coleosporioides and C. quercuum, **171**
Cronartium fusiforme
chemical inhibitors, 996
response to metabolites, 475
ascospores
Dibotryon morbosum, temperature effects, 506
Dothidella ulei, inhibited by extract from Hevea brasiliensis leaves, 125
Leptosphaerulina briosiana on alfalfa, 546, **548**
Monilinia fructicola
effect of temperature and relative humidity on, 604
toxicity of m-dioxanes to, 129
Aspergillus niger, enzymes affecting, 1328
basidiospores
Fomes annosus, influence of borax and pinosylvans on, 129
Lenzites saepiaria, response to metabolites, 475
Puccinia carthami on safflower, 296
chlamydospores
Fusarium solani f. phaseoli, effect of
host exudates, 1021
nutrients on, 254
Fusarium solani f. pisi, effect of soil water, 1053
Thielaviopsis basicola, 466, **467**
Thielaviopsis basicola, physiology of, 1067
conidia
Alternaria sp., inhibition by SO_2, 525
Botryotinia ricini, effect of gallic acid on, 468
Botrytis cinerea, electron microscopy of, 1052
Erysiphe graminis f. sp. tritici, 365
Fomes annosus, influence of borax and pinosylvans on, 129
Fusarium spp., effect of nutrition on, 852
Fusarium roseum, effect of temperature and relative humidity, 688
Gloeosporium musarum, effect of temperature and relative humidity, 688
Penicillium atrovenetum
enzymes affecting, 1328
physiology of swelling, 1080
Penicillium digitatum, effect of orange rind and substrate pH on, 1216
Penicillium oxalicum, 1328
Peronospora manshurica, temperature effect, 1071
Sphaerotheca macularis on strawberry, 281
Stemphylium botryosum on alfalfa leaves, 909
Stemphylium sarcinaeforme, toxicity of m-dioxanes to, 129
Thielaviopsis paradoxa, effect of relative humidity and temperature, 688
Trichoderma viride, role of soil pH and nutrients on, 1060
Venturia inaequalis, effect of
several fungicides, 503
temperature and relative humidity, 503
Verticillium theobromae, effect of temperature and relative humidity, 688, **689**
corn, storage fungi, effect on, 125
rough rice, storage fungi vs. moisture content, 953
sclerotia, Sclerotium rolfsii, effect of soil amendments and atrazine, 1054
seeds, production of infection cushions of Rhizoctonia in response to, 129
sporangiospores
Phytophthora parasitica, inhibited by papain, 125
Rhizopus arrhizus
effect of proline and 59 other compounds on, 262
effect of spore age on, 262
metabolism of proline and glutamic acid during, 1082
Rhizopus stolonifer, effect of temperature and relative humidity, **604**
teliospores, Tilletia spp., factors affecting, 1286
sugarcane, effect of extracts from diseased plants, 1085
Trichoderma viride, enzymes affecting, 1328

uredospores
Puccinia spp. lysed by Verticillium spp., 40
Puccinia carthami on safflower, 296
Puccinia coronata avenae, amino acids released, 499
Puccinia striiformis
biochemical and cytological processes associated with hydration, 1219
effect of environment, on wheat, 198, **201**
effect of spore density, 1080
zoosporangia, Phytophthora colocasiae, effect of temperature and relative humidity, 126, 183, **185**
zoospores
Phytophthora colocasiae, effect of temperature and relative humidity, 183, **185**
Phytophthora drechsleri, effect of C compounds on, 1257
germination inhibitors
Cronartium fusiforme aeciospores, 996
in oat leaves, for Helminthosporium victoriae, 629
rusts and smuts, 505
germination stimulators, in oat leaves, for Helminthosporium victoriae, 629
Gerwitz, D. L., 57
Gibberella zeae
in corn, relationship to pith ratings and density, 623
planting date, effect on corn susceptibility to, 501
Gill, C. C., 141
Gill, H. S., 1059
Gillaspie, A. G., 906
Gilmer, R. M., 482, 1283
Ginkgo biloba, Stemphylium sarcinaeforme and Monilinia fructicola inhibited by cuticle of, 225
Gladiolus sp., scab and Stromatinia rot of, biological and chemical factors affecting, 1058
Gloeosporium musarum
ascospores, conidia, and perithecia, variation in, 125
effect of relative humidity on, 688
surfactants for fungicidal effects on appressoria of, 1059
Glomerella cingulata
amino acid and sugar composition of blueberry fruit, affected by, 302
ascospores, conidia, and perithecia, variation in, 125
lysis by Streptomyces spp. and their chitinase systems, 871
protein and enzyme profiles on polyacrylamide gels in isolates of, 1078
sporulation ability regained by light and other treatments, 369
glucose
from clover roots, role in root rot, 131
soil amendment, effect of, on bean root rot, 69
glyoxylate cycle, -intermediates, inhibition of Cronartium fusiforme aeciospore germination by, 996
gnotobiotic environment, growth of bean, corn, and tomato in, 1066
Gold, A. H., (1052)
Gomphrena globosa
red clover vein-mosaic virus infection inhibition on, 1057
Wisconsin pea streak virus, for identification, 336, **337**
Good, J. M., 1027, 1147
Gooding, G. F., Jr., 670
Goodman, R. N., 217, (719), (876), (1076)
Goth, R. W., 504, (506), 930, 1156
Gottlieb, D., (587), 1060, (1080), (1328)
Grable, C. I., (1079)
grafting, leaves, reliability in detection of virus on raspberry, 276
Graham, K. M., 73
Graham, S. O., (369), (1366)
Graham, T. W., 498
Gramineae, Meloidogyne incognita hatching response affected by root exudates of, 128
Granados, R. R., (1285)
grape
Alternaria sp. storage decay of, inhibition of spore germination by SO_2, 525
Botrytis cinerea to gamma radiation, effect of spore population and age of infection, 1013
nematodes on, effect on root growth, 1070
summer bunch rot of, Diplodia natalensis as cause of, 815
tobacco mosaic virus isolation from, 1283
gray mold of tomato, Ca-P balance, effect on, 447
Greeley, L. W., (92), (1043)
Green, R. J., (1057), 1060
Greene, G. L., (1059)
greenhouse whitefly, transmission of beet pseudo-yellows virus, new disease, 450
Griebel, G. A., (505)
Griffey, R. T., 915
Griffin, G. J., 1060
Grogan, R. G., 1060
Gross, S., (127)
Groves, A. B., (503), 504
growth
bean
effects of 2 fungus infections on, 330
infected with Uromyces phaseoli typica, 57
Botryotinia ricini, effect of gallic acid on, 468
carrot tissue and root knot nematode interaction, 393, **394**
Cercosporella herpotrichoides, effect of C, N, and C:N ratio on stroma, 127
Fomes annosus, influence of borax and pinosylvans on, 129
fungi on extracts from virus-infected and virus-free apple and pear, 127
Fusarium oxysporum
lycopersici, influence of host Ca-nutrition on, 222
tracheiphilum, effect of O_2 and CO_2 tensions, 502
Fusarium solani
phaseoli, in soil, effect of host exudates on, 1021
phaseoli and F. roseum cerealis, competition and nutrients, 104
pisi, soil water, effect on, 1053
Geotrichum candidum, temperature effects, 1210
Hypoxylon pruinatum on aspen, 771
Leucostoma persooni
monoascospore isolates, **514**
vitamins, 511
peanut kernel infecting fungi, at various temperatures, 46
Phytophthora spp.
effect of nitrogen source and pH on, 653, **654**
25 spp. compared, 595
Phytophthora parasitica var. nicotianae, effect of O_2 and CO_2 tensions on, 666
Pythiaceae
on fats, stimulation by sterols, 790, **794, 795**
lipids stimulating reproduction and, 320
Rhizoctonia solani, temperature and fungicides, 501
Rhizopus arrhizus on amino acids as C source, 262
Rhodosticta quercina, vitamins, 511
Sclerotium rolfsii
associated with oxalic acid and polygalacturonase, 204
effects of nutritional and mechanical factors, 87
sugarcane, effect of extracts from diseased plants on, 1085
Verticillium dahliae, in uncropped soils, 505
growth rate, Fusarium, 2 spp. in competition, 104
growth regulators
Cytospora cincta, effect on, 382
resistance to wilt diseases induced by, 1056
Gudauskas, R. T., 499
Guignardia citricarpa, on lemon, relation of disease incidence to fumigation with HCN, 486
Guthrie, J. W., (607)

Gymnoconia interstitialis and G. clavipes, germination inhibitors from spores of, 505

Hagan, W. L., 193
Hagedorn, D. J., (938), (1084), (1085)
Hagley, E. A .C., 117
Haglund, W. A., 473
Hagood, E. S., (128)
Halliwell, R. S., 1039, 1060
halo blight, resistance to in Phaseolus spp., 889, **893**
α-halocarbonyl, nematocidal properties of, 1053
Halpin, J. E., 499, (1053)
Hamilton, R. I., 798, 1060
Hamlen, R. A., 128
Hampton, R. E., (1078)
Hanchey, Penelope, 1060
Hancock, J. G., 346, 356, 1061
Hannon, C. I., (1058)
Hansing, E. D., (1057)
Hanson, E. W., (336), (1078)
Hardison, J. R., 1337
hardwoods, northern-, decay and discoloration in, 648, **649, 650**
Hare, W. W., 1162
Hart, J. H., 1154
Hartwig, E. E., (1277)
Harvey, A. E., 369, 1366
Hayashi, T., 387, 458, 484
Heagy, Jeanie, 809
heartwood, decay and discoloration of, in northern hardwoods, 648, **649, 650**
heat
elimination of turnip mosaic virus in horseradish by, 530
-induced susceptibility of soybeans to nonpathogenic fungi, 505
-injury on peanut, interaction with collar rot, 231, **232, 234**
as predisposing agent, **1372**
heat-labile mosaic components, reliability of leaf grafting for detection of, on raspberry, **276, 277, 279**
Heggestad, H. E., (1076), (1108)
Heinemann, W. W., (257)
Held, A., 970
Helianthus (see **sunflower**)
Helminthosporium spp., antagonism to, by Bacillus sp., 500
carbonum
pathogenicity, inheritance of, 1069
victoxinine production by, **1037, 1038**
pedicellatum, corn root penetration by, 1285
sativum
on barley, effect on host sugars, 341
fungistatic effects of soil bacteria to, 901, **904**
turcicum
avirulence on monogenic resistant corn, 462
on corn, effect of antibiotic flavensomycin on, 587
on corn, effect of epiphytic bacterium on, 760
corn, infection with virulent and avirulent isolates, 189, **190, 191**
pathogenic potentials evaluated, 418
spore release in, 1099, **1101**
vagans, on bluegrass, fungicides for, 708
victoriae
spores of, interactions with oat tissue, 629
toxin, respiratory changes in oats caused by, 813
Helton, A. W., (382)
hemicellulose, in cell wall of Venturia inaequalis, 401
Hendersonula toruloidea, branch wilt disease of walnut, anatomical and physiological aspects, 21
Hendrix, F. F., Jr., 499, (500), 1061, 1183
Hendrix, J. W., 790
Henis, Y., 87
Henson, L., (1041), (1055), (1073)
herbicides
atrazine
in carbon- and nitrogen-amended soil, effect on Sclerotium rolfsii and Trichoderma viride, 1054
effect on Sclerotium rolfsii and inhibitory soil microorganisms, 497
barban, sporulation inhibited by, 43
common name, 9
Dacthal, effect on soil microorganisms, 1080
damage, role of pathogens in, 1051
dicamba, 9
2,4-dichlorophenoxyacetic acid
effect on tobacco mosaic virus lesions in tobacco, 1076
sporulation inhibited by, 43
kerosene and components, effect on hyperplastic tissues, 126
MCPA, sporulation inhibited by, 43
norea, 9
tricamba, 9
Hertz, L. B., 128
Hesseltine, C. W., (1077)
Heterodera spp., cytological and morphometric studies of, 1061
glycines
on Beta vulgaris, variation in development of, 11 isolates of, 1068
hybridization with H. schachtii, 800
population dynamics, in crop sequences, 100
reproduction on 11 hosts, 497
on soybeans
histological responses to, 375, **376, 378, 380**
host resistance, 498
predisposition to Fusarium wilt, 361, **362, 363**
schachtii, hybridization with H. glycines, 800
tabacum, vapam control of, reduced by nematocides, 1068
Heuberger, J. W., (503), 504
Hevea brasiliensis, substance from leaves toxic to Dothidella ulei, 125
Hewitt, W. B., (815)
Hibben, C. R., 128
Hibiscus brachenridgii, Aphelenchoides besseyi on, new disease, 478
Hilborn, M. T., 34
Hildebrand, D. C., (31), (126), (645), 1061, (1075)
Hildebrandt, A. C., (1004), (1067)
Hilu, H. M., 189, (462), 563
Hindawi, I. J., 27
Hine, R. B., 125, 1223, (1293)
Hippeastrum mosaic disease, elimination of, from a clone, 504
Hirai, T., 291
Hirschmann, H., 1061
Hirst, J. M., 1157
Hiruki, C., 1061
histology
alfalfa and Stemphylium spp., 909, **911**
bean and Fusarium solani phaseoli or Thielaviopsis basicola, 1084
bentgrass roots in response to galactose and Sclerotinia homeocarpa, 781, **782, 783, 785, 786, 787**
citrus viruses, stains for, 543
corn leaves infected with Helminthosporium turcicum, 189, **190, 191**
garden balsam roots infected with Meloidogyne spp. and Pratylenchus penetrans, 763
Meloidogyne on Echinochloa, **1360**
onion and Meloidogyne hapla, 693, **694**
safflower and Puccinia carthami, 296, **298, 299**
soybean and Heterodera glycines, 375, **376, 378, 380**
tabasco pepper and tobacco etch virus, 267, **268**
turnip mosaic virus, electron microscopy, 458, **459, 460**
Hobbs, C. D., (1064)
Hodges, C. S., (130), (1347)
Hodgson, W. A., (73)
Hoffmann, J. A., 1061

Hollis, J. P., (501), (1057), 1062
Holmes, F. O., 504, 530
Holmes, F. W., 1284
Holtzmann, O. V., (478), 990
Hooker, A. L., (189), (193), 462
Horn, N. L., (267), 1062
Hornby, D., 1062
Horner, C. E., (1176)
horseradish, turnip mosaic virus in, elimination of, 530
Horsfall, J. G., (129), (658), 1062, (1066)
Horst, R. K., 848
Hortenstein, C. C., (447)
Horton, J. C., (1063)
host-parasite phytoirritants, in Fusarium-wilt diseases, 1054
host-parasite relationship
alfalfa and
Ascochyta, Colletotrichum, and Stemphylium, importance of pectolytic enzymes, 346
Leptosphaerulina briosiana, 546, **548**
Pratylenchus penetrans, phenolics formed, 127
Stemphylium botryosum, 346, 909, **911**
amaryllis and Pratylenchus scribneri and Scutellonema brachyurum, 228, **229**
barley and Erysiphe graminis hordei
activity of respiratory enzymes, 438
changes in enzymatic activity, 442
barley and Helminthosporium sativum, effect on host sugars, 341
bean and Rhizoctonia solani, proteolytic enzymes, 1285
carrot and Meloidogyne incognita, callus formation, 393, **394**
corn and Helminthosporium turcicum, 189, **190, 191**
corn and Puccinia sorghi, 193
corn and Puccinia sorghi seedlings isogenically resistant and susceptible, 563, **565, 566, 568**
garden balsam, 9 nematode spp. on, 763
grasses, Meloidogyne on, 1359
Nicotiana and Datura, and tobacco mosaic virus, accumulation of C^{14}-metabolites, 558
oats and Helminthosporium victoriae, spores vs. host tissue, 629
onion and Meloidogyne hapla, 693, **694**
Populus tremuloides and Colletotrichum gloeosporioides, 408, **409, 410**
soybean and
Heterodera glycines, histology, 375, **376, 378, 380**
Peronospora manshurica, nucleic acid synthesis and infection, 932
tobacco and Pseudomonas solanacearum, origin of indoleacetic acid, 1232
tomato and Fusarium oxysporum, Ca as factor of resistance, 222
host range, Rhizoctonia praticola and R. solani, of single spore isolates, 111
Houston, B. R., (1080)
Houston, D. R., 1062, 1114
Howell, R. K., 504
Hsu, S. C., 705
Huber, D. M., (592)
Huber, F. M., (1060)
Huffaker, R. C., (442)
Huisingh, D., 1062
Huppler, J. D., (471)
Hurlimann, J. H., (1072)
Hurwitz, Esther, (156)
Hussin, H., 575
Hutchins, P. C., (1058)
Hutchinson, D. L., (1082)
Hyalodendron sp., oak decline in Texas associated with, 1060
hydathodes, Erwinia amylovora entrance into apple through, 719
hydration, Puccinia striiformis uredospore biochemical and cytological processes associated with, 1219, 1221
Hydrocotyle sibthorpioides, control of root-knot nematode on, 501
hydrocyanic acid
formation of, from glycine by a snow mold fungus, 1081
fumigant for black spot of citrus, 486
hydroquinone, sensitivity to, Erwinia amylovora and Pseudomonas syringae, 31
Hyland, Fay, (34)
hypersensitivity, Phaseolus spp. to Pseudomonas phaseolicola, 889, **893**
hypertrophy, bacterial induced-, in tobacco and Datura leaves, 1074
hypocotyl collar rot, of Phaseolus vulgaris, factors affecting, 506
Hypomyces solani
associated with cacao gall, 125
cucurbitae, perithecial primordium formation of, association with tyrosinase activity, 1084
Hypoxylon spp.
in maple sprouts, 957
in trees, 648
pruinatum, on aspen, seasonal development of cankers and ascospore ejection in winter, 771, **772, 773**

Ibrahim, I. K. A., 1062
Icochea, Teresa, 1063
Iley, J. R., (447)
immunodiffusion
Cronartium spp., a comparison of, 670, **672**
for strain differentiation in tobacco mosaic virus, 635, **636, 637**
incubation, definition, French usage explained, 1157
indole-3-acetic acid
accumulation in filtrates of Pseudomonas savastanoi, biochemical factors influencing, 1065
on bean, effect on Uromyces phaseoli typica, 1054
isolation and identification from Fusarium oxysporum cubense, 240
nitrogen source for Pseudomonas savastanoi related to synthesis of, 1084
origin in tobacco infected by Pseudomonas solanacearum, 1232
infection
age of, Botrytis cinerea on grape, effect of gamma radiation on, 1013
definition, French usage explained, 1157
Gomphrena globosa by red clover vein-mosaic virus, inhibition of, 1057
inoculation date, Fusarium solani canker initiation on maple affected by, 1285
phases defined, 1157
Populus tremuloides by Colletotrichum gloeosporioides, 408, **409, 410**
roots of 3 hosts by Pseudomonas solanacearum through soil, 304
safflower by Puccinia carthami, histology of, 296, **298, 299**
infection court
location, effect on infection of oaks by Ceratocystis fagacearum, 1194
in red maple sprouts, 957
infection cushions, Rhizoctonia solani, formation on film in soil + seed exudates or carbohydrates, 129
infection pegs
Colletotrichum gloeosporioides on Populus tremuloides, 408, **409, 410**
of Monilinia fructicola inhibited by Ginkgo biloba cuticle, 225
of Stemphylium sarcinaeforme inhibited by Ginkgo biloba cuticle, 225
infection processes, terminology of, 1157
infection type, of Puccinia striiformis on wheat associated with host proteins, 413, 414
inheritance of resistance (see **resistance**)
Inman, R. E., 341

inoculation
definition, French usage explained, 1157
mode of, effect on bacterial wilt of bean, 174, **176**
season of, effect on oak infection by Ceratocystis fagacearum, 1194
inoculum concentration, Pyrenochaeta terrestris, on onion, effect on infection, 752
inoculum density, relationship to distance between propagules, computation of, 495
inoculum potential
Botrytis cinerea on grape, effect of gamma radiation on, 1013
Ceratocystis fagacearum, oak infection affected by, 1194
effect on variation of Fusarium oxysporum batatas on sweetpotato, 498
Fusarium solani f. phaseoli, depression in soils, 1122
nutrition, effect on, of Fusarium roseum cerealis, 328
Phytophthora parasitica var. nicotianae, effect of O_2 and CO_2 tensions on, 666
Pseudomonas solanacearum, for root-to-root spread through soil, 304
Rhizoctonia solani, effect of PCNB and soil amendments on, 1144
Verticillium dahliae
in elm and maple affected by, 1056
on Mentha spp., interaction with host resistance, 1176
inositol, sporulative ability of Glomerella cingulata affected by, 369
insecticides
compatibility with fungicides and foliar nutrients, 1074
to scab and Stromatinia rot of gladiolus, relationship of, 1058
insects, fire blight infections in pear related to, 1063
insect transmission (see also **aphid(s)**)
barley yellow dwarf virus, loss of vector specificity, 62
invasion, definition, French usage explained, 1157
Ipomoea batatas (see **sweetpotato**)
iron, soybeans with root rot affected by, 1055

Jackson, C. R., 46, 499, 934
Jaworski, C. A., (1026)
Jaworski, E. G., 401, 1309
Jenkins, S. F., Jr., (502), (1055), 1063, (1069), (1191)
Jenkins, W. R., (763)
Jewell, F. F., 1325
Jhooty, J. S., 281
John, C. A., (1071)
Johnson, D. W., 129, 1341
Johnson, H. W., (500)
Johnson, J., 499
Johnson, R. E., (675)
Johnson grass, mosaic virus of, 1250, **1252, 1254**
Johnston, C. O., (1317)
Johnston, H. W., 225
Johnston, T. H., (993)
Jones, A. L., 1063
Jones, J. P., 499
Jones, Marian W., (503)
Jordan, J. W., (501)
Juglans regia, branch wilt disease of, 21
juglone (see **toxins**)
juneberry (see **Amelanchier laevis**)
Juniperus virginiana, decay resistance to Fomes annosus, 130
Juo, Pei-show, 1284
jute, resistance to Colletotrichum corchori, 749, **750**

Kaesberg, P., (1061)
Kahn, R. P., (1076)
Kaiser, W. J., 125, 977
Kalanchoë, Stemphylium spp. on, 1313, **1314**
Kao, W. W., (43)
Katsanos, R. A., 97, (620), (807), 1063
Kaufman, D. D., 570
Kedar, N., (970)
Keeling, B. L., 1063
Keen, N. T., 1063
Keil, H. L., 505
Kelley, W. D., 1064
Kelman, A., 148, 304, (739)
Keltz, L. J., (1283)
Kendrick, E. L., (1061)
Kendrick, J. B., Jr., 1064
Kennedy, B. W., 415
kernel density, oats, relationship with tolerance to crown rust, 579
Kernkamp, M. F., 821, (1052)
kerosene, toxicity to hyperplastic tissues, 126
Kerr, E. C., (1075)
Kessler, K. J., 811
Kiernan, Josephine, (490)
Kilpatrick, R. A., 1064
Kimble, K. A., (1060)
King, T. H., 919, (1269)
Kingsland, G. C., 500
Kirk, T. K., 739
Kirkpatrick, H. C., 286
Kirkpatrick, J. D., 1064
Klarman, W. L., 505
Klement, Z., 1033
Klemmer, H. W., (125), 320
Kline, D. M., (1069)
Klisiewicz, J. M., (1257)
Klotz, L. J., (270)
Knorr, L. C., (675)
Koenig, R., (242)
Koenigs, J. W., 1064
Koike, H., 317, 1064
Kopp, L. E., (681)
Kosuge, T., 1065, (1257)
Kraft, J. M., 1065
Kramer, C. L., (132), (1070)
Krebs cycle acids, changes in synthesis induced by victorin, 967
Krusberg, L. R., (429), (504), 1065
Kuć, J., (1000)
Kuhlman, E. G., (499), 500, (1183)
Kuhn, C. W., 880, (1077)
Kunkel, J. F., 1065
Kuntz, J. E., (1114)
Kuo, T. T., (1065)
Kurtzmann, R. H., Jr., 1065

Labanauskas, C. K., (270)
Lacy, M. L., 1176
Lamborn, C. R., (1053)
Lamey, H. A., 500, 1065
Langenberg, W. G., 1065
Langley, B. C., (1051)
Langston, R., (1039)
Larson, R. H., (752)
latent pome viruses, Malus spp. and varieties as indicators for, 504
Latterell, F. M., 1066
Lawson, R. H., 715
Leach, J. G., (915), (1135)
Leach, S. S., 1284
leaf age
effect on lesion development
of bean anthracnose, 915, **917**
on soybean caused by Peronospora manshurica, 166, **169**
of tung, effect on resistance to angular leaf spot, 926, **927**
leafhoppers (see **Agallia constricta**)
leaf scald disease of sugarcane, method for testing varietal reactions, 317, **318**
leaf spot, bananas, caused by Mycosphaerella musicola, relation of leaf anatomy and lesion morphology, **1179**

leaf stipple disorder of pear, anatomy of, **119**
Leal, J. A., (40)
LeBeau, J. B., 1066
Leben, C., 760, 1375
legume viruses, identification in mixtures, 336
Leguminosae
Meloidogyne incognita hatching response affected by root exudates of, 128
watermelon mosaic virus 2 on, 895
lemon (see also **Citrus spp.**)
tristeza virus, protection, 1081
yellows-inducing virus, protection, 1081
Lenney, J. F., (320)
lenticels, Erwinia amylovora entrance into apple through, 719
lenticel spot of potatoes, fungi isolated from, 1284
Lenzites
saepiaria, basidiospore response to metabolites, 475
trabea, nitrogen content of wood, decay rate affected by, 1067
ulmi, associated with dieback of Fagus grandifolia, 1055
Leptodiscus sp., clover root exudate effect on, 131
Leptosphaerulina briosiana
on alfalfa, infection, disease development, host-parasite relationships, spore germination and dissemination, 546, **548**
ascospore production and liberation, effect of different C and N sources, 1070
Letey, J., (270)
letters to the editor
bean cell wall birefringence loss, in Rhizoctonia-infected tissue, **494**
infection processes, terminology of, 1157
plant virus strains, pure strains and mutation, 1048
populations of pathogens in soil, 495
lettuce
corky root rot of, relation of soil toxins to, 1051
new virus disease of, 450
lettuce big vein virus, survival in Olpidium sporangia, 1053
Leucostoma persoonii, compared with Rhodosticta quercina, 511, **514, 516**
Lewis, F. H., (506)
Lewis, Marjorie H., 1066
Lewis, Sally, 719
Lieberman, M., (1077)
light, effect on:
bean yellow mosaic virus local-lesion formation on red clover, 1055
Cercospora beticola, 1053, 1370
Endothia parasitica metabolism of glucose-C^{14}, 1067
Erysiphe graminis tritici conidia germination on wheat, 365
Fomes annosus sporulation, 131
Glomerella cingulata sporulative ability, 369
Gomphrena globosa excised leaves, reactions to several viruses, 336
Leptosphaerulina briosiana disease development on alfalfa, 546
Puccinia striiformis development on wheat, 198, **201**
Rhizoctonia solani translocation of P^{32}, 536
sporulation
Alternaria solani inhibition reversal by red light, 1032
Macrophomina phaseoli, 1156
Tilletia teliospore germination, 1286
Wisconsin pea streak virus movement in pea, 938
lignin, degradation, as related to phenoloxidases of 18 wood-decaying basidiomycetes, 739
Lilly, V. G., (1052), (1135)
Lindner, R. C., (286)
Lindsey, D. L., 104, 1066
lipids
in Puccinia striiformis uredospores, related to hydration, 1219, **1221**
in pythiaceous fungi, growth and reproduction stimulated by, 320
in Venturia inaequalis cell walls, 401
Liquidambar styraciflua, decay by Fomes annosus, 130
Lister, R. M., 859
Littlefield, L. J., 536
Litton, C. C., (1078)
Liu, Kang-Chien, 1280
Liu, S., 986
Lloyd, A. B., 871
local-lesion formation
bean yellow mosaic virus on red clover, environmental factors, 1055
tobacco mosaic virus
on tobacco and Datura, radioautographic study, 558, 560
on tobacco, relation to polyphenols, 502
local-lesions, visualization of tobacco mosaic virus in Datura stramonium-, 928, **929**
Lockwood, J. L., (871)
Loculoascomycetes, classification of, a symposium, 828
longevity
bacteria in bacterial exudates, 1135
Ceratocystis fagacearum in oak, 1114
Longidorus elongatus, effect on root growth on grape, 1070
López, L. C., (125), (953)
Lorbeer, J. W., (129), (1051)
Lotus corniculatus (see **birdsfoot trefoil**)
Louie, R., 129
Lovrekovich, L., (519)
Lucas, G. B., 500
Lucas, L. T., (1060)
Luffa acutangula, to separate watermelon mosaic virus 1 from 2, **1379**
Luke, H. H., 967
Lukens, R. J., 129, 658, 708, 1032, (1062), 1066
Lukezic, F. L., (125), 511, (977)
Lumsden, R. D., (734)
Lupinus angustifolius, genetics of resistance to Stemphylium solani, 627
Luttrell, E. S., 828
lysis
by Arthrobacter spp., of Fusarium oxysporum lycopersici and Pythium debaryanum, 156
by 2,6-dichloro-4-nitroaniline, of Rhizopus arrhizus, 159, **161**
by Fusarium solani f. phaseoli, in soil, 1122
by Streptomyces spp. and their chitinase systems of mycelium, 871

Mace, M. E., 240
MacKenzie, D. R., (1285)
Macrophomina phaseoli
associated with soybean roots, 506
sporulation on propylene oxide-sterilized leaves, 1156
Macrosiphum (see also **aphid(s)**)
avenae, vector of barley yellow dwarf virus, 62, 809, 1284
euphorbiae, virus transmission affected by temperature, 1076
MacWithey, H. S., 1066
Maduewesi, J. N. C., 938
magnesium, polygalacturonate trans-eliminase, effect on activity of, 130
Mahadevan, A., 1000
Mai, W. F., (128), (490), (693)
maize dwarf mosaic virus
on corn, new disease, properties and host range, 802
corn resistance to, sources of, 1285
mosaic virus of corn and Johnson grass compared with, 1250
malachite green, for elimination of turnip mosaic virus from horseradish stock, 530
Malca, I., 442, (663), 775, (781)
maltase (see **enzymes**)

Malus spp. (see also **apple**)
indicators of latent pome virus cultures, 504
manganese
polygalacturonate trans-eliminase, effect on activity of, 130
soybeans with root rot affected by, 1055
Manning, W. J., 505
maple (see **Acer spp.**)
Maramorosch, K., 129, (1076), (1285)
Marasmius oreades, parasite on turfgrass, 1132, **1133**
Marchetti, M. A., (1066)
marigold (see **Tagetes spp.**)
Marks, G. C., 408
Marsh, P. B., 52
Martin, W. J., (497), 1066
Martinson, C. A., 129
Matejka, J. C., (1362)
Mathre, D. E., 1067
Matsui, C., (387), (458), (484)
Mauer, C. L., 69
Maxwell, D. P., (127)
McClintock, D. L., (495)
McCombs, C. L., (1078)
McCreary, Mathilda, 129
McCrum, R. C., (34)
McDonald, H. H., (1362)
McDowell, L. L., 1067
McGahan, M. W., 1179
McGrew, J. R., 480
McGuire, J. M., 231
McIntyre, G. A., 130, 1067
McKeen, W. E., (281)
McKenzie, M. A., 130
McKenzie, R. I. H., (767)
McKinney, H. E., (1053)
McKinney, H. H., 1043, 1048
Medicago sativa (see **alfalfa**)
Melampsora lini, genetics of pathogenicity and smooth-walled urediospores, 724, **725**
melanin-containing structures, loss of in Verticillium albo-atrum in culture, 1200
Melendez, P. L., 1067
Meloidogyne spp.
on garden balsam, host-parasite relationship, 763
nematocides for, 1053
organic substances discharged by, 429
resistance of cover crops and bermudagrass to, 1026
resistance of 5 spp. and 36 F_5 interspecific cross lines of Vicia to, 500
on tobacco, interaction with Fusarium, 1071
graminicola sp. nov., 1359, **1360**
hapla
on onion, host-parasite relationship, 693, **694**
survival in plant animal-feed, 257
temperature and age of egg population, effect on hatching eggs of, 885
incognita
carrot tissue host parasite interaction, 393, **394**
egg mass extraction, 497
hatching response, effect of root exudates and soil moisture stresses on, 128
on Hydrocotyle sibthorpiodes, control, 501
soil temperature, effect on tomato resistance to, 990
on soybeans, caused predisposition to Fusarium wilt, 361, **363**
substances in extracts of decomposing plant residues toxic to, 702, **703**
on tobacco, influence on Fusarium wilt, 1067
incognita acrita, + Plasmodiophora brassicae in cabbage roots, 506
javanica, survival on tobacco, 498
Melvin, C. F., (1077)
Mence, Margaret, 1067
Mentha sp., resistance to Verticillium dahliae, interactions with inoculum density, 1176
Menzies, J. D., 505
Meredith, D. S., 1099
Merkle, O. G., (1064)
Merrill, W., 130, (1054), 1067
Metabolic inhibitors
comparison of, with Ceratocystis ulmi filtrate, in birch, 1065
ethylene production by Penicillium digitatum effected by, 1077
metabolism
amino acids, Rhizopus arrhizus spore germination, 1082
Armillaria mellea, of glucose and ethanol, 1059
Phytophthora drechsleri zoospores, of C compounds, effect on motility and germination, 1257
radish cotyledons infected with Albugo candida, 1052
respiratory-, of Verticillium albo-atrum, 1079
metabolites, produced by Leptosphaerulina briosiana, 546
Metadiplodia subsolitaria, summer bunch rot of grapes, 815
meteorology (symposium)
contribution to disease forecasting, 943
relation to crop pests, 950
relation to epidemiology, 945
6-methoxy-2(3)-benzoxazolinone fraction, measure of corn pith glucoside content, 1241
6-methyl purine, virus inhibitor in tobacco, 533
Meyers, R. F., 429
microflora, of barley kernels in storage, 399
Milbrath, G. M., (653), (1069)
mildew, powdery (see genera of)
Miller, R. L., 130, (346), (356), (909)
Miller, F. R., (1058)
Miller, L. I., 1068
Miller, L. P., 1068
Miller, P. M., 1068
Miller, P. R., 1068
Miller, W. H., (604)
Millikan, D. F., 932, 1068
mineral nutrition (see **nutrition**)
Mink, G. I., (286)
Minton, N. A., 500, (1026)
Mircetich, S. M., (487)
Mirocha, C. J., 940, 1068, (1073), (1303)
Mitchell, J. E., (1076), (1127)
Mitchell, R., 156
mites, eriophyid-, physiological strains of, relationship to transmission of wheat streak mosaic virus, 1168, **1170**
mitochondria, structure of, in tobacco lesions infected with tobacco mosaic virus, 387, **388, 389, 390, 391**
Mixon, A. C., 1069
moisture
absorption, in rice with and without hulls, 953
Piricularia oryzae requirements, for rice infection, 503
moisture content, effect on:
barley microflora in storage, 399
rough rice, relation to microflora, viability, and length of storage, 953
Moje, W., (663)
Molitoris, H. P., 1069
Monilinia fructicola
m-dioxanes toxic to spore germination of, 129
fungitoxicity of compounds to, 658
inhibited by cuticle of Ginkgo biloba, 225
variations within, 1057
Moore, L. D., 1069
Moore, L. W., 607
Moreno M, E., 125
Morgan, F. L., (132), 500, 1277
Morton, D. J., 421, 500, (1055), (1063), 1069, 1191
Moseman, A. H., 1088
Moseman, J. G., 92
Mowry, J. B., 76
Mueller, W. C., 242, 1069
Mujica, F. L., (1071)
Musa spp. (see **banana**)

Muse, R. R., 507
muskmelon
squash mosaic virus on, **1363**
virus disease of, new, 450
6 virus diseases of, effect of temperature on symptoms and concentration, 981, **982, 983**
muskmelon necrotic fleck virus, on muskmelon, effect of temperature on symptoms and concentration of, 981, **983**
Mycosphaerella
aleuritidis
on tung, effect of leaf age and side on resistance, 926, **927**
on tung, etiology and control, 502
musicola, on banana, lesion morphology related to leaf anatomy, **1179**
myo-inositol, requirement of Rhodosticta quercina, 511
Myzus persicae, virus transmission affected by temperature, 1076

Nadakavukaren, M. J., (859)
Nair, K. R. S., 365
Nash, Shirley M., 126, 963, (1381)
Natti, J. J., (128), 1284
necrosis, inheritance in red clover, to bean yellow mosaic virus, 1041
Nelson, M. R., 1069, 1362
Nelson, R. R., 418, (462), 823, 1069
nematocides
actinomycete and bacterial metabolites, on Pratylenchus penetrans, 131
chloropicrin, plant growth in response to, in soil infested with Pythium ultimum, 1016
DBCP
effect on nematode populations and alfalfa yields, 615
penetration of, for control of Radopholus similis and for destruction of citrus roots, 1103
sugarcane yields and nematode populations affected by, 1051
D-D, penetration of, for control of Radopholus similis, 1103
2,4-dichlorophenyl methanesulfonate, properties of, 1051
dichloropropane-propene group, reniform nematode populations, and sweetpotato yields, effect on, 497
EDB, penetration of, for control of Radopholus similis, 1103
α-halocarbonyl derivatives, properties of, 1053
methyl-bromide-chloropicrin mixture reduced inoculum potential of pythiaceous fungi on papaya, 126
Nemagon, root-knot nematode on Hydrocotyle sibthorpiodes, control, 501
PCNB, sugarcane yields and nematode populations affected by, 1051
penetration of, for control of Radopholus similis, 1103
selective for plant-parasitic nematodes, in extracts of decomposing rye, 702
use as pre- and post-plant treatments on peach and plum trees, 499
vapam detoxified by, 1068
nematodes (see also under genera of)
age of egg population, effect on hatching in Meloidogyne hapla, 885
bioassay of anaerobiosis in submerged soils, 501
cover crops and bermudagrass, relative susceptibility to, 1026
cuticle structure in Tylenchorhynchus martinii, 1062
decomposing plant residues and extracts, effect on saprophagous and parasitic spp., 702
egg mass extraction, 497
fatty acids in, 1065
feeding, observation of Trichodorus christiei on corn root cells, 128, **490**
on garden balsam, host-parasite relationships of 9 spp. of, 763
hatching of Meloidogyne hapla eggs, effect of temperature and age on, 885
hatching response of Meloidogyne incognita to root exudates and soil moisture stresses, 128
host-parasite relationship
on carrot, 393, **394**
Meloidogyne hapla on onion, 693, **694**
host resistance to, 498
hybridization of Heterodera schachtii and H. glycines, 800
on Hydrocotyle sibthorpiodes, control, 501
interaction with Verticillium dahliae menthae on peppermint, 583
morphometric and cytological studies of Heterodera spp., 1061
N compounds in alfalfa and pea, affected by, 504
pathogenicity on turfgrasses, 1283
peach decline associated with, 1061
penetration of soybean by Heterodera glycines, histology of, 375, **376, 378, 380**
plant parasitic, organic substances discharged by, 429
populations
as affected by soil treatment, spraying, and crop cutting, 615
effect on sweetpotato yields, 497
reproduction, Heterodera glycines on 11 hosts, 497
resistance of plants to, 1159, 1162
respiration in Tylenchidae, 1283
root knot, interaction in carrot tissue, 393, **394**
soil fumigants for, 1147
on soybean, histological study of reaction to, 375, **376, 378, 380**
toxicity of volatile fatty acids to parasitic-, 1074
new diseases, species, varieties
alfalfa mosaic virus on tobacco, naturally occurring, 1108, **1109, 1112**
Alternaria tenuis fruit rot of pepper, 1072
Aphelenchoides besseyi on Hibiscus brachenridgii in Hawaii, 478
apple latent mosaic virus 2, purification, properties, and host range of, 286, **288**
beet pseudo-yellows virus, host range, symptoms and vector, 450
Cercospora hayi on banana, **977, 978, 979**
Erwinia sp. acorn drip of Quercus, 1061
maize dwarf mosaic of corn, **802**
Meloidogyne graminicola sp. nov., 1359
peanut mottle virus on peanut, 880, **882**
pear latent virus, 1081
Physoderma sp. on Vicia angustifolia, 500
Physoderma citri sp. nov. on citrus and related spp., 681, **683, 684**
Phytophthora sp., on red raspberry, 503
Pseudomonas phaseolicola, new strain, on bean, 1075
strawberry vein necrosis virus, 1269, **1270, 1273**
sugarcane root rot caused by Pythium catenulatum in Taiwan, 705
tobacco rattle virus in Gerbera jamesonii, 501
Vicia sativa with virus disease, 499
Xanthomonas musicola sp. nov. on banana, **1035**
Nichols, C. G., 752
Nicotiana (see also **tobacco**)
glutinosa
fine structure of lesions caused by tobacco mosaic virus, 387, **388, 389, 390, 391**
formation of dark green spots on leaves of, by tobacco mosaic virus, **484**
radioautography of local lesion formation, 558, **560**
tobacco mosaic virus on, multiplication inhibition by Blasticidin S, 291
sylvestris, tobacco mosaic virus necrotic local lesion formation on, 502
tabacum, toxicity to, from auto exhaust, 27
Nielsen, L. W., 640
Nigh, E. L., Jr., 1070
Nishimura, S., 629

nitrification, inhibition of, following soil fumigation, 1147
nitrogen
on development of crown gall on tomato and cherry, effect of, 575
inorganic, soil amendment, effect of, on development of bean root rot, 69
liquid-, for transmission of dahlia mosaic virus, 715
nematode discharge of, 429
in pea and alfalfa, effect of nematodes on, 504
in wood-destroying fungi, 1054
in wood, effect on decay rate, 1067
Nong, L., 228
nonyl phenyl polyethylene, use of in soil dilution and plate count methods, 728
norbormide (see **rodenticides**)
norea (see **herbicides**)
northern leaf blight (see also **Helminthosporium** turcicum) effect of epiphytic bacterium on, 760, 1375
Norton, D. C., 615
Noveroske, R. L., (871)
nucellar propagation, for control of citrus viruses, 675
nuclear inclusions, in vetch, indicators of cross protection by virus, **242**
nucleic acids (see also **ribonucleic acid**)
in Botrytis cinerea, effect of griseofulvin on, 1060
soybean, effect of downy mildew on synthesis of, 932
tobacco, effect of Blasticidin S on, 291
tobacco mosaic virus, an infective form, 1053
nucleoproteins, ratio of infectious- to noninfectious-, from tobacco ringspot virus infected plants, 1075
nucleus, structure of, in tobacco lesions infected with tobacco mosaic virus, 387, **388, 389, 390, 391**
nutrients
foliar-, compatibility with fungicides and insecticides, 1074
production by soil pesticide treatments, basic theory of plant-, 1062
nutrition
antibiotic production affected by, in Streptomyces spp., 1083
calcium, in tomatoes, influence on Fusarium wilt severity and polygalacturonase activity, 222
Ca-P balance, effect on tomato gray mold, 447
C-N ratio, Cercosporella herpotrichoides, sporulation and stroma development, 127
carbon source
Alternaria ricini, 1072
Armillaria mellea, 1059
Ascochyta imperfecta, 356
Cercosporella herpotrichoides, sporulation and stroma development, 127
Colletotrichum trifolii, 356
Fusarium roseum, 104, 852
Fusarium solani, 104, 852
Fusarium solani f. sp. phaseoli chlamydospore germination, 254
growth and survival, 1021
β-glucosidase, effect on, 31
Mucorales, 790
Phytophthora spp., 595
Phytophthora drechsleri zoospores, effect on motility and germination, 1257
Pythiaceae, 790
Rhizopus arrhizus, 262
Rhizopus oligosporus, 1077
Saprolegniaceae, 790
Sclerotium rolfsii, 87
Sclerotium rolfsii, production of oxalic acid and polygalacturonase, 204
Stemphylium botryosum, 356
Thielaviopsis basicola, 1067
chlamydospore formation affected by, in Fusarium solani 'Coeruleum', 1060
dissemination of Fusarium solani affected by, 1188
ethylene production by Penicillium digitatum affected by, 1077
fungistasis affected by, in Trichoderma, 1057
growth affected by
Fusarium roseum, 104
Fusarium solani, 104, 1021
Leucostoma persoonii, 511, **516**
Rhodosticta quercina, 511
mineral-, effect on crown gall on cherry and tomato, 575
nitrogen source
Alternaria ricini, 1072
Cercosporella herpotrichoides, sporulation and stroma development, 127
Colletotrichum phomoides, effect on virulence, 333
Fusarium roseum, 104, 852
Fusarium solani, 104, 852
Fusarium solani f. sp. phaseoli chlamydospore germination, effect on, 254
growth and survival, 1021
nematode and disease control affected by, 1147
Phytophthora spp., 595, 653, **654**
Pseudomonas savastanoi, relation with indoleacetic acid synthesis, 1084
Pythium spp., 1064, 1065
Rhizopus oligosporus, 1077
soybean bacterial root rot, 1055
Thielaviopsis basicola, 1067
pathogenicity of Fusarium roseum affected by, 328
P-Ca balance, effect on tomato gray mold, 447
reproduction affected by, in Pythium spp., 1127
soil fungistasis affected by, Trichoderma viride, 1060
spore germination affected by, 262
sporulation affected by, in Leptosphaerulina briosiana, 1070
survival affected by, Fusarium solani, 1021
susceptibility affected by
elm to Verticillium dahliae, 1056
fescue to Corticium, 507
sugar maple to Verticillium dahliae, 1056
virulence affected by, in tomato anthracnose, 333
virus movement affected by, 938
nutrition of host, effect on bacterial wilt of bean, 174

oak decline in Texas, 1060
oak wilt (see **Ceratocystis**)
oats
barley yellow dwarf virus in, loss of vector specificity, 1284
blast, caused by smut, **1368**
$C^{14}O_2$ fixation by fungus-infected, 940, **941**
distribution of sulfur^{35} in, from uredospores of Puccinia coronata avenae, 499
dwarfness in, caused by smut hybrid, **1042**
Helminthosporium victoriae spores on, interaction with tissue of, 629
kernel density, relationship with tolerance to crown rust, 579
leaf galls, caused by leafhopper toxin, 1059
Puccinia coronata avenae
resistance to, 700, 1320
yield losses from, 767
respiratory changes caused by victorin in, 813
rust races of, near barberry, 1377
seeds, treatment for fungi on, 128
tolerance to crown rust, relationship with kernel density, 579
ultrastructure of, changes in when treated with victorin, 1060
victorin, effect on
Krebs cycle acid metabolism, 967
resistant tissue of, 1055
obituaries
Wilbur Doane Courtney, 1896-1965, 603
Claude Wilbur Edgerton, 1880-1965, 1086
Ernst Gram, 1891-1964, 373
Ocana, G., 1070
Odihirin, R. A., 763

Ogawa, J. M., (159), (262)
Ohman, J. H., (811)
Ohmori, K., 1328
oil palm (see **Elaeis guineensis**)
Old, K. M., 904
Olea europaea (see **olive**)
oleander, Pseudomonas savastanoi tumors in, pathological histogenesis in, 1244, **1245, 1246, 1247, 1248**
olive, Verticillium albo-atrum in, control through natural recovery and resistance, 310, **311**
Olpidium brassicae, virus survival in sporangia of, 1053
Olsen, C. M., 711
onion
fungicides on, effect on synthesis of chlorophylls, and nucleic acids in leaves of, 844
Fusarium oxysporum cepae, cultural variability and pathogenicity on, 1051
Meloidogyne hapla on, host-parasite relationship, 693, **694**
pink root of, resistance to, 752
Pyrenochaeta terrestris on, sugar repression of enzymes during pathogenesis of, 1063
wheat curl mites on, relationship to transmission of wheat streak mosaic virus, 1168, **1170**
onion yellow dwarf virus, on garlic, onion, and shallot, mechanical transmission, technique for, 129
oogonia formation, in pythiaceous fungi, induced by lipids, 230
Opuntia spp., Sammons' Opuntia Virus on, **933**
orange (see also **Citrus spp.**)
Geotrichum candidum pathogenicity on, 498
sweet-
stubborn disease of, indexing for, 1053
Tylenchulus semipenetrans control on, 1051
Tylenchulus semipenetrans reproduction on, factors affecting, 1064
Orellana, R. G., 468
Orenski, S. W., (129)
organic acids
metabolism during germination of Cronartium fusiforme and Lenzites saepiaria, 475
nematode discharge of, 432
organic phosphates, Cytospora cincta, effect on, 382
Orlob, G. B., 1070
Ortega, J., (125)
osmotic pressure, effect on Erwinia amylovora plasma drop formation and cell length, 876
Ostazeski, S. A., 505, (1156)
Owen, J. H., (1061)
Owsley, D. C., (1053)
oxalic acid, production by Sclerotium rolfsii, and synergistic action on bean, 204, **209**
oxygen, disturbance factor in rice fields, 501
oxygen tension
effect on growth and inoculum potential of Phytophthora parasitica, 666
Fusarium oxysporum tracheiphilum growth, 502
ozone, Pinus ponderosa affected by, 1068

Pady, S. M., 132, 1070
Page, O. T., 259
Palmer, J. G., 1070
palm weevil, transmission of Rhadinaphelenchus cocophilus, 117
Pandey, M. C., 1070
Papavizas, G. C., 111, (249), (503)
papaya
Phytophthora parasitica inactivation, by enzymes of, **1223**
replant problem, role of pythiaceous fungi in, 126
role of residues, 1293, **1294, 1296**
Pappelis, A. J., (97), 501, 620, 623, 807, (1063), (1237)
parasitism, effect of major and minor gene interaction on, in Phytophthora infestans, 73
parasitism-symbiosis, in Physoderma citri on citrus, 681
Paratylenchus projectus, on garden balsam, host-parasite relationship, 763
Parish, C. L., 502
Parmeter, J. R., Jr., 826, (1068)
Patel, P. N., 889, 1071
Pathak, V. K., (132)
pathogenicity
Agrobacterium tumefaciens on hosts, chemical effects on, 212
animal pathogen on plants, 498
cellulase of Pseudomonas solanacearum related to, 148
Cephaleuros virescens, in the Neotropics, 1082
Cronartium fusiforme secondary basidiospores, 1074
Erwinia amylovora and bacterium from apple buds, interaction effect on, 217
freezing, effect on, 415
Fusarium
oxysporum callistephi, variations in, 848
oxysporum cepae, on onion, 1051
roseum cerealis, effect of nutrition, 328
solani, on bean and pea, 1084, 1085
solani phaseoli, effect of different soils on, 1122
Geotrichum candidum
citrus race, 1262
plant, soil, and mammalian isolates of, 498, 1210, **1212**
Helminthosporium
carbonum, to 8 spp. of Gramineae, inheritance of, 1069
turcicum, potential for, 418
host specificity, effect of mutation on, 1085
Leucostoma persoonii and Rhodosticta quercina compared, on plum, 511
Marasmius oreades on turfgrass, 1132
Melampsora lini, inheritance, 724
nematodes, 9 spp. to garden balsam, 763
Phytophthora megasperma var. sojae, races of, 1277, **1278**
Pratylenchus penetrans to turfgrass, 1285
Pseudomonas spp., to soybean, 1079
apii on celery, 554
cichorii to celery, cabbage, escarole, and chrysanthemum, 554
glycinea, freezing of, 415
lachrymans, correlation with capsular antigens, 1060
phaseolicola
correlation with specific antigens, 1060
to Phaseolus spp., 899, **893**
Puccinia polysora and P. sorghi on corn with Latin American germ plasm, 1074
Rhizoctonia solani
on bean and pea, 1084
in lima bean seedlings, 506
Rhodosticta quercina and Leucostoma persoonii compared, on plum, 511
Sclerotium rolfsii, role of oxalic acid and polygalacturonase in, 204
Tylenchorhynchus claytoni to turfgrass, 1285
Verticicladiella wageneri to Pinus spp., 1077
pathogenic specialization in relation to taxonomy, symposium, 821
Patil, S. S., 1071
Patrick, Z. A., 466, 702, (1074)
Patterson, F. L., (1320)
Paxton, J. D., 21
pea
Aphanomyces euteiches on, enzymes of, 249
Erysiphe polygoni resistance, loss of, 1075
Fusarium solani on, pathogenicity, 1085
mutant, mosaiclike, temperature modification of, 1284
nitrogen compounds of, effect of nematodes on, 504
pea enation mosaic virus in
electron microscopy, 1285
new local lesion host for, **492**
Wisconsin pea streak virus in, 938

identification using Gomphrena and Vicia, 336, **337, 338**
pea common mosaic virus, differentiated from Wisconsin pea streak virus, 336
pea enation mosaic virus
on bean, 127
electron microscopy of, in pea and pea aphid, 1285
new local lesion host, pea, **492**
purification of, from pea, 127
pea streak virus (see **Wisconsin pea streak virus**)
peach (see also **Prunus**)
bacterial leaf spot, oxytetracycline + dimethyl sulfoxide for, 505
canker disease, induced by chilling, **805**
crown gall, toxicity of hydrocarbons to, 126
peach mosaic virus on, hosts and strains, 1151
roots, fungi and nematodes on, 1061
soil fumigants and nematocides for, 499
sour sap disease, induced by chilling, **805**
peach decline, fungi and nematodes associated with, 1061
peach mosaic virus, hosts and strains of, 1151
peanut
aflatoxin content when inoculated with Aspergillus flavus, 1057
Diplodia gossypina on, etiology, heat injury and collar rot interaction, 231, **232, 234**
fatty acid composition of, inoculated with Aspergillus flavus, 1057
infection by 4 fungi at various temperatures, 46
kernels of, fungi isolated from, 499
mottle virus in, symptomatology, host range, and yield effect, 880, **882**
Sclerotium bataticola infection of, reduced by Aspergillus flavus, 934
Spanish-, aflatoxins in, relation to pod and kernel condition, 464
peanut mottle virus, symptomatology, hosts, and yield effects, 880, **882**
pear
crown gall, toxicity of hydrocarbons to, 126
Erwinia amylovora on, relation of insects to, 1063
extracts from virus-free and virus-infected tissue, growth of fungi on, 127
leaf stipple disorder, anatomy of, **119**
virus, latent-, properties of, 1081
pectic substances, safflower resistance to Phytophthora drechsleri related to, 1079
pectin, conversion to calcium pectate, association with bean resistance to Rhizoctonia, 734
pectinase (see **enzymes**)
Pederson, V. D., 1071
Pellicularia filamentosa, in bean, basidiospore infection, **698**
penetration
alfalfa, clover, and birdsfoot trefoil, by Stemphylium spp., 909
alfalfa by Leptosphaerulina briosiana, 546, **548**
apple leaf and stem, by Erwinia amylovora, 719
corn roots by Helminthosporium pedicellatum, 1285
Ginkgo biloba by Monilinia fructicola, inhibited by cuticle, 225
Populus tremuloides by Colletotrichum gloeosporioides, 408, **409, 410**
safflower by Puccinia carthami, 296, **298**
soybean by Heterodera glycines, histology of, 375, **376, 378, 380**
turfgrass by Marasmius oreades, 1132, 1133
wheat, by Puccinia striiformis, environmental factors, 198, **201**
Penicillium
atrovenetum
enzymes affecting, 1328
physiology of swelling during germination, 1080
digitatum
ethylene production, factors affecting, 1077
spore germination, effect of orange extracts and pH on, 1216
frequentans, antagonistic to Pythium on beets, 986
oxalicum, enzymes affecting, 1328
pepper
alfalfa mosaic virus on, from tobacco, 1108, **1109**
Alternaria tenuis fruit rot of, new disease, 1072
potato aucuba mosaic virus indicator host, 1284
Pseudomonas solanacearum in, identification and sampling methods, 1191
tabasco-, tobacco etch virus on, histology of, 267, **268**
Xanthomonas vesicatoria in
effect of chemicals on, 506
infection from overwintered inoculum, 1071
serological identification methods compared, 421, **422, 423**
pepper bacterial spot, effect of chemicals on, 506
perennial canker of Prunus spp., 511
perithecia
Hypomyces solani cucurbitae, primordium formation, correlated with tyrosinase, 1084
Hypoxylon pruinatum, seasonal development, 771
permeability, in tabasco pepper roots infected with tobacco etch virus, 498
Peronospora manshurica
germination of conidia, effect of temperature, 1071
on soybean, changes in host nucleic acid synthesis, 932
soybeans, factors affecting lesion development, 166, **169**
Persea (see **avocado**)
Person, L. H., 1071
pesticides, plant nutrient production by soil-, theory of, 1062
Peterson, J. L., (131)
Petunia spp., exocortis virus of citrus host, 1081
hybrida
toxicity to, from auto exhaust, 27
turnip mosaic virus on, electron microscopy of, 458, **460**
pH, effect on:
Cronartium fusiforme aeciospore germination, 996
fungistasis of Trichoderma viride conidia, 1057
Fusarium spp. conidial germination, 852
growth
Erwinia amylovora vs. Bacterium herbicola-Xanthomonas trifolii group, 217, **219**
Leucostoma persoonii, 511, **516**
Phytophthora spp., 653
Rhodosticta quercina, 511
Penicillium digitatum
ethylene production by, 1077
spore germination, 1216
Phytophthora cinnamomi recovery from soil, 1183
polygalacturonate trans-eliminase production by Colletotrichum trifolii, 1061
Pseudomonas solanacearum, cellulolytic activity of, 148
resistance to Geotrichum candidum, 1066
Phaseolus spp. (see also **bean**)
resistance to Pseudomonas phaseolicola, 889, **893**
coccineus, Fusarium solani resistance, breeding for, 1227
Phatak, H. C., 130
phenolics, in alfalfa-Pratylenchus penetrans relationship, 127
Phialophora spp.
in red maple sprouts, 957, **960**
in trees, 648
Phillips, D. J., 328
phloem
Erwinia amylovora movement through apple in, 719
tabasco pepper infected with tobacco etch virus, necrosis of, 267, **268**
Phoma sp.
growth on extracts of virus-free and virus-infected apple and pear, 127

potato lenticel spot associated with, 1284
Phomopsis citri, on Citrus spp., grove inoculation with, 1077
phosphate, Rhizopus arrhizus germination, effect on, 262
phospholipids, Blasticidin S, effect on, in tobacco, 291
phosphorus, effect on crown gall on tomato and cherry, 575
photosynthesis
enzymes, in barley-Erysiphe graminis hordei interaction, 442
in tobacco, effect of tobacco ringspot virus, 370
photosynthetic products, translocation, effect of bean rust, 528
phototropism, Cercospora beticola, 1053
Physalis spp., Pseudomonas solanacearum infection of, 1055
Physalospora tucumanensis
in sugarcane, resistance, 620
in sugarcane stalks, 807
physiologic specialization, in Phytophthora megasperma var. sojae, 1277, **1278**
physiology of disease
host-parasite interaction of root knot nematodes in carrot, 393, **394**
starch synthesis in clubroot galls, 1084
tabasco pepper infected with tobacco etch virus, 498
physiology of fungi
Aspergillus niger, enzymes affecting, 1328
Colletotrichum gloeosporioides on Populus tremuloides, 408
Erysiphe graminis hordei on barley, respiratory enzymes, 438
Geotrichum candidum, citrus race, 1262
Leucostoma persoonii and Rhodosticta quercina compared, from plum, 511
lipids stimulatory to reproduction and growth in pythiaceous fungi, 320
mycelium chemical composition, changes during aging, 1080
nitrogen source, effect on pathogenicity of Colletotrichum phomoides, 333
Penicillium spp., enzymes affecting, 1328
Penicillium atrovenetum spore swelling during germination, 1080
Phytophthora parasitica, effect of O_2 and CO_2 tensions on growth and inoculum potential, 666
sterols stimulatory to reproduction and growth in pythiaceous fungi. 320
translocation of P^{32} by Rhizoctonia, 536, **538**
Trichoderma viride, enzymes affecting, 1328
zinc ion control of cytochrome c synthesis in Ustilago sphaerogena, 127
physiology of nematodes, organic substances discharged by nematodes, 429
physiology of parasitism, in sugarcane, 620
physiology of reproduction
Pythium spp., effect of cations on, 1127
tyrosinase in Hypomyces solani cucurbitae related to perithecial formation, 1084
physiology of senescence, in sugarcane, 620
Physoderma sp., on Vicia angustifolia, new disease, 500
citri sp. nov., in Citrus and related spp., 681, **683, 684**
maydis, and Physoderma citri sp. nov. compared, 681
Phytoactin, separation and purification, 1366
Phytoirritants in Fusarium wilt diseases, 1054
Phytophthora spp.
antigenicity of mycelium, factors affecting, 1052
on bean, frequency of isolation from, 126
nutritional comparison of 25 spp., 595
Pythium spp. differentiated from, by thiamine, 1073
on red raspberry roots, 503
reproduction and growth of
affected by sterols, 790, **794, 795**
stimulated by lipids, 320
variation in genus, effects of nitrogen and pH on growth, 653, **654**
cinnamomi
chlamydospores in soil, 499
recovery from soil, factors affecting, 500, 1183, **1184**
resistance in avocado to, **487, 488**
soil temperature, effect of, in pineapple, 125
sporangial production in, factors affecting, 505
citrophthora, on citrus, effect of soil moisture and aeration on, 270, **272, 273, 274**
colocasiae, on taro, effect of temperature and humidity, 126, 183, **185**
cryptogea, on alfalfa, renamed P. megasperma, 1139, **1140**
drechsleri
safflower resistance to, related to Ca and pectic substances, 1079
zoospore utilization of carbon compounds, effect on motility and germination, 1257
fragariae, pathogenic race differentiation in vitro, 1059
infestans
degradation of RNA by, 259
dehydrogenase activity of potato tubers infected with, 970
major vs. minor genes, adaptive parasitism in, 73
ultrastructure of, 1056
megasperma, new name for P. cryptogea on alfalfa, 1139, **1140, 1141**
megasperma var. sojae, races of, 1277, **1278**
parasitica
origin of colonies, in pimaricin media in dilution plates, 1070
on papaya
importance in replant problem, 126
inactivation by enzymes of host, 1223, **1225**
role of residues, 1293, **1294, 1296**
root rot of citrus, effect of soil moisture and aeration, 270, **272, 273, 274**
soil temperature, effect on disease in pineapple, 125
zoospore death and inhibition of sporangial germination by papain, 125
parasitica var. nicotianae
O_2 and CO_2, effect on growth and inoculum potential of, 666
tobacco resistance to, races of, 1078
phaseoli, on lima bean pods, 1083
syringae, nitrogen effects, 654
Picea glauca, Polyporus tomentosus inoculations of roots and stems of, 1083
Pickett, E. E., (932)
Pierre, R. E., 909, 1284
Pine, T. S., 1151
pineapple
cultural factors, effect on diseases and flavor of, 1056
root and heart rot of, influence of temperature, 125
pink root of onions, genetics of resistance to, 752
pinosylvin
borax, effect of, on production on pine stumps, 129, 1341
Fomes annosus germination and growth influenced by, 129, 1341
Pinus spp.
Fomes annosus on, factors associated with, 1058
Verticicladiella wagenerii pathogenicity on, 1077
Cronartium quercuum, 1325
echinata, decay resistance to Fomes annosus, 130, 1347
elliottii, Cronartium fusiforme pathogenicity on, 1074
elliottii var. elliottii-, resistance to Fomes annosus, 130, 1347
monticola, cytological localization of dehydrogenases in healthy- and rust-infected bark, 1064
palustris, resistance to Fomes annosus, 130, 1347
ponderosa, ozone fumigation effects on, 1068
resinosa, resistance to Fomes annosus, 130, 1347

strobus
basal canker of, 1062
chlorotic dwarf
etiology, 1055
grafting results, 404
resistance to Fomes annosus, 130, 1347
taeda
Cronartium fusiforme pathogenicity on, 1074
resistance to Fomes annosus, 130, 1347
virginiana, resistance to Fomes annosus, 130, 1347
Piricularia oryzae
dew and temperature requirements for rice infection, 503
rice differential varieties for race identified on, 1066
rice resistance to, 1073; genetics of, 993
pith density, of corn, relation to stalk rot resistance, 1237
plant residues, Sclerotium rolfsii activities affected by, 1069
plant spacing, effect on bean root rot in infested soil, 757
planting date, stalk rot and cell death, effect on, 501
Plasmodiophora brassicae
and Meloidogyne incognita, relationship between, in cabbage roots, 506
starch synthesis in cabbage roots infected with, 1084
plastids, breakdown in tabasco pepper by tobacco etch virus, 267, **268**
Platt, W. D., 130, 1347
Pleurotus ostreatus
genetic studies on, 1058
lignin degradation related to phenoloxidases of, 739
plum (see also **Prunus**)
soil fumigants and nematocides for, 499
Poa pratensis (see **bluegrass**)
Podosphaera leucotricha, inheritance of resistance to, in apple, 76
Pokorny, F. A., (501)
Polyporus
dichrous, lignin degradation vs. phenoloxidases of, 739
glomeratus, in red maple, **650,** 957, **959**
tomentosus, Picea glauca root and stem inoculations with, 1083
versicolor, N content of wood, effect on decay, 1067
Ponchet, J., (1157)
Poncirus trifoliata (see also **Citrus spp.**)
Physoderma citri sp. nov. on, 681
selections, resistance to Tylenchulus semipenetrans, 1058
virus detection in, stains and histology for, 543
population dynamics, root knot nematodes in carrot, 393, **394**
populations
Phytophthora cinnamomi, recovery from soil, 1183
Verticillium dahliae in soil, interactions with mint resistance, 1176
Xiphinema americanum, in field and greenhouse, 1058
Populus
grandidentata, nitrogen, effect on decay rate, 1067
tremuloides
Colletotrichum gloeosporioides leaf penetration of, 408, **409, 410**
decay by Trametes hispida, 130
fungi in healthy bark of, 1059
Hypoxylon pruinatum on, development of cankers and ascospore ejection in winter, 771, **772, 773**
Poria
monticola, lignin degradation vs. phenoloxidases of, 739
taxicola, lignin degradation vs. phenoloxidases of, 739
Porter, D. M., 1071
potassium
crown gall on tomato and cherry, effect on, 575
polygalacturonate trans-eliminase, effect on activity of, 130
potato (see also **Solanum**)
gamma irradiation of, effect on potato virus X in, 1039
lenticel spot, fungi from, 1284
Phytophthora infestans on
dehydrogenase activity of, 970
field resistance measurement, 1056
potato virus X in, effect of temperature on particle length and infectivity, 607
Saco resistant variety infected with potato virus S by grafting, 707
Streptomyces scabies, build-up prevented by soybean vs. barley cover crop, 126
Verticillium albo-atrum on, temperature effect on prevalence of 2 forms, 128
yellow dwarf virus, clarification of extracts containing, 746
potato aucuba mosaic virus, indicator hosts for, 1284
potato lenticel spot, fungi associated with, 1284
potato ringspot virus, chilli mosaic virus and Agrobacterium tumefaciens, interaction of, in tobacco, 130
potato virus S, Saco variety infected by, 707
potato virus X
gamma irradiation, effect on, 1039
particle length and infectivity, effect of temperature on, 607
ringspot strain, interaction with chilli mosaic virus and Agrobacterium tumefaciens in tobacco, 130
in tobacco, effect on tobacco mosaic virus lesion size, 1054
potato virus Y
tobacco
influence on tobacco mosaic virus lesion size, 1054
tolerance to, 1076
transmission by 3 aphid spp. affected by temperature, 1076
potato yellow dwarf virus, clarification of extracts containing, 746
Potter, J. W., 800
Pound, G. S., (1052)
powdery mildew, of barley
changes in enzymatic activity, 442
respiratory enzymatic activities in, 438
Powell, D., (1059)
Powell, N. T., (1067), (1071)
Powell, W. M., 501, (1061)
Powers, H. R., Jr., (670)
Pratylenchus spp.
in citrus decline, 1058
substances in extracts of decomposing plant residue toxic to, 702
minyus, on peppermint, interactions with Verticillium dahliae, 583
penetrans
actinomycete and bacterial metabolites, effect on mortality of, 131
on alfalfa, biochemical changes in host, 127
on garden balsam, host-parasite relationship, 763
organic substances discharged by, 429
substances in extracts of decomposing plant residues toxic to, 702
on turfgrasses, pathogenicity, 1285
scribneri, on amaryllis, pathological effects and body measurements of, 228, **229**
predisposition
to mildew, **1372**
of peanut by heat to collar rot, 231, **232, 234**
soybeans to Fusarium wilt, caused by Heterodera glycines and Meloidogyne incognita, 361, **362, 363**
sugar beets to Rhizoctonia solani by herbicides, 1051
tobacco to Fusarium wilt, by Meloidogyne spp., 1071
Prend, J., 1071
Price, C. A., (127)
Price, J. D., (1051)
Pritchard, Nancy J., 505
proteins
acrylamide-gel electrophoresis of, from Agrobacterium spp., 1062

Blasticidin S affects incorporation of amino acids in tobacco into-, 291
in Glomerella cingulata isolates, 1078
in Puccinia striiformis uredospores, association with hydration, 1219
synthesis, inhibition in Rhizopus arrhizus with DCNA, 159
tobacco mosaic virus protection by, 503
Venturia inaequalis, in cell walls, 401
of wheat associated with resistance, 413, **414**

Provvidenti, R., (1075), 1284

Prunus (see also **apricot, cherry, peach,** and **plum**)
avium
Agrobacterium tumefaciens on, effect of nutrition, 575
transmission of sour cherry yellows virus by pollen, in, 482
cerasus, transmission of sour cherry yellows virus by pollen, in, 482
domestica
physiology and pathogenicity of Leucostoma persoonii and Rhodosticta quercina on, 511, **513, 514, 516**
50 substances tested for fungitoxicity to Cytospora cincta from, 382
fruticosa, transmission of sour cherry yellows virus by pollen, 482
serotina, Dibotryon morbosum ascospores from, effect of temperature on, 506

Pseudomonas spp.
biochemical, pathogenic, and serological studies of, 1079
decays and discolorations of hardwoods, isolated from, 129
hypertrophy in leaves of tobacco and Datura caused by, 1074
cichorii
on cabbage, cause of bacterial spot, 1082
celery blight, differentiation from P. apii, 554, **555,** 1365
glycinea, preservation by and tolerance to freezing, 415
lacrymans
hosts of, 1059
pathogenicity correlated with capsular antigens, 1060
maculicola, on cabbage, 1082
marginata, relationship to control of scab and Stromatinia rot of gladiolus, 1058
phaseolicola
on bean
genetics of tolerance to, 1071
new strain of, 1075
isolation technique, from bean leaves, **930**
pathogenicity correlated with capsular antigens, 1060
Phaseolus spp. resistant to, 889, **893**
races of, from bean, 1284
savastanoi
indole-3-acetic acid accumulation in filtrates of, biochemical factors influencing, 1065
in oleander, tumor formation, histogenesis, 1244, **1245, 1246, 1247, 1248**
toxicity of hydrocarbons to, on tomato, 126
solanacearum
in banana, genetics of resistance to, 1206, **1207**
cellulase in relation to pathogenesis, 148
detection in soils by serology, 1063
identification in 4 solanaceous hosts by serology, 1191
indigenous hosts of south Georgia, 1055
serological relationships between races 1, 2, and 3, 1069
spread between roots of tomato, tobacco, and banana, 304
in tobacco, origin of indoleacetic acid, 1232
syringae, synthesis of β-glucosidase, 31
tabaci
effect of toxin on tobacco leaf enzyme levels, 519
tobacco foliage intercellular fluids, extraction and substrate for, 1033

psorosis virus
control methods evaluated, 675
detecting in citrus seedlings, 543

Puccinia spp.
germination inhibitors from spores of, 505
uredospore lysed by Verticillium spp., 40, **41**
carthami, histological response of susceptible and resistant safflower, 296, **298, 299**
coronata avenae
amino acids released during uredospore germination, 499
distribution of sulfur^{35} in oats from uredospores of, 499
inheritance to, 1320
oat seedling resistance to, 700
oat tolerance to, relationship with kernel density, 579
yield losses in oats, 767
graminis avenae, $C^{14}O_2$ fixation by infected oats, 940, **941**
graminis secalis, pycniospore storage in liquid nitrogen, 1052
graminis tritici
races near barberry, 1377
urediospores, periodicity in air, 132
wheat and people, address, 1088
poae-nemoralis, chemicals for, 1337
polysora
on corn, resistance and linkage to, 425, **426**
distribution in Africa and pathogenicity, 1074
recondita, urediospores, periodicity in air, 132
recondita tritici
race identification, 1317
Thalictrum spp. as alternate host of, 502
wheat streak mosaic virus, combined effect on wheat, 1072
sorghi
on corn
effect on flavensomycin on, 587
genetics of resistance of 11 inbred lines to, 193
races, study of reactions, 126
distribution in Africa and pathogenicity, 1074
host-parasite relations in isogenic lines of corn seedlings, 563, **565, 566, 568**
striiformis
infection type associated with wheat proteins, 413, **414**
uredospores
biochemical and cytological processes associated with hydration of, 1219, **1221**
germination affected by spore density, 1080
wheat, effect of environment on, 198, **201**
wheat susceptibility to, affected by bunt infection, 1071

Purdy, L. H., 1071

Pythiogeton sp., reproduction and growth stimulated by lipids, 320

Pyrenochaeta terrestris, on onion
inheritance of resistance to, 752
sugar repression of enzymes during pathogenesis by, 1063

Pyrenophora teres, on barley, comparison of development on varieties, 1063

pyrimidines, Cytospora cincta, effect on, 382

Pyrus spp., Erwinia amylovora resistance, 1075

Pythiaceae, sterols, effect on growth and reproduction of, 790, **794, 795**

pythiaceous fungi, reduction of inoculum potential, on papaya, 126

Pythium spp.
associated with soybean roots, 506

on bean, frequency of isolation from, 126
growth or reproduction affected by:
cations, 1127
lipids, 320
nitrogen, 1064, 1065
sterols, 790, **794**
peach decline associated with, 1061
Phytophthora spp. differentiated from, by thiamine, 1073
recovery from soil, factors affecting, 1183
aphanidermatum
on papaya
importance in replant problem, 126
role of residues, 1293, **1294, 1296**
zoospores inactivated by papain, 125
catenulatum, root rot of sugarcane caused by, 705
debaryanum, mycelial lysis by Arthrobacter spp., 156
irregulare, population density, relation to death of lima bean seedlings, 1064
ultimum
on Agrostis sp., enzyme activity associated with, 1069
soil fumigation, effect on plant growth in soil infested with, 1016
in table beets, biological control, 986

Quebral, F. C., 1072
Quercus spp.
Ceratocystis fagacearum on, factors affecting, 131, 179, 1114
root rot associated with Cylindrocarpon radicicola, **1154**
agrifolia, acorn drip of, new disease, 1061
prinus, Ceratocystis fagacearum
on, factors affecting, 1194
in wounds, 179
rubra, Ceratocystis fagacearum on, factors affecting, 1194
virginiana, decline of, 1060
wislizenii, acorn drip of, new disease, 1061
quinolines, Cytospora cincta, effect on, 382

Raabe, R. D., 478, 1072
race identification, Erysiphe polygoni on Trifolium pratense, 1078
radioactive compounds
C^{14} amino acids, nematode uptake, 429
C^{14} dioxide
accumulation in lesions of tobacco mosaic virus, 558
fixation of, by fungus-infected barley, beet, bean, and oats, 940, **941**
fixation of, by rusted bean, effect of pustule density, 1073
in photosynthetic products from rusted bean leaves, 528
C^{14} glucose, metabolism of, by Endothia parasitica, 1067
C^{14}-tryptamine, conversion to IAA-C^{14} in tobacco infected by Pseudomonas solanacearum, 1232
C^{14} uracil, effect of Blasticidin S on, in tobacco, 291
radioactive elements
Ca^{45}
accumulation in alfalfa stems infected with Colletotrichum trifolii, 346, **352**
accumulation kinetics in rusted bean leaves, 1056
P^{32}
accumulation kinetics in rusted bean leaves, 1056
translocation in bean infected with Uromyces phaseoli, 57
translocation in Rhizoctonia solani, 536, **538**
S^{35}
amino acids released during germination of crown rust spores, 499
in oats, from crown rust uredospores, 499
radish
Fusarium solani on, pathogenicity of, 1083
metabolism, changes with Albugo candida infection, 1052
Rhizoctonia solani infection cushion formation on, 129
Radopholus similis
banana reaction to, 1082
nematocide penetration for control and distribution of citrus roots, 1103
Raffray, J. B., 501
Ragetli, H. W. J., (1082)
Raju, D. G., 1072
Rangarajan, M., (1035)
Rangaswami, G., 1035
Rao, A. A., (1072)
Rao, A. S., (121)
raspberry (see also **Rubus spp.**)
Phytophthora sp. on, 503
raspberry mosaic virus complex
transmission by Amphorophora rubi, 276
transmission by leaf grafting, detection by, **276, 277, 279**
ratoon stunting disease of sugarcane, seed piece growth, effect of juice from diseased plants of, 1085
Ravenscroft, A. V., (1067)
Raychaudhuri, S. P., (130)
red clover vein mosaic virus
differentiated from Wisconsin pea streak virus, 336
on Gomphrena globosa, inhibition of, 1057
red light, reversal of blue light inhibition of sporulation in Alternaria solani, 1032
red thread disease of turfgrass (see **Corticium** fuciforme)
Reddy, D. V. R., 1072
Reddy, M. N., 1072
Reinert, R. A., 1073
relative humidity, effect on:
Alternaria sp. + SO_2 spore germination inhibition, 525
bacterial longevity in bacterial exudates, 1135
banana crown rot fungi, 688
Erysiphe graminis tritici conidial germination, 365
Fomes annosus sporulation, 131
Fusarium roseum spore germination, 688
Gloeosporium musarum spore germination, 688
Leptosphaerulina briosiana ascospore germination on alfalfa, 546
Monilinia fructicola spore germination, 604
Phytophthora colocasiae, sporulation and germination on taro, 126, 183, **185**
Puccinia striiformis on wheat, 198
Rhizopus stolonifer spore germination, 604
Sphaerotheca macularis on strawberry, 281
Thielaviopsis paradoxa spore germination, 688
Venturia inaequalis conidial viability, 503
Verticillium theobromae spore germination, 688
reniforme nematode, populations of, effect on sweetpotato, 497
reproduction
Pythium spp., effect of cations on, 1127
sexual-, lipids stimulating pythiaceous fungi, 320
resistance (see also **tolerance**)
Agallis constricta to wound-tumor virus, age effect of, 1077
age of
bean leaves correlated with, to bean rust and tobacco mosaic virus, 454
leaf and plant, Peronospora manshurica on soybean, 166, **169**
alteration of, following infection, 92
apple to powdery mildew, 76
avocado to Phytophthora cinnamomi, 487
banana to
Fusarium oxysporum cubense, 135, **137**
Pseudomonas solanacearum, genetics of, 1206, **1207**
Radopholus similis, 1082
bean to
bean rust, correlated with leaf age, 454
Colletotrichum lindemuthianum, effect of tissue age on, 915

Fusarium solani f. phaseoli, breeding for, 1227
Rhizoctonia solani, Ca content and pectic substances in host, 734
tobacco mosaic virus, correlated with leaf age, 454
blue lupine, to Stemphylium solani, genetics of, 627
coniferous spp. to decay, to Fomes annosus, 130, 1347
corn to
Diplodia zeae, relation to pith constituents, 1237, 1241
Gibberella stalk rot, relationship to pith ratings and density, 623
Helminthosporium turcicum, 189, **190, 191,** 418
maize dwarf mosaic virus, 1285
Puccinia polysora, inheritance of, 425, **426**
Puccinia sorghi
differences in greenhouse and field, 126
11 inbred lines, genetics of, 193
stalk rot, effect of planting date, 501
cowpea to cowpea yellow mosaic virus, local reaction for selecting, 923, **924**
cucumber to
Cladosporium cucumerinum, pectinase inhibitor, 1000
Erwinia tracheiphila, factors associated with, 1070
Ginkgo biloba to Monilinia fructicola and Stemphylium sarcinaeforme, 225
jute to Colletotrichum corchori, 749, **750**
major vs. minor genes, effect on parasitism in Phytophthora infestans, 73
Mentha spp. to Verticillium dahliae, inoculum density in, 1176
to nematodes, of cover crops and bermudagrass, 1026
oats to
Helminthosporium victoriae, 629
Puccinia coronata avenae race 264, in Avena sterilis, 700
olive to Verticillium albo-atrum, 310
onions to pink root, genetics of, 752
papaya to Phytophthora parasitica, 1223
to pathogenic fungi reduced by viruses, 127
Phaseolus spp. to Pseudomonas phaseolicola, 889, **893**
Pisum sativum to Erysiphe polygoni, 1075
plants to nematodes, 1159, 1162
plant tissue to Geotrichum candidum, effect of pH on, 1066
Poncirus trifoliata to Tylenchulus semipenetrans, 1058
Populus tremuloides to Colletotrichum gloeosporioides, 408, **409, 410**
potato to Phytophthora infestans, 970, 1056
potato variety Saco to potato virus S, 707
Pyrus spp. to Erwinia amylovora, 1075
Pythium spp. to filipin, role of sterols in, 1075
reactions, greenhouse vs. field, with Puccinia sorghi on corn races, 126
rice to
hoja blanca virus, effect of plant age, 1065
Piricularia oryzae, 993, 1073
Rosa spp. to Sphaerotheca pannosa, 1067
Rubus spp. to Verticillium albo-atrum, inheritance in, 731
safflower to
Phytophthora drechsleri, relation to Ca and pectic substances, 1079
Puccinia carthami, histology of, 296, **298, 299**
soybean to
Cephalosporium gregatum, 1065
Fusarium wilt, affected by nematodes, 361, **362, 363**
Heterodera glycines, histology of, 375, **376, 378, 380,** 498
nonpathogenic fungi, effect of heat on, 505
Peronospora manshurica, factors affecting, 166, **169**
strawberry to Sphaerotheca macularis, role of cuticle thickness, 281
sugarcane to Physalospora tucumanensis, 620, 807
sweetpotato to Fusarium oxysporum batatas, effect of inoculum potential, 498
temperature, effect on Peronospora manshurica on soybean, 166, **169**
tobacco to viruses, 504
tomato to
Fusarium oxysporum, influence of host Ca-nutrition on, 222
Fusarium oxysporum f. lycopersici races 1 and 2, 1213
Meloidogyne incognita, effect of soil temperature on, 990
Trifolium pratense to Erysiphe polygoni, 1078
Ulmus americana to Ceratocystis ulmi, 1284
5 Vicia spp. and 36 F_5 lines of an interspecific cross to 5 spp. of root-knot nematodes, 500
Vigna spp. to 4 viruses, 1077
wheat to Puccinia striiformis
associated with host proteins, 413, **414**
effect of bunt infection on, 1071
to wilt diseases, 1056

respiration
in barley-Erysiphe graminis hordei relationship, 438
bean, infected with Uromyces phaseoli typica, 57
Endothia parasitica, in light- and dark-grown cultures, 1067
enzymes, in barley-Erysiphe graminis hordei interaction, 438, 442
oats, changes caused by victorin, 813
Rhizopus arrhizus
effect of DCNA, Chloramphenicol, and 2,4-dinitrophenol on, 159
spores, effect of proline + other compounds on, 262
tabasco pepper prior to wilt caused by tobacco etch virus, 498
Tylenchidae nematodes, 1283

Reyes, Juanito C., 1073
Reynoso, E. L., (125)
Rhadinaphelenchus cocophilus, palm weevil, mechanism of transmission by, 117

Rhizoctonia spp.
clover root exudate effect on, 131
isolation frequency using plate-profile technique, 592
pectolytic enzyme production in culture, technique for, 503
snapbean root rot by, control of, 503
bataticola, on Tephrosia vogelii, 612, **613**
dimorpha, on Tephrosia vogelii, 612, **613**
praticola, virulence, host range, and pectolytic enzymes of single-spore isolates, 111
solani
associated with soybean roots, 506
on bean
for assay of PCNB in soil, 1051
frequency of isolation from lesions, 126
loss of birefringence in cell wall, **494**
major cause of root rot, 1084
proteolytic activity of, 1285
bean resistance to, effect of Ca content and pectic substances on, 734
in bentgrass, control, 501
control, modes of action of soil amendments and PCNB compared, 1144
enzyme activity of, effect of age, 1069
on flax, control, 498
infection cushions, formation of, on films in soils, 129
mycelium chemical composition, changes during aging, 1080
pathogenicity on lima bean seedlings, 506
phenol oxidase activity and distribution in bean hypocotyls infected with, 127
potato lenticel spot associated with, 1284
soil pH and mineral fertilization, influence on fungi antagonistic to, 570

on sugar beets, predisposition by herbicides, 1051
temperature and organic fungicides, effect on growth of, 501
Tephrosia vogelii, potential for foliar blight and damping-off of, 612, **613**
ultrastructure of somatic hyphae, 501
virulence, host range, and pectolytic enzymes of single-spore isolates, 111
Rhizoglyphus echinopus, relationship to control of scab and Stromatinia rot of gladiolus, 1058
rhizomorphs, Armillaria mellea, effect of exposure to ethanol, 1082
Rhizopus
arrhizus
cotton fiber, effects on, 52
2,6-dichloro-4-nitroaniline, mode of action in, 159, **161**
germination, effect of proline + other compounds on, 262
respiration, effect of chemicals on, 159
oligosporus, C and N utilization by, 1077
stolonifer
cotton fiber, effects on, 52
infection of peanut kernels at various temperatures, 46
rhizosphere bacteria, Pythium debaryanum and Fusarium oxysporum in tomato, effect on, 156
Rhodosticta quercina, physiology and pathogenicity compared with Leucostoma persoonii on plum, 511, **513**
Rhopalosiphum spp., abundance where bean common virus occurs, 1085
Rhopalosiphum padi (see also **aphid(s)**)
barley yellow dwarf virus, loss of vector specificity, 1284
transmission of barley yellow dwarf virus, 62, 809; to corn by, 1078
Rhynchophorus palmarum, transmission of Rhadinaphelenchus cocophilus by, 117
Rhynchosporium secalis, sporulation inhibited by 5 herbicides, 43
ribonucleic acid (see also **nucleic acids**)
degradation by Phytophthora infestans, 259
double-stranded replicative form of, from barley infected with bromegrass mosaic virus, 1061
synthesis
effect of fungicides on, 844
in Rhizopus arrhizus, effect of DCNA on, 159
virus infectivity affected by homologous particles of, 1084
ribose, from clover roots, role in root rot, 131
ribosomes, bacterial amino acid incorporation increased by, 1079
rice
dew and temperature requirements for infection of, by Piricularia oryzae, 503
hoja blanca virus resistance of, effect of plant age on, 1065
O_2 as a disturbance factor in fields of, 501
Piricularia oryzae
race identification by differential varieties of, 1066
resistance, 993, 1073
seed rot of, seed treatments for, 500
rice blast, dew and temperature requirements for infection, 503
Rich, A. E., (1284)
Rich, S., (658)
Richardson, L. T., 1073
Rick, P. D., 1073
Rickard, S. F., 174
Ridings, W. H., 1073
Riggs, Rosa K., 1073
Riker, A. J., (408), (1004)
Riley, J. A., 950
ringspot virus, Fraxinus americana leaf juice causes symptoms on bean and cowpea similar to, 128
Roberts, Alice L., (418)
Roberts, B. J., (1377)
Roberts, D. A., 370
Robertson, D. G., 923
Rochow, W. F., 62, (809), 1284
rodenticides, norbormide, 9
Rodriguez-Kabana, R., 501, (1062), 1073
Rogers, J. D., 246
Rohde, R. A., (127), 1159, (1283), (1285)
Rohrbach, K. G., 382
Roldan, Emiliano F., (1073)
Roncadori, R. W., 595, 1074
root exudates
from clover, role in root rot, 131
hatching response of Meloidogyne incognita affected by, 128
influence on growth and survival of Fusarium solani in soil, 1021
root-knot nematode
control of, on Hydrocotyle sibthorpiodes, 501
tomato resistance to, effect of soil temperature on, 990
root rot
of alfalfa, Phytophthora cryptogea reclassified as P. megasperma, 1139
of bean
effect of plant spacing on, **757**
major causes of, 1084
relative frequency of, 126
resistance to Fusarium solani f. phaseoli, 1227
of birdsfoot trefoil, effect of propagules, 505
of papaya, role of pythiaceous fungi, 126
pineapple, effect of soil temperature, 125
of Quercus spp. associated with Cylindrocarpon radicicola, **1154**
of soybean, associated with bacteria, effect of iron and manganese on, 1055
sugarcane, caused by Pythium catenulatum, 705
root-rotting fungi, fungistatic effects of soil bacteria on, 901
Rosaceae, crown gall affected by fungicides and antibiotics, 212
Ross, A. F., (1054), (1076)
Ross, J. P., 361, 1074
Ross, M., (1051)
Roth, J. N., (1200)
Rotylenchulus reniformis, sweetpotato, effect on yields of, 497
Rotylenchus uniformis, on garden balsam, host-parasite relationship, 763
Rubus spp. (see also **raspberry**)
Verticillium albo-atrum resistance in, 731, **732, 733**
henryi, leaf grafting for detecting heat-labile mosaic components, raspberry mosaic, and Rubus yellow-net viruses, **276, 277, 279**
Rubus yellow-net virus, leaf grafting for detecting on raspberry, **276, 277, 279**
Runnels, H. A., (1083)
Ruppel, E. G., 612
Russakow, Natalie, (1068)
russet ring apple virus, host tissue extracts, growth of pathogenic fungi on, 127
rust
corn- (see **Puccinia** sorghi)
environment, effect on development of Puccinia striiformis on wheat, 198, **201**
safflower- (see **Puccinia** carthami)
serological comparison of Cronartium spp., 670, **672**
on tomato, toxicity of hydrocarbons to, 126
type culture collection, 247
uredospores lysed by Verticillium spp., 40, **41**
virus multiplication inhibition and stimulation in tissue infected with, 141
western and eastern gall-, differentiation by aeciospore germ tubes, **171**
wheat leaf- (see **Puccinia** recondita)
wheat stem- (see **Puccinia** graminis tritici)
Ryder, H. W., 506

rye
leaf galls, caused by leafhopper toxin, 1059
seeds, treatment for fungi on, 128
Saari, E. E., (502)
Saccharomyces pastorianus, fungitoxicity of chemicals to, 658
Saccharum officinarum (see **sugarcane**)
safflower (see **Carthamus spp.**)
Sands, D. C., 1074
Sandstedt, R., 393
Saprolegniaceae, sterols, effect on growth and reproduction of, 790, **794, 795**
Savage, S. M., (1079)
Sayre, R. M., (702), 1074
Schafer, J. F., (1320)
Scharen, A. L., (92)
Scheffer, R. P., (629), 1037
Schein, R. D., 454, (1157)
Scheld, H. W., (475)
Schenk, N. C., 1074
Sclerospora sorghi, on corn and sorghum, 1058
sclerotia
accumulation of P^{32}, in Rhizoctonia solani, 536, **538**
production of, factors involved in, 87
Sclerotinia homeocarpa
in bentgrass, control, 501
galactose from cultures of, toxic to bentgrass roots, 775
morphological and cytohistological responses of bentgrass to, 781, **782, 783, 785**
Sclerotium
bataticola
enzyme activity, effect of age on, 1069
growth and infection of peanut at various temperatures, 46
mycelium chemical composition, changes during aging, 1080
on peanut, infection reduced by Aspergillus flavus, 934
planting date, effect on corn susceptibility to, 501
coffeicolum, morphology and physiology compared with S. rolfsii, 1063
rolfsii
atrazine, effect of in C- and N-amended soil, 1054
inhibition of Bacillus sp. by, 121
and inhibitory soil microorganisms, effect of atrazine on, 497
morphology and physiology compared with S. coffeicolum, 1063
mycelial growth and sclerotial production, 87
oxalic acid and polygalacturonase production and action on bean, 204, **209**
plant residues, influence on activities of, 1069
Schieber, E., 126, 1074
Schlegel, D. E., (1065)
Schloesser, E., 1075
Schmidt, R. A., 131, (179)
Schneider, H., 119
Schneider, I. R., 1075
Schroeder, H. W., 464
Schroeder, W. T., 1075, (1284)
Schroth, M. N., 31, 126, (254), 645, (1061), 1075
Schuepp, H., (1060)
Schuster, M. L., (79), (393), 1075
Schwartz, C. D., (503)
Scott, H. A., (895)
Scott, K. J., 438
Scutellonema brachyurum, on amaryllis, pathological effects and body measurements of, 228, **229**
seed exudates
influence on growth and survival of Fusarium solani in soil, 1021
stimulation of Rhizoctonia infection cushion formation, 129
seed transmission, Physoderma citri in Citrus spp., 681
seed treatments, visual detection of, 1283
Segall, R. H., 1075
Sehgal, O. P., 1075
Seliskar, C. E., (404), (1055)
Semancik, J. S., (1081), 1354
senescence
in corn, disease resistance related to, 623
in sugarcane, spread of Physalospora tucumanensis, 807
Sequeira, L., (304), (1051), 1232
serology
apple viruses, 859
barley stripe mosaic virus, embryo test for, 798
Cronartium spp., a comparison of, 670, **672**
Eola rasp leaf virus, 1280
Phytophthora spp., factors affecting antigenicity of mycelium, 1052
Pseudomonas solanacearum
among races 1, 2, and 3, 1069
in infested soils, detection by, 1063
in 4 solanaceous hosts, 1191
tobacco mosaic virus strain differentiation, 635, **636, 637**
tomato bacterial leaf spot, 500
watermelon mosaic viruses 1 and 2, 895
Xanthomonas vesicatoria in pepper, comparison of 3 techniques for identification, 421, **422, 423**
Serratia marcescens, longevity in bacterial exudates, 1135
Setaria viridis, wheat curl mites on, relationship to transmission of wheat streak mosaic virus, 1168
Severinia buxifolia, Physoderma citri sp. nov. on, 681
Shaffer, W. H., Jr., 1076
Shalla, T. A., (928)
Sharp, E. L., 198, (413)
Shatla, M. N., 501, 1076
Shaw, C. G., 819
Shaw, P. D., (1080)
Shelley, Sue, 324
Shepherd, R. J., 1250
Shepherd, R. L., (500)
Shigeyasu, A., (844)
Shigo, A. L., (129), 648, 957
Shih, Madeline, (1079)
Shikata, E., (129), 1076, 1285
Shimonura, T., (291)
Shishiyama, J., 844
Showers, W. B., (1065)
Shurtleff, M. C., (1072)
Silber, G., (1043), 1076, 1108
Silbernagel, M. J., (1045)
Sill, W. H., Jr., (1072), (1168)
Simon, J. A., (1056)
Simons, J. N., 1076
Simons, M. D., 579, 700
Simons, T. J., 1076
Simpson, M. E., (52)
Sinclair, J. B., (498), (501), (543), (1066), (1210)
Sinclair, W. A., (1056)
Singh, J., 1077
Sinha, R. C., 324, 1077
Sjaholm, Virginia S., (1052)
Skelly, J. M., 131, 1285
Skimmia japonica veitchii, ringspot virus of, 131
Skoropad, W. P., 43
Skotland, C. B., (257), (583)
Smale, B. C., (505)
Small, R. H., (1051)
Smith, D. H., 506
Smith, J. H., 486
Smith, J. J., 693
Smith, L. R., 1144
Smith, R. S., Jr., 1077
Smith, W. H., 131
Smith, W. L., Jr., 604
smog, similarity to auto exhaust toxicity, 27
Smoot, J. J., 1077, (1216)
smut, hybrid-, causing dwarfness in oats, **1042**

Snow, J. P., (499)
Snyder, W. C., 833, (1021), (1052)
Sobers, E. K., 1313
Socolofsky, M. D., (501)
sodium, polygalacturonate trans-eliminase, effect on activity of, 130
sodium tetraborate, alfalfa snow mold controlled with, 1066
soil-borne wheat mosaic virus, soil debris for inoculum, 1052
soil factors
aeration, effect on citrus root rot, 270, **272, 273, 274**
amendments, effect on:
antagonistic organisms to control Pythium on beets, 986
bean root rot, 69
Rhizoctonia control, action compared with PCNB, 1144
Sclerotium rolfsii and Trichoderma viride, 1054
sugarcane yields and nematodes affected by, 1051
Verticillium albo-atrum control in olive, 310
mineral fertilization, effect on numbers and types of fungi antagonistic to 4 pathogens, 570
moisture, effect on:
fescue susceptibility to Corticium, 507
Fusarium solani f. pisi growth and survival, 1053
Meloidogyne incognita hatching response, 128
nematocide penetration for citrus nematodes, 1103
oak wilt development, 1114
Pseudomonas solanacearum, spread in soil between roots, 304
resistance of onion to pink root, 752
root rot of citrus, 270, **272, 273, 274**
semi-automatic scale for greenhouse irrigation, 473
white clover and 10 spp. of soil fungi, 499
organic content, for Fomes annosus in pine plantations, 1058
pH, effect on:
Fomes annosus in pine plantations, 1058
gray mold of tomato, 447
numbers and types of fungi antagonistic to 4 pathogens, 570
Trichoderma viride fungistasis, 1060
Tylenchulus semipenetrans reproduction, 1064
temperature, effect on:
bean in root rot soil, 757
Fusarium solani f. phaseoli dissemination, 1188
oak wilt development, 1114
pineapple root and heart rot, 125
Thielaviopsis basicola on bean, 126
tomato resistance to root-knot nematode, 990
Tylenchulus semipenetrans, 1064
texture, for Fomes annosus in pine plantations, 1058
soil fumigation
nematode populations and alfalfa yield affected by, 615
nitrification lag, nematode and disease control, and plant growth following, 1147
plant growth in soil infested with Pythium, 1061
use as treatment on peach and plum trees, 499
soil microorganisms
antagonistic to 4 pathogens, effect of pH and fertilization on, 570
Arthrobacter spp., effect on Fusarium oxysporum and Pythium debaryanum in tomato, 156
on bean, prevalence, isolation, and identification of, 126
clover root rot complex, 131
competition between, 104
cover crop related to, 126
Dacthal, effect on, 1080
enumeration of, surfactants for, 728, **729**
Fomes annosus influenced by, 1064
fungistasis to root-rotting fungi, 901, **904**
host exudates, effect on growth and survival of Fusarium solani, 1021
isolation
of agrobacteria from soil, 645
frequency method, **592**
techniques, 592
Phytophthora cinnamomi, recovery from soil, factors affecting, 1183
populations, effect of
atrazine on, 497
PCNB and soil amendments on, 1144
relation between inoculum density and distance between propagules, 495
Streptomyces scabies influenced by cover crop and Bacillus subtilis, 126
survival of Fusarium solani f. cucurbitae and f. phaseoli compared, 963
Verticillium dahliae, on Mentha spp., interactions of inoculum density and resistance, 1176
white clover growth, effect of 10 spp. on, 499
soil suspensions, problems of sampling, in dilution plate technique, 1062
soil toxins, relation to corky root rot of lettuce, 1051
Solanum (see also **potato**)
carolinense, Pseudomonas solanacearum infection of, 1055
nigrum, Radopholus similis on, control, 1103
Solanaceae, Meloidogyne incognita hatching response affected by root exudates of, 128
Sommer, N. F., (1052)
Sonderhousen, E., (1285)
Sorenson, W. G., 1077
Sorghum spp.
Colletotrichum graminicola, host cell death vs. pathogen spread, 1063
density and cell death in, season trends in, 97
mosaic virus from corn and Johnson grass on, 1250, **1252**
sclerospora sorghi on, 1058
sour cherry yellows virus, transmission by pollen, 482
southern bean mosaic virus
cowpea strain, transmission by beetles, 1081
spread, rate and extent, in Pinto bean, 1084
translocation in bean, 1289
Vigna spp. resistance to, 1077
Sowell, G., Jr., 1077
soybean
Bacillus subtilis in root rot of, 1055
bean pod mottle virus in, accumulation rate, infectivity, and electrophoretic characteristics, 906
Cephalosporium gregatum in, 1065
cover crop prevents build-up of Streptomyces scabies, 126
cyst nematode, reproduction on 11 hosts, 497
Fusarium oxysporum on, predisposition to by nematodes, 361, **362, 363**
Heterodera glycines
population dynamics in crop sequences, 100
predisposing to Fusarium oxysporum, 361, **362, 363**
Heterodera schachtii and H. glycines hybridization on, 800
Meloidogyne incognita, predisposing to Fusarium oxysporum, 361, **363**
Peronospora manshurica on
affected by temperature and plant age, 166, **169**
nucleic acid synthesis affected by, 932
Phytophthora megasperma var. sojae on, races of, 1277
Pseudomonas spp. pathogenicity on, 1079
resistance to Heterodera glycines
histology of, 375, **376, 378, 380**
nature of, 498
resistance to nonpathogenic fungi, heat effect of, 505
roots, fungi associated with, 506
soybean-cyst nematode, reproduction on 11 hosts, 497
soybean mosaic virus, effect of infection sequence with pod mottle virus on soybean reaction and virus titer, 1074

Spalding, D. H., 1077
Spaulding, D. W., 506
Specht, C. H., (131)
Sphaeropsis malorum, growth on extracts of virus-infected apple and pear, 127
Sphaerotheca
fuliginea, predisposition to, **1372**
macularis, on strawberry, 281, **283**
pannosa, Rosa spp. resistance to, 1067
spinach, new virus disease of, 450
spore density, Puccinia striiformis uredospore germination affected by, 1080
spore germination (see **germination**)
spore population, of Botrytis cinerea on grape, effect of gamma radiation on, 1013
spores, nature of interactions between toxicants and, 1068
spore sampler, new 24-hr (Kramer-Collins), 1070
sporulation
Alternaria solani, blue light inhibition reversal by red light, 1032
Botryotinia ricini, effect of gallic acid on, 468, **469**
Cercospora beticola, 1053, 1370
Cercospora hayi on banana leaves, 977
Cercosporella herpotrichoides, effect of C, N, C:N ratio, biotin, and thiamine on, 127
definition, French usage explained, 1157
definition of phases, 1157
Diplodia gossypina, on cotton bolls, 231
Fomes annosus, environmental effects on, 131
Glomerella cingulata, ability regained by light, 369
Helminthosporium pedicellatum, in corn, 1285
Helminthosporium turcicum, violent spore release, 1099
Hypoxylon pruinatum in winter, 771
Macrophomina phaseoli, on propylene oxide-sterilized tissue, 1156
Phytophthora cinnamomi, factors affecting, 505
Phytophthora colocasiae, relative humidity and temperature, effects on, 126, 183, **185**
Phytophthora infestans, correlated with potato field resistance and race appearance, 73
Puccinia spp., urediospores in air, 132
Pythiaceae, effects of sterols on, 790, **794, 795**
Rhynchosporium secalis, inhibition by 5 herbicides, 43
Saprolegniaceae, effect of sterols on, 790
Sclerospora sorghi, on corn and sorghum, 1058
Stemphylium botryosum, on alfalfa, 909
Trichoderma viride, effect of
atrazine, 497, 1054
soil amendments, 1054
Sprague, G. F., (418)
sprayer, simplified logarithmic-, for fungicides, 128
Sproston, T., Jr., (225)
Spurr, H. W., 1004
spy lethal virus, Malus spp. as indicators for, 504
squash
Geotrichum candidum pathogenicity on, 498
new virus disease of, 450
squash mosaic virus
on muskmelon, effect of temperature on symptoms and concentration of, 981, **983**
particle size heterogeneity, 1069
on watermelon and muskmelon, 1362, **1363**
Stace-Smith, R., 1031
stains
for detection of citrus viruses, 543
Phloxine B, Meloidogyne incognita egg masses, 497
stalk rot of corn, planting date, effect on, 501
Stall, R. E., 447, 1214
Stallknecht, G. F., (1053), (1370)
Stambaugh, W. J., (1194)
starch
in mildewed barley and rusted bean after inoculation, 1068
synthesis in clubroot galls, 1084
Stavely, J. R., 1078
Steiner, G. W., 728, 1009
Stelzig, D., (1079)
Stemphylium sp., antagonism to, by Bacillus sp., 500
botryosum, on alfalfa, importance of enzymes, 346, 356
floridanum on Kalanchoë, 1313, **1314, 1315**
sarcinaeforme
m-dioxanes toxic to spore germination of, 129
fungitoxicity of compounds to, 658
inhibited by cuticle of Ginkgo, 225
solani, on blue lupine, genetics of host resistance, 627
stem-pitting virus
on apple, anatomy, 34, **35, 37, 38**
on juneberry, anatomy, 36
Stereum frustulatum, lignin degradation as related to phenoloxidases of, 739
sterols
effect on growth and reproduction of Pythium and Phytophthora spp., 790, **794, 795**
Pythium spp. resistance to filipin, role of, 1075
stimulating reproduction and growth in pythiaceous fungi, 320
Stewart, D. M., 1377
Stingl, H., 919, 1269
Stipes, R. J., 1078
Stokes, G. W., 1078
Stolzy, L. H., 270
Stoner, W. N., 1078
stony pit pear virus, host extracts, growth of fungi on, 127
storage
of barley, to eliminate field fungi, 399
sweetpotato, harvest practices that increase rot of, 640
storage molds (see also **Aspergillus spp.** and **Penicillium**)
control, in corn, 125
Stouffer, R. F., 501
strawberry
growth in response to soil fumigation for Pythium, 1016, 1019
latent C virus, eradication, 480
lesions from metabolite of Leptosphaerulina briosiana, 546
mild mottle and veinbanding viruses, temperature effects, 919, 920
mottle-type virus symptom in, 1062
Sphaerotheca macularis on, effect of temperature, humidity, and cuticle, 281, **283**
virus inactivation by high temperatures, 1203
strawberry crinkle virus, inactivation by high temperatures, 1203
strawberry latent C virus, eradication of, 480
strawberry mild mottle virus, effect of temperature on 2 spp. of, 919, **920**
strawberry mild yellow edge virus, inactivation by high temperatures, 1203
strawberry mottle virus, inactivation by high temperatures, 1203
strawberry necrotic shock virus, inactivation by high temperatures, 1203
strawberry veinbanding virus
effect of temperature on 2 spp. of, 919, **920**
inactivation by high temperatures, 1203
strawberry vein necrosis virus, new disease, 1269, **1270, 1273**
Streissle, G., (129)
Streptomyces spp.
antagonistic to Pythium on beets, 986
antibiotic production by, effect of nutrition, 1083
and chitinase systems, lysis of mycelium by, 871
metabolites, effect on mortality of Pratylenchus penetrans, 131
griseus, production of flavensomycin and humidin, 587
scabies
effect of Bacillus subtilis on, 126
on potatoes, build-up influenced by cover crop, 126

Stretch, A. W., 302
Strionemadiplodia frumenti, grape summer bunch rot, **815**
Strobel, G. A., 413, 1219
stroma, structure of, in tobacco infected with tobacco mosaic virus, 387, **388, 389, 390, 391**
Stromatinia gladioli, relationship to control of scab and Stromatinia rot of gladiolus, 1058
Struble, F. B., (497)
stubborn disease of citrus, indexing technique, 1053
Sturgeon, R. V., Jr., 501
Stuteville, D. L., 336
Subbaiah, J., 1072
succulence, Erwinia amylovora disease progress in apple, effect of, 719
sucrose density-gradient tubes, apparatus for, **1031**
sudangrass
Helminthosporium turcicum from, pathogenicity on corn, 418
mosaic virus from corn and Johnson grass on, 1250, **1252**
Sudia, T. W., (536)
sugarbeet
Aphanomyces cochlioides on, factors affecting prevalence of, 1066
herbicide damage, role of pathogens in, 1051
new virus disease of, 450
sugarcane
effect of dipping seed pieces in juice from ratoon stunting diseased plants on, 1085
leaf scald disease, resistance to, 317, **318**
Physalospora tucumanensis on, spread, 807
physiology of senescence and parasitism in, 620
resistance to red rot, 620
root rot of, caused by Pythium catenulatum, 705
yields, effect of soil fumigation and organic amendments on plant parasitic nematodes and, 1051
sugars
in barley, changes when infected with Helminthosporium sativum, 341
Fusarium solani f. phaseoli chlamydospore germination, effect on, 254
inhibition of infection of Gomphrena by red clover vein mosaic virus, 1057
reducing-, in Vaccinium corymbosum fruit affected by Glomerella cingulata, 302
repression of enzyme synthesis during pathogenesis by Pyrenochaeta terrestris on onion, 1063
toxicity to bentgrass roots, 775
sulfur dioxide, Alternaria sp. germination inhibition by, 525
summer bunch rot of grapes, Diplodia natalensis as cause of, **815**
Sundheim, L., 546
sunflower
crown gall on, chlorogenic acid associated with, 1004, **1006**
virus multiplication affected by Puccinia helianthi, 141
surface rot of sweetpotato, in storage, harvesting practices related to, 640, **643**
surfactants
fungus growth affected by, 1009
for Gloeosporium musarum appressoria, 1059
NP-27 and NPX, for soil fungi, 728, **729**
survival
Fusarium oxysporum f. melonis, effects of overwintering on virulence, 1083
Fusarium solani f. cucurbitae vs. f. phaseoli, 963
Fusarium solani f. phaseoli in soil, effect of host exudates on, 1021
Fusarium solani f. pisi, soil water, effect on, 1053
Leptosphaerulina briosiana ascospores on alfalfa, 546
Meloidogyne hapla in plant animal-feed, 257
Meloidogyne javanica on tobacco, 498
Pseudomonas glycinea in frozen substrates, 415
Radopholus similis, citrus roots, 1103
Verticillium dahliae in
plant-animal feed, 257
uncropped soils, 505
viruses in Olpidium sporangia, 1053
Suseno, H., 1078
Suykerbuyk, J., (129)
sweetclover, infectivity of isolates of wound-tumor virus in, 1072
sweetgum (see **Liquidambar styraciflua**)
sweetpotato
Ceratocystis fimbriata + other pathogens of, eradication by heat, 1066
fusaria from, production of enzymes and toxins, 396
Fusarium oxysporum batatas on, effect of inoculum potential on, 498
rot in storage affected by harvest practices, 640, **643**
yields, effect of reniform nematode on, 497
symposium
resistance to nematodes, 1159
taxonomy of pathogenic fungi, 819
weather and plant disease, 943

tabasco pepper, physiological changes prior to wilt by tobacco etch virus, 498
Tachibana, H., 1079
Taconis, P. J., (715)
Tagetes spp.
crown gall tumor on, association with chlorogenic acid, 1004, **1006**
a Fusarium wilt of, **711**
Takahashi, W. N., 1079
taro (see **Colocasia esculenta**)
tatter leaf virus of citrus, purification and properties of, 1081, 1354, **1355, 1357**
taxonomy
biological relationships in fungi, 823
Cronartium spp. compared serologically, 670, **672**
Diplodia natalensis vs. D. viticola, **815**
of Fusarium spp., and perfect stages, 833
Geotrichum candidum, citrus race, 1262, **1264, 1266**
of Loculoascomycetes, 828
of pathogenic fungi, symposium on, 819
pathogenic specialization in relation to, 821
Phytophthora spp., 595
Phytophthora cryptogea reclassified as P. megasperma, 1139, **1140, 1141**
of sterile fungi, 826
Taylor, J., 1079
Taylor, J. B., (310)
techniques
bacterial
detection, in infested soils, 1063
identification by electrophoresis, 1062
movement in apple stem and leaf, 719
bioassay of metabolites, 546, **548**
cell death in sorghum pith, rating of, 97
clarification of extracts containing potato yellow dwarf virus, 746
detection, barley stripe mosaic virus in barley, embryo test for, 798
differentiation of virus strains, by immune diffusion, 635, **636, 637**
electrophoresis, bean pod mottle virus in bean and soybean, 906
enzyme detection in culture, 503
enzymes
in bean hypocotyls, 206
viscometric determination, 471
extraction of intercellular fluids of foliage and use as a bacterial substrate, 1033
field tolerance of bean to Fusarium solani, 1045
germination stimulators and inhibitors, isolation and bioassay of, 629
identification
Erysiphe polygoni races on Trifolium pratense, 1078
pepper bacterial spot, serological tests for, 421, **422, 423**

3-indoleacetic acid, isolation and identification from Fusarium oxysporum f. cubense, 240
inoculation
liquids into bean hypocotyl, 206
standardization of abrasive deposition density, 454
Verticillium albo-atrum in cotton, 663
irrigation in greenhouse, a semi-automatic scale for, 473
isolation
agrobacteria from soil, 645
bacterial blights of bean, 504
Ceratocystis fagacearum from oak wounds, 179
of microorganisms near roots, **592**
Phytophthora cinnamomi from soil, 500, 1183
Pseudomonas phaseolicola from bean leaves, **930**
measurement, root tip areas, 1057
nematode egg mass extraction, 497
nematode feeding, on corn root cells, **490**
nitrogen, liquid-, for transmission of dahlia mosaic virus, 715
pathogenicity, using medium containing Chlorella, 244, **245**
plate count method, use of surfactants in, 728, **729**
population density of fungi in herbicide-treated soil, 1073
resistance
avocado to Phytophthora in nutrient solution, **487, 488**
banana to Fusarium oxysporum cubense, 135, **137**
cotton to Verticillium albo-atrum, 663
cuticle to fungus penetration, 225
potato to late blight, 1056
sugarcane to
leaf scald, 317, **318**
red rot, 620
root exudates, collection from clover, 131
seed treatment evaluation, rice seed rot, 500
serology (see **serology**)
soil dilution, use of surfactants in, 728, **729**
soil moisture and aeration, chamber for regulation of near plants, 271
sporulation, propylene oxide-sterilized leaf for Macrophomina phaseoli, 1156
sprayer, simplified logarithmic-, for fungicides, 128
staining-, and mounting medium for fungi, 246
sucrose density-gradient tubes, apparatus for, **1031**
virus eradication
heat + excised runner tip culture, 480
turnip mosaic virus from horseradish, 530
virus purification
by agar-column technique, of bean pod mottle virus, 502
by bentonite, of apple, 859
chromatographic and centrifugation, pea enation mosaic virus, 127
virus transmission, of onion yellow dwarf virus, 129
temperature, effect on:
alfalfa mosaic virus in white clover, 1053
bacteria, longevity in bacterial exudates, 1135
barley kernel microflora in storage, 399
bean yellow mosaic virus on red clover, 1055
Cercospora beticola, 1370
Ceratocystis fagacearum in oak, 1114
Corynebacterium flaccumfaciens wilt of bean, 174, **175**
cottonseed viability, 1083
Dibotryon morbosum ascospore germination, 506
Diplodia gossypina on peanut, 231, **232, 234**
Erysiphe graminis tritici germination on wheat, 365
Fomes annosus sporulation, 131
Fusarium spp. conidial germination, 852
Fusarium roseum spore germination, 688
Geotrichum candidum growth, 1210
Gloeosporium musarum spore germination, 688
growth of 4 fungi vs. infection of peanuts, 46
hypocotyl collar rot of bean, 506
Leptosphaerulina briosiana disease on alfalfa, 546
Meloidogyne hapla egg hatching, 885
metabolite activity from Streptomyces spp. and bacteria vs. nematodes, 131
Monilinia fructicola spore germination, 604
muskmelon viruses, symptoms and concentration of 6, 981, **982, 983**
papaya root rot affected by, 1293
pea mosaiclike mutant, 1284
peach canker disease, **805**
peanut collar rot, 231, **232, 234**
Peronospora manshurica
conidial germination, 1071
lesions on soybean, 166, **169**
Phytophthora spp., 595
Phytophthora cinnamomi recovery from soil, 1183
Phytophthora colocasiae, sporulation and germination on taro, 126, 183, **185**
Pleurotus ostreatus, recombination, fruiting, and growth, 1058
potato virus X infectivity and particle length in 4 hosts, 607
Pseudomonas spp., on celery, 1365
Pseudomonas solanacearum, cellulolytic activity of, 148
Puccinia recondita, race identification, 1317
Puccinia striiformis on wheat, 198, **201**
Pythium spp. reproduction, 1127
Rhizoctonia solani in culture, 501
Rhizopus stolonifer spore germination, **604**
Sphaerotheca macularis on strawberry, 281
strawberry mild mottle and veinbanding viruses, 919, **920**
sweetpotato surface rot in storage, 640
Thielaviopsis paradoxa spore germination, 688
Tilletia teliospore germination, 1286
tobacco mosaic virus formation of green spots on tobacco, **484**
tomato resistance to root-knot nematode, 990
translocation of P^{32} in Rhizoctonia solani, 536
Tylenchulus semipenetrans, reproduction, 1064
Venturia inaequalis conidia viability, 503
Verticillium albo-atrum, prevalence of microsclerotial forms, 128
Verticillium theobromae spore germination, 688
virus
inactivation in strawberry, 1203
transmission by 3 aphid spp., 1076
Wisconsin pea streak virus movement in pea, 938
Templeton, G. E., (49), 1079
Tephrosia vogelii, potential of 3 Rhizoctonia spp. to cause foliar blight and damping off of, 612, **613**
terminology
French vs. English usage, 1157
infection processes, 1157
Thalictrum spp., potential alternate host of Puccinia recondita tritici, 501
Thayer, P. L., 554, (1055), 1365
Therioaphis trifolii (see also **aphid(s)**)
abundance where bean common virus occurs, 1085
Thielaviopsis
basicola
on bean
effect of soil temperature, 126
histological relationships, 1284
chlamydospore germination, 466, **467,** 1067
paradoxa, effect of relative humidity on, 688
Thomas, C. A., (468), 1079
Thomason, I. J., (1053)
Thompson, J. P., (126), (645)
Thorn, G. D., (1081)
Thorne, G., 603
Thorpe, H. J., (466), (702)
thrombosis, plugging of vessels in citrus by Physoderma citri, 681
Throneberry, G. O., 1079

Thrower, L. B., 558
Tietz, Helga, (1083)
Tilletia spp., in 16th century herbals, 1083
caries and controversa, germination of, 1286
caries and foetida, wheat resistance to stripe rust affected by, 1071
controversa, compatibility in, 1061
Timian, R. G., 1079
tissue culture
carrot and Meloidogyne incognita, 393, **394**
for virus eradication, strawberry latent C, by heat +, 480
tobacco (see also **Nicotiana**)
Agrobacterium tumefaciens, potato ringspot virus, and chilli mosaic virus, interaction in, 130
alfalfa mosaic virus, naturally occurring, 1108, **1109, 1112**
enzymes affected by wildfire toxin, 519
Fusarium wilt of, effect of Meloidogyne spp. on, 1071
gamma irradiation of, effect on tobacco mosaic virus in, 1039
growth in response to soil fumigation for Pythium, 1016, **1017**
hypertrophy in leaves of, induced by bacteria, 1074
lesions, fine structure of, caused by tobacco mosaic virus, 387, **388, 389, 390, 391**
Meloidogyne javanica survival on, 498
necrotic local lesion formation on, by tobacco mosaic virus, 502
photosynthesis of, effect of tobacco ringspot virus on, 370
Phytophthora parasitica var. nicotianae on
affected by O_2 and CO_2 tensions, 666
resistance to, 1078
potato virus X in, effect of temperature on particle length and infectivity, 607
potato virus Y tolerance in, 1076
Pseudomonas solanacearum
identification of, using serological and sampling methods, 1191
origin of indoleacetic acid, 1232
relation of cellulase to pathogenesis, 148
root-to-root spread from tomato, 304
Pseudomonas tabaci, on intercellular foliar juices, 1033
tobacco mosaic virus in
formation of dark green spots, **484**
lesion size affected by
herbicide, 1076
potato viruses X and Y, 1054
multiplication inhibition by 6-methyl purine, 533
polyphenol oxidase and peroxidase affected by, 1078
strain differentiation by immune diffusion, 635
toxicity to, from auto exhaust, 27
virus disease resistance, 504
virus-infected callus tissues, 1073
virus multiplication inhibition by Blasticidin S, 291
Xiphinema americanum associated with, 1058
tobacco brown spot, fungicides in field for, 500
tobacco etch virus
in callus tissue of tobacco, 1073
in tabasco pepper
histology of, 267, **268**
physiological changes preceding wilt, 498
tobacco mosaic virus
alkaline degradation inhibition by proteins, 503
on bean, inhibition of infection by flavensomycin, 587
bean resistance to, correlated with leaf age, 454
fine structure of lesions on tobacco, 387, **388, 389, 390, 391**
gamma irradiation, effect on, 1039
herbicide, effect on lesion size on tobacco, 1076
isolation from grape foliage and roots, 1283
lesion size in tobacco, effect of potato viruses on, 1054
local lesion formation, radioautographic study, on tobacco and Datura, 558
multiplication inhibition by
Blasticidin S, 291
6-methyl purine, 533
puromycin, 1065
necrotic local lesion formation by, 502
photosensitizing dyes, effect of, 1070
polyphenol oxidase and peroxidase in tobacco affected by, 1078
RNA, infective form of, 1053
strain differentiation, by immune diffusion, 635, **636, 637**
on tobacco, formation of dark green spots, **484**
visualization in local lesions of Datura stramonium, 928, **929**
tobacco necrosis virus, survival in Olpidium sporangia, 1053
tobacco rattle virus, isolation from Gerbera jamesonii, 501
tobacco ringspot virus
blueberry necrotic ringspot isolate serologically like Skimmia ringspot virus, 131
in callus of tobacco and cucumber, 1073
nucleoprotein, ratio of infectious to noninfectious, relation of infection age, 1075
serology, comparison with Eola rasp leaf virus, 1280
on tobacco, effect on photosynthesis, 370
Tokunaga, Junzo, (125), (1223)
Toler, R. W., 502
tolerance (see also **resistance**)
bean to Pseudomonas phaseolicola races 1 and 2, genetics of, 1071
field-, bean to Fusarium solani, **1045**
oats to crown rust, relation with kernel density, 579
Pseudomonas glycinea to freezing, 415
tobacco to potato virus Y, 1076
Tolin, Sue A., 1080
Tollenaar, H., 1080
tomato
Agrobacterium tumefaciens on, effect of mineral nutrition, 575
Alternaria solani on, control with DACONIL-2787, 1080
anthracnose of, N nutrition of Colletotrichum phomoides, 333
Arthrobacter spp.
effect on vascular wilt caused by Fusarium oxysporum, 156
protection of seedlings from damping-off, 156
bacterial spot of, identification by serology, 500
Botrytis cinerea on, effect of Ca-P balance, 447
crown gall
on, association with chlorogenic acid, 1004, **1006**
toxicity of hydrocarbons to host and parasite, 126
epiphytic bacterium, effect on early blight, 760, 1375
Fusarium oxysporum f. lycopersici races 1 and 2 resistance, 1212
Fusarium solani on, pathogenicity, 1085
Fusarium wilt severity and polygalacturonase activity vs. Ca-nutrition, 222
Geotrichum candidum pathogenicity on, 498
growth in gnotobiotic environment, 1066
nematode-reducing crops for, 1026, **1028**
pectic plugs in, from Verticillium, polygalacturonases for removal of, 1067
potato virus X in, effect of temperature on particle length and infectivity, 607
Pseudomonas savastanoi, toxicity to hydrocarbons to, 126
Pseudomonas solanacearum on
identification by serology, sampling methods, 1191
relation of cellulase to pathogenesis, 148
root-to-root spread from tobacco, 304
resistance to root knot, effect of soil temperature on, 990
rusts, toxicity of hydrocarbons to, 126

tomato ringspot virus
in callus of tobacco and cucumber, 1073
serology, comparison with Eola rasp leaf virus, 1280
Toussoun, T. A., (466), (833)
toxicants
auto exhaust to bean, petunia, and tobacco, 27, **28, 29, 30**
chlorine derivatives of benzene, nitrobenzene, and m-dinitrobenzene, 1073
in cultures of Sclerotinia homeocarpa, to bentgrass seedlings, 775
in decomposing plant residues, to nematodes, 702
m-dioxanes and related compounds, to germination of Monilinia fructicola and Stemphylium sarcinaeforme, 129
fatty acids, via irreversible water leakage, 1062
Helminthosporium carbonum production of, **1037, 1038**
Hevea brasiliensis leaf extracts, to Dothidella ulei, 125
hydrocarbons, to almond, peach, pear, and tomato, 126
nature of interactions with fungal spores, 1068
toxicity
bacteria and fungi, to Chlorella pyrenoidosa, 244, **245**
fatty acids to nematodes, 1074
to fungi, from irreversible water leakage, 1062
toxins
aflatoxin
media, chemically defined, for production of, 497, 498
in peanuts inoculated with Aspergillus flavus, 1057
in Spanish peanut, relation to pod and kernel condition, 464
chlorosis-, of Alternaria tenuis in cucumber, factors affecting, 1079
fusaric acid production by sweetpotato fusaria, 396
juglone, inhibition of yeast in culture, 21
leafhopper, cause of leaf galls on small grains, 1059
pinosylvins and monomethyl ether of pinosylvins, influence on Fomes annosus, 129
soil-, relation to corky root rot of lettuce, 1051
victorin
Helminthosporium victoriae spores, production of, 629
Krebs cycle metabolism, affected by, 967
on oats, changes in host ultrastructure, 1060
resistant oat tissue affected by, 1055
respiratory changes in oats caused by, 813
wildfire, on tobacco leaves, effect on enzymes, 519
Trametes hispida, decay of wood by di-, mono-, and illegitimate heterokaryotic isolates of, 130
translocation
bean, effects of 2 fungus infections in, 330, **331**
P^{32}, in bean, infected with Uromyces phaseoli typica, 57
photosynthetic products from rusted bean leaves, 528
by Rhizoctonia solani, of P^{32}, 536, **538**
southern bean mosaic virus, 1299
wound-tumor virus by transovarial-, 324
transpiration, bean
effects of 2 fungus infections on, 330
infected with Uromyces phaseoli typica, 57
Transvall daisy (see **Gerbera jamesonii**)
Trialeurodes vaporariorum, transmission of beet pseudo-yellow virus, new disease, 450
Triantaphyllou, A. C., (1061)
tricamba (see **herbicides**)
Trichocladium canadense
in red maple sprouts, 957, **960**
in trees, 648
Trichoderma viride
antagonistic to Pythium ultimum on beets, 986
atrazine, effect of in C- and N-amended soil, 1054
cellulase activity of, 148
enzymes affecting, 1328
fungistasis of
conidia, effect of nutrition and pH, 1057
role of soil pH in, 1060
Sclerotium rolfsii activities affected by, 1069
sporulation, effect of atrazine on, 497
Trichodorus christiei
on corn, feeding on individual cells, 128, **490**
on garden balsam, host-parasite relationship, 763
trichomes, Erwinia amylovora entrance into apple through, 719
Trifolium (see also **clover**)
incarnatum
systemic wound-tumor virus in clover leafhopper, 129
transovarial transmission of wound-tumor virus on, 324
Tripathi, R. K., 1080
tristeza virus
control methods evaluated, 675
detecting infection in citrus seedlings, 543
Troll, J., 1285
Trujillo, E. E., 126, 183, 1293
Tsao, P. H., (1064), (1070)
Tsao, Pamela W., (119)
tumor formation
association of chlorogenic acid to, in broad bean, marigold, sunflower, and tomato, 1004, **1006**
in oleander, by Pseudomonas savastanoi, histogenesis, 1244, **1245, 1246, 1247, 1248**
tung (see **Aleurites fordii**)
turfgrasses
Marasmius oreades on, 1132, **1133**
nematode pathogenicity on, 1285
Turner, N., (1080)
Turner, N. J., 1080
Turner, N .L., (1055)
Turner, P. D., 937
turnip mosaic virus
electron microscopy of, 458, **459, 460**
in horseradish, elimination of, 530
Tweedy, B. G., 1080
Tylenchidae, respiratory behavior in, 1283
Tylenchorhynchus martini, cuticular structure of, 1062
Tylenchorynchus claytoni, on turfgrasses, pathogenicity of, 1285
Tylenchulus semipenetrans
nematocides tested against, 1053
on orange, effect of 2,4-dichlorophenyl methanesulfonate on, 1051
on Poncirus trifoliata, resistance to, 1058
reproduction on citrus, effect of soil pH and temperature, 1064

Ullstrup, A. J., 425, (1037), (1062)
Ulmus
americana
Ceratocystis ulmi uniformly susceptible clone, 1284
distribution of C. ulmi in, 477
Verticillium dahliae on, effect of nutrition and inoculum potential, 1056
carpinifolia, Ceratocystis ulmi on, 130
ultrastructure
Aphanomyces euteiches somatic hyphae, 1076
bean yellow mosaic virus infected cells, 1082
oats, changes in, when treated with victorin, 1060
Phytophthora infestans, 1056
Rhizoctonia solani somatic hyphae, 501
urea, nematode discharge of, 429
uredospores
rusts, inhibitors of virus infection located in, 141
smooth-walled-, inheritance of, in Melampsora lini, 724, **725**
Uromyces
ciceris-arietini, control, distribution, and types susceptible to, 125
phaseoli, on bean
hygroscopicity affected by, 1373

kinetics of Ca^{45} and P^{32} accumulation, 1056
predisposition to mildew by, **1372**
translocated effects of infection, 330, **331**
phaseoli phaseoli, germination inhibitors from spores of, 505
phaseoli typica
on bean
effect of indoleacetic acid on, 1054
starch content, effect of, 1068
bean resistance to, related to leaf age, 454
$C^{14}O_2$ fixation by bean infected with, 940, **941**, 1073, 1303, **1306**
effect on translocation of photosynthetic products from rusted leaves, 528
respiration, transpiration, growth, and distribution of P^{32} in bean infected with, 57
Ustilago spp.
germination inhibitors from spores of, 505
oat blast caused by, **1368**
avenae × U. kolleri hybrid, cause of dwarf oats, 1042
sphaerogena, cytochrome c synthesis control by zinc ions, 127

Vaccinium corymbosum, fruit, Glomerella cingulata changes amino acids and sugars in-, 302
Vakili, N. G., 135, 1206
Van Arsdel, E. P., 945
van der Zwet, T., 502, (926)
Van Etten, J., (1069), 1080, 1285
Van Gundy, S. D., (1064)
Vargas, J. M., Jr., (501)
variation
Fusarium oxysporum cepae, cultural, 1051
Verticillium albo-atrum, black to white cultures, 1200
Varney, E. H., 131
Vaughan, E. K., (986)
Venturia inaequalis
cell wall analysis, 401
chitin in cell-free extracts, 1309
conidial viability, factors affecting, 503
fungicides for, on apple, 503
Verbesina encelioides, transmission of dahlia mosaic virus to, 715
Verticicladiella wageneri, on pine, pathogenicity of, 1077
Verticillium spp.
lytic ability on rust uredospores, 40, **41**
on tomato, nature of resistance, 1056
albo-atrum
on cotton, inoculated by stem puncture, 663, **664**
melanin-containing structures, loss of, 1200
microsclerotial-, and non-microsclerotial forms, 128
in olive, control through recovery and resistance, 310, **311**
pectolytic activity inhibition, by products of chlorogenic and caffeic acids, 1071
polygalacturonases, characteristics of, 130
respiratory metabolism in, 1079
in Rubus spp., inheritance of resistance in, 731, **732, 733**
soil pH and fertilization, influence on fungi antagonistic to, 570
tomato pectic plugs absent when treated with polygalacturonases of, 1067
dahliae
inoculum potential and nutrition, effect on elm and maple, 1056
Mentha spp. resistance to, interactions with inoculum density of, 1176
survival
in animal feed, 257
and growth in uncropped soils, 505
dahliae menthae, on peppermint, interactions with nematodes, 583
theobromae, effect of relative humidity on, 688
vetch (see **Vicia spp.**)
viability, Venturia inaequalis conidia, effect of temperature and relative humidity on, 503
Vicia spp.
and 36 F_5 lines of an interspecific cross, resistance to 5 spp. of root-knot nematodes, 500
pod rupture associated with pea streak viruses, **935**
angustifolia, Physoderma sp. on, 500
faba
bean yellow mosaic virus in, production of nuclear inclusions, **242**
crown gall on, association with chlorogenic acid, 1004, 1006
ultrastructure, inclusions and organelles in bean yellow mosaic virus infected, 1082
sativa
new virus disease of, hosts, properties, 499
Wisconsin pea streak virus, aid in identification, 336, **338**
victoxinine, Helminthosporium carbonum production of, **1037, 1038**
Vigna sinensis (see also **cowpea**)
virus resistance to, 1077
Villanueva, J. R., (40)
virulence
Erwinia amylovora and related organisms, biochemical differences, 1076
Fusarium oxysporum f. melonis, effect of overwintering on, 1083
Helminthosporium turcicum on monogenic resistant corn, 462
nitrogen source affecting, 333
Puccinia coronata, inheritance of, 1320
Rhizoctonia praticola and R. solani of single-spore isolates, 111
viruses (see also **aphid(s)** and by common name and under hosts)
accumulation rate of bean pod mottle virus in bean and soybean, 906
anatomy of apple infected with stem-pitting virus, 34, **35, 37, 38**
clarification of extracts containing potato yellow dwarf virus, 746
competitive characteristics of, 1048
concentration, effect on 6 muskmelon, 981
control methods in citrus, evaluation, 675
cross protection, in vetch with bean yellow mosaic virus, indicated by nuclear inclusions, **242**
detection of:
barley stripe mosaic virus in barley seed, 798
citrus viruses by stains and histology, 543
dahlia mosaic virus, using liquid nitrogen, 715
from legumes, 336, **337, 338**
raspberry mosaic complex by leaf grafting, **276, 277, 279**
Wisconsin pea streak virus using Gomphrena and Vicia, 336, **337, 338**
differentiation, tobacco mosaic virus strains, by immune diffusion, 635, **636, 637**
electron microscopy of
in apple, 859, **865, 866, 867**
mosaic virus of corn and Johnson grass, 1250, **1254**
tobacco mosaic virus in local lesions of Datura stramonium, 928, **929**
electrophoretic characteristics, of bean pod mottle virus in bean and soybean, 906
eradication of:
chlorotic leaf spot virus from apple, heat therapy for, 1084
strawberry virus latent C, by heat + excised runner-tip culture, 480
turnip mosaic virus from horseradish, 530
host reaction, effect of infection sequence on, 1074
host resistance to pathogenic fungi altered by, 127
inactivation, in high-temperature environment in strawberry, 1203
indexing, citrus, 675, 1053
infection sequence of bean pod mottle and soybean

mosaic viruses on host reaction and virus titers in soybean, 1074
infectivity
barley stripe mosaic virus, related to ribonuclease activity, 1079
bean pod mottle virus, specificity to bean and soybean, 906
homologous incomplete nucleoprotein particles, effect on, 1084
potato virus X, effect of incubation temperature, 607
inoculation, standardization of abrasive deposition density, 454
inoculum source, infested soil debris, for wheat mosaic virus, 1052
interaction of potato ringspot virus, chilli mosaic virus, and Agrobacterium tumefaciens in tobacco, 130
isolation
Johnson grass mosaic-, relation to sugarcane mosaic virus, 1250, **1252, 1254**
tobacco mosaic virus from grape, 1283
tobacco rattle virus, from Gerbera jamesonii, 501
lesion size, effect of potato viruses on tobacco mosaic virus, 1054
longevity in stored, chemically dehydrated tissue, 1043
multiplication
gamma irradiation, effect on 3-, 1039
inhibition
by Blasticidin S, 291
of tobacco mosaic virus by 6-methyl purine, 533
stimulated and inhibited by rusts on bean and sunflower, 141
tobacco mosaic virus inhibition, with puromycin, 1066
particle length, effect of temperature in potato virus X, 607
particle size, heterogeneity in squash mosaic virus, 1069
photosynthesis in host plant affected by, 370
protection, in citrus after recovery from seedling yellows and loss of yellows-inducing virus, 1081
purification of:
from apple, with bentonite, 859
bean pod mottle virus, 502
maize dwarf mosaic virus, 1075, 1250
pea enation mosaic virus, 127
second apple latent mosaic-, 286
tatter leaf virus of citrus, 1081, 1354, **1357**
storage in chemically dehydrated tissues, 1043
strains, peach mosaic virus, 1151
survival, in Olpidium brassicae sporangia, 1053
symptoms
gamma irradiation, effect on 3-, 1039
temperature, effect on 6 muskmelon, 981, **982, 983**
temperature
effect on mild mottle and veinbanding viruses in Fragaria, 919, **920**
effect on symptoms of tobacco mosaic virus on tobacco, **484**
thermal inactivation, of barley yellow dwarf, 809
titer, effect of infection sequence on, 1074
transmission by:
aphid
barley yellow dwarf to corn, 1078
strawberry vein mosaic, 1269
temperature effect on, 1076
beetle, bean leaf-, southern bean mosaic virus, cowpea strain, 1081
grafting, potato with potato virus S, 707
greenhouse whitefly, of beet pseudo-yellows virus, new disease, 450
Macrosiphum avenae, of barley yellow dwarf, 809
mechanical-
apple latent mosaic virus 2, 286
onion yellow dwarf, 129
pear latent virus, 1081
strawberry vein necrosis, 1269
mites, wheat streak mosaic virus, relationship to strains of Aceria tulipae, 1168
pollen, sour cherry yellows virus, 482
Rhopalosiphum padi, of barley yellow dwarf, 809
seed, peanut mottle virus, 880
transovarial, of wound-tumor virus, 324
vector specificity loss, with double infection by 2 strains of barley yellow dwarf virus, 62, 1284
virus indicator, use of fungi as, 127
vitamins
biotin, effect on growth and sporulation of Cercosporella herpotrichoides, 127
requirements, in Leucostoma persoonii and Rhodosticta quercina, 511
thiamine
Cercosporella herpotrichoides, growth and sporulation affected by, 127
Phytophthora spp. requirement for, 595
Pleurotus ostreatus requirement for, 1058
Pythium distinguished from Phytophthora spp. by, 1073
Voros, J., 876
Voth, V., (731), (1203)

Waggoner, P. E., (128)
Walker, J. C., (174), (752), (889), (1071)
Walker, J. T., 131
Walker, N. M., (1325)
Walkinshaw, C. H., 475, 996, (1058)
Wallace, D. H., 1227
Wallace, J. M., 1081
walnut (see **Juglans regia**)
Walter, J. M., (1213)
Walters, H. J., 502, 1081
Walton, G. S., 1081
Wang, L. C., (401), (1309)
Ward, E. W. B., 1081
Warren, J. R., 244
watermelon, squash mosaic virus on, 1362, **1363**
watermelon mosaic viruses
1 and 2, isolation and identification of, 895, **1379**
on muskmelon, effect of temperature on symptoms, and concentration of, 981, **982, 983**
Waterworth, H. E., 1081
Watson, R. D., (728), (1009)
weather and plant disease, symposium on, 943
Weathers, L. G., 1081, (1354)
web blight of common bean, basidiospore infection by Pellicularia filamentosa, **698**
Webb, R. E., 895, (981), 1379
Weber, D. J., 159, 262, 1082
Weber, G. F., (228)
Webster, R. K., (1262)
Wehlburg, C., (554), 1082
Wehunt, E. J., 1082
Weinhold, A. R., 126, (1059), 1082
Weintraub, M., 1082
Wellman, F. L., 1082
Wells, H. D., (627)
Welty, R. E., 1083
Wernham, C. C., 1285
Wester, R. E., 506, 1083
Whaley, J. W., 1083
wheat
black point of, fungi and filtrates in relation to, 1064
Erysiphe graminis hordei, propagation of, 92
Erysiphe graminis tritici, conidial germination on, 365
leaf galls caused by leafhopper toxin, 1059
proteins of, associated with resistance to Puccinia striiformis, 413, **414**
Puccinia recondita, races of, 1317
Puccinia striiformis
effect of environment on several varieties of, 198, **201**
resistance to, 413
resistance to, effect of bunt infection on, 1071
rust, and people, an address, 1088

seed treatments
for fungi on, 128
visual detection of, 1283
virus from red-streaked corn grain mechanically transmitted to, 1083
wheat curl mites on, relationship to transmission of wheat streak mosaic virus, 1168, **1170**
wheat streak mosaic virus and leaf rust, combined effect on, 1072
wheat curl mite (see **Aceria tulipae**)
wheat mosaic virus, 79, **80**
wheat streak mosaic virus
transmission, Aceria tulipae strains, 1168
on wheat, combined effects with leaf rust, 1072
Wheeler, H., 813, (1055), 1060
Whitcomb, R. F., 746
White, J. C., 267
Whitney, R. D., 1083
Wiebel, F. L., 506
Wilbur, W. D., (1064)
Wilcoxson, R. D., (536), (546), (1057), (1070)
Wiles, A. B., 1083
Wilhelm, S., 310, 731, 1016, 1083
Wilkinson, R. E., (1085), (1227), (1284)
Williams, A. E., 1083
Williams, E., Jr., 1317
Williams, E. B., (1000)
Williams, F. J., 333, 506
Williams, L. E., (570), 802
Williams, L. F., (166)
Williams, P. H., 1084
Wilson, C. L., 477
Wilson, D. M., Jr., 1084
Wilson, E. E., (21), 1084, 1244
Wilson, H. A., 1135
Wilson, J. D., (1375)
Wilson, R. A., (505)
wilt
branch-, of Persian walnut, 21, **23**
sweetpotato, physiology of pathogen, 396
Winstead, N. N., (244)
Winter, H. F., 1084, (1375)
Wisconsin pea streak virus
detection with Gomphrena globosa and Vicia sativa, 336, **337, 338**
movement in Pisum sativum, 938
vetch pod rupture associated with, **935**
wood
decay
aspen blocks, by isolates of Trametes hispida, 130
bacteria and fungi associated with
decay and discoloration in hardwoods, 648
in red maple sprouts, 957, **958, 959, 960**
bacteria isolated from, 129
lignin degradation as related to phenoloxidases of selected wood-destroying basidiomycetes, 739
decay fungi
lignin degradation as related to phenoloxidases of, 739
nitrogen in, 1054
decay rate, effect of N content of wood on, 1067
decay resistance, coniferous spp., relative to Fomes annosus, 130, 1347
discoloration
bacteria and fungi associated with, in red maple sprouts, 957, **958, 959, 960**
bacteria isolated from, 129
Wood, F. A., (131), (179), 771, (1285)
Wood, H. A., 1084
Worley, J. F., 1084, 1299
wound, age, depth, number, Ceratocystis fagacearum infection of oaks affected by, 1194
wound-initiated discoloration in northern hardwoods, 648
wound-tumor virus
Agallia constricta resistance to, effect of age on, 1077
appearance of, in clover leafhopper, 129
electron microscopy of, in plants and insects, 1076
specific infectivity of different isolates of, 1072
transovarial transmission by Agallia constricta, 324
wound-tumor-soluble antigen, development in vector, 1072
Wuest, P. J., 885
Wyllie, T. D., 166, (932)

Xanthomonas spp., decays and discolorations of hardwoods, isolated from, 129
albilineans, on sugarcane, varietal tests for, 317, **318**
fragariae, hypertrophy in leaves of tobacco and Datura stramonium caused by, 1074
musicola sp. nov. on banana, 1035
phaseoli, longevity in bacterial exudates, 1135
pruni, on peach, control with sprays, 505
vesicatoria
chemicals for, 506
identification by 3 serological procedures, 421, **422, 423**
on pepper, from overwintered inoculum, 1071
in tomato, serological techniques for, 500
Xiphinema americanum
populations
as affected by soil treatment, spraying, and crop cutting, 615
in field and greenhouse, 1058
root development and growth on grape affected by, 1070
xylanase (see **enzymes**)
xyloporosis virus
control methods evaluated, 675
detecting infection in citrus seedlings, 543

Yamaguchi, A., (458)
Yang, C. Y., (1076), 1127
Yang, S. M., 1084, 1085
Yarwood, C. E., 330, 1372, 1373
yield, Mentha spp., effect of Verticillium dahliae inoculum density, 1176
yield losses, evaluation of damage to oats by crown rust, 767
Young, H. C., Jr., (501), 502
Young, R. A., (212)
Young, W. L., (1283)

Zaitlin, M., (502)
Zaki, A. I., 528, (940), 1303
Zea mays (see **corn**)
Zentmyer, G. A., 487
Zettler, F. W., 1085
Zimmer, D. E., 296, 1320
zinc, polygalacturonate trans-eliminase, effect on activity of, 130
zoospores, Phytophthora drechsleri, utilization of C compounds and effect on motility and germination, 1257
Zscheile, F. P., Jr., (442), 1286
Zummo, Natale, 1085

ERRATA, VOLUME 55

Page 34, Fig. 1 caption, line 4, *read* E) radial section of normal phloem (ca. 300×). F) radial section of abnormal phloem in a stem-pitted Virginia crab *for* E) radial section of normal xylem (ca. 300×). F) Radial section of abnormal xylem in a stem-pitted Virginia crab.

Page 189, second line, *read* This investigation was supported in part by Research Grant AI-02709-04, from the National Institutes of *for* The authors gratefully acknowledge the receipt of fungus isolates Pass. and Yug. 8 from R. R. Nelson, Plant.

Page 260, column 2, line 24 from bottom, *read* adenosine *for* adenine.

Page 803, column 1, line 20, *read* diseased plants about 10% *for* diseased plants to about 10%.

Page 953 and running head, page 955, junior author *read* López *for* Lǿpez.

Phytopathology

An International Journal

Official Organ of

THE AMERICAN PHYTOPATHOLOGICAL SOCIETY

VOLUME 55

JANUARY-DECEMBER 1965

Editor-in-Chief

THOR KOMMEDAHL

Editors

J. B. BANCROFT
M. G. BOOSALIS
A. J. BRAUN
R. H. DAINES
J. E. DEVAY
R. D. DURBIN
A. H. ELLINGBOE
A. W. FELDMAN
M. E. GALLEGLY
C. R. JACKSON
L. F. JOHNSON
J. B. KENDRICK, JR.
J. E. MITCHELL
G. C. PAPAVIZAS
R. S. PETERSON
J. N. SASSER
I. R. SCHNEIDER
R. D. WILCOXSON

Business Management

D. H. MARSDEN
D. A. ROBERTS

The American Phytopathological Society

Officers

W. J. ZAUMEYER, *President*
GEORGE A. ZENTMYER, *President-Elect*
A. E. DIMOND, *Retiring President*
ARTHUR KELMAN, *Vice-President*
J. RALPH SHAY, *Secretary*
D. H. MARSDEN, *Treasurer*

Councilors

I. W. BUDDENHAGEN
R. M. CALDWELL
J. H. OWEN
KARL MARAMOROSCH
R. E. WEBB
SAUL RICH
R. P. SCHEFFER
C. GARDNER SHAW

PUBLISHED FOR THE SOCIETY

The Heffernan Press Inc.

Worcester, Massachusetts

DIVISIONS OF THE SOCIETY

Caribbean

J. S. NIEDERHAUSER, *Pres.* — GINO MALAGUTTI, *Vice-Pres.* — L. C. GONZALEZ, *Sec.-Treas.*

Northeastern

M. T. HILBORN, *Pres.* — G. A. BRANDES, *Vice-Pres.* — R. M. GILMER, *Sec.-Treas.*

North Central

E. W. HANSON, *Pres.* — M. B. LINN, *Vice-Pres.* — E. D. HANSING, *Sec.-Treas.*

Pacific

J. M. WALLACE, *Pres.* — C. G. SHAW, *Vice-Pres.* — C. E. HORNER, *Sec.-Treas.*

Potomac

R. E. WEBB, *Pres.* — M. E. GALLEGLY, *Vice-Pres.* — G. C. PAPAVIZAS, *Sec.-Treas.*

Southern

J. B. SINCLAIR, *Pres.* — J. H. OWEN, *Vice-Pres.* — W. BIRCHFIELD, *Sec.-Treas.*

SUSTAINING ASSOCIATES

AGWAY, INC., Chemical Division, Ithaca, N.Y.

AMERICAN CYANAMID COMPANY, Princeton, N.J.

AMERICAN TOBACCO COMPANY, INC., Research Laboratory, 400 Petersburg Turnpike, Richmond 24, Va.

CALUMET & HECLA, INC., Calumet, Mich.

CAMPBELL SOUP COMPANY, Camden, N.J.

CIBA CORPORATION, P.O. Box 1105, Vero Beach, Fla.

THE DOW CHEMICAL COMPANY, Midland, Mich.

E. I. DU PONT DE NEMOURS & COMPANY, INC., Wilmington 98, Del.

FERRY-MORSE SEED COMPANY, P.O. Box 100, Mountain View, Calif.

H. J. HEINZ COMPANY, Pittsburgh 30, Pa.

MONSANTO CHEMICAL COMPANY, 800 N. Lindberg Boulevard, St. Louis 66, Mo.

NIAGARA CHEMICAL DIVISION, FMC CORPORATION, Middleport, N.Y.

ROHM & HAAS COMPANY, Washington Square, Philadelphia 5, Pa.

SHELL CHEMICAL COMPANY, Agricultural Chemicals Sales Division, 110 West 51st Street, New York 20, N.Y.

TENNESSEE CORPORATION, 900 Roosevelt Highway, College Park, Ga.

YODER BROTHERS, INC., Barberton, Ohio

CONTENTS OF VOLUME 55, 1965

No. 1—JANUARY

REPORT OF THE 56TH ANNUAL MEETING OF THE AMERICAN PHYTOPATHOLOGICAL SOCIETY 1

Anatomical and physiological aspects of branch wilt disease of Persian walnut
JACK D. PAXTON AND E. E. WILSON 21

Morphological and microscopical changes in tobacco, bean, and petunia leaves exposed to irradiated automobile exhaust ..... I. J. HINDAWI, J. A. DUNNING, AND C. S. BRANDT 27

β-Glucosidase in Erwinia amylovora and Pseudomonas syringae
MILTON N. SCHROTH AND DONALD C. HILDEBRAND 31

Pathological anatomy of apple trees affected by the stem-pitting virus
M. T. HILBORN, FAY HYLAND, AND R. C. MCCRUM 34

Lysis of uredospore germ tubes of rusts by species of Verticillium
ISABEL GARCIA ACHA, J. A. LEAL, AND J. R. VILLANUEVA 40

The effect of some herbicides on sporulation of Rhynchosporium secalis
W. P. SKOROPAD AND WEN-JOU WANG KAO 43

Peanut kernel infection and growth in vitro by four fungi at various temperatures ..... CURTIS R. JACKSON 46

A metabolite from Alternaria tenuis that inhibits chlorophyll production
N. D. FULTON, KATHARINA BOLLENBACHER, AND G. E. TEMPLETON 49

Effects produced in cotton fiber by boll-rotting species of Rhizopus .. PAUL B. MARSH AND MARION E. SIMPSON 52

The influence of rust on the distribution of P^{32} in the bean plant ..... D. L. GERWITZ AND R. D. DURBIN 57

Apparent loss of vector specificity following double infection by two strains of barley yellow dwarf virus
W. F. ROCHOW 62

Ecology of plant pathogens in soil. II. Influence of glucose, cellulose, and inorganic nitrogen amendments on development of bean root rot ..... CHARLES L. MAURER AND RALPH BAKER 69

Effect of major and minor gene interaction on adaptive parasitism in Phytophthora infestans
K. M. GRAHAM AND W. A. HODGSON 73

Inheritance of susceptibility of apple to Podosphaera leucotricha ..... JAMES B. MOWRY 76

Transmission of soil-borne wheat mosaic virus ..... MYRON K. BRAKKE, ALICE P. ESTES, AND MAX L. SCHUSTER 79

Nutritional and mechanical factors involved in mycelial growth and production of sclerotia by Sclerotium rolfsii in artificial medium and amended soil ..... Y. HENIS, I. CHET, AND ZEHARA AVIZOHAR-HERSHENZON 87

Propagation of Erysiphe graminis f. sp. tritici on barley and Erysiphe graminis f. sp. hordei on wheat
J. G. MOSEMAN, A. L. SCHAREN, AND L. W. GREELEY 92

Seasonal trends in density and cell death in sorghum stalk tissue ..... R. A. KATSANOS AND A. J. PAPPELIS 97

Population dynamics of Heterodera glycines under various cropping sequences in field bins
JAMES M. EPPS AND ALBERT Y. CHAMBERS 100

Ecology of plant pathogens in soil. III. Competition between soil fungi ..... DONALD L. LINDSEY 104

Virulence, host range, and pectolytic enzymes of single-basidiospore isolates of Rhizoctonia praticola and Rhizoctonia solani ..... G. C. PAPAVIZAS AND W. A. AYERS 111

PHYTOPATHOLOGICAL NOTES

The mechanism of transmission of Rhadinaphelenchus cocophilus by the palm weevil, Rhynchophorus palmarum ..... ELMER A. C. HAGLEY 117

Anatomy of a leaf stipple disorder of pear ..... HENRY SCHNEIDER AND PAMELA W. TSAO 119

Inhibition of an antagonistic bacterium by Sclerotium rolfsii ..... K. A. V. DAVID AND A. S. RAO 121

BOOK LISTINGS 122

NEWS 124

No. 2—FEBRUARY

REPORT AND ABSTRACTS OF THE 1964 ANNUAL MEETING OF THE CARIBBEAN DIVISION OF THE AMERICAN PHYTOPATHOLOGICAL SOCIETY 125

REPORT AND ABSTRACTS OF THE 1964 ANNUAL MEETING OF THE NORTHEASTERN DIVISION OF THE AMERICAN PHYTOPATHOLOGICAL SOCIETY 127

Periodicity in airborne cereal rust urediospores
S. M. PADY, C. L. KRAMER, V. K. PATHAK, F. L. MORGAN, AND M. A. BHATTI 132

Fusarium wilt resistance in seedlings and mature plants of Musa species ..... NADER G. VAKILI 135

Increased multiplication of viruses in rusted bean and sunflower tissue ..... C. C. GILL 141

Cellulase of Pseudomonas solanacearum in relation to pathogenesis ... ARTHUR KELMAN AND ELLIS B. COWLING 148

Suppression of Pythium debaryanum by lytic rhizosphere bacteria ..... R. MITCHELL AND ESTHER HURWITZ 156

The mode of action of 2,6-dichloro-4-nitroaniline in Rhizopus arrhizus
DARRELL J. WEBER AND JOSEPH M. OGAWA 159

The effects of temperature and leaf age on the development of lesions caused by Peronospora manshurica on soybeans ..... T. D. WYLLIE AND L. F. WILLIAMS 166

Differentiation of Cronartium quercuum and Cronartium coleosporioides on the basis of aeciospore germ tubes
GERALD W. ANDERSON AND DAVID W. FRENCH 171
Mode of inoculation and host nutrition in relation to bacterial wilt of bean
S. F. RICKARD AND J. C. WALKER 174
Occurrence of Ceratocystis fagacearum in wounds on red and chestnut oaks
F. W. COBB, JR., F. A. WOOD, AND R. A. SCHMIDT 179
The effects of humidity and temperature on Phytophthora blight of taro ..... E. E. TRUJILLO 183
Localized infection by Helminthosporium turcicum on corn leaves ..... H. M. HILU AND A. L. HOOKER 189
Genetics of reaction to Puccinia sorghi in eleven corn inbred lines from Central and South America
W. L. HAGAN AND A. L. HOOKER 193
Prepenetration and postpenetration environment and development of Puccinia striiformis on wheat
E. L. SHARP 198
Simultaneous production and synergistic action of oxalic acid and polygalacturonase during pathogenesis by Sclerotium rolfsii ..... D. F. BATEMAN AND S. V. BEER 204
The role of preplanting treatments with chemicals in increasing the incidence of crown gall
IRA W. DEEP AND ROY A. YOUNG 212
In vitro and in vivo interactions between components of mixed bacterial cultures isolated from apple buds
ROBERT N. GOODMAN 217
Influence of calcium nutrition on Fusarium wilt of tomato and polygalacturonase activity
MALCOLM E. CORDEN 222
The inhibition of fungus infection pegs in Ginkgo biloba ..... H. W. JOHNSTON AND THOMAS SPROSTON, JR. 225
Pathological effects of Pratylenchus scribneri and Scutellonema brachyurum on amaryllis
LIMHUOT NONG AND GEORGE F. WEBER 228
Interaction of heat injury and Diplodia gossypina and other etiological aspects of collar rot of peanut
J. M. MCGUIRE AND W. E. COOPER 231
A wilt of soybean caused by a new form of Fusarium oxysporum
G. M. ARMSTRONG AND JOANNE K. ARMSTRONG 237
PHYTOPATHOLOGICAL NOTES
Isolation and identification of 3-indoleacetic acid from Fusarium oxysporum f. cubense ..... M. E. MACE 240
Nuclear inclusions produced by bean yellow mosaic virus as indicators of cross protection
WALTER C. MUELLER AND RENATE KOENIG 242
Chlorella as a possible test organism for biochemical studies of pathogenesis
JOHN R. WARREN AND N. N. WINSTEAD 244
Methyl green in glycerin-jelly as a mounting medium for fungi ..... JACK D. ROGERS 246
ANNOUNCEMENT 247
NEWS 248

No. 3—MARCH

An exocellular pectolytic enzyme of Aphanomyces euteiches ..... W. A. AYERS AND G. C. PAPAVIZAS 249
Carbon and nitrogen compounds and germination of chlamydospores of Fusarium solani f. phaseoli
R. JAMES COOK AND MILTON N. SCHROTH 254
Survival of Meloidogyne hapla and Verticillium dahliae in plant tissues used for animal feed
L. R. FAULKNER, C. B. SKOTLAND, AND W. W. HEINEMANN 257
Degradation of RNA by Phytophthora infestans ..... O. T. PAGE 259
The specificity of proline in the germination of spores of Rhizopus arrhizus
DARRELL J. WEBER AND JOSEPH M. OGAWA 262
The histology of Tabasco peppers infected with tobacco etch virus ..... J. C. WHITE AND N. L. HORN 267
Water and aeration as factors in root decay of Citrus sinensis
L. H. STOLZY, J. LETEY, L. J. KLOTZ, AND C. K. LABANAUSKAS 270
The reliability of leaf grafting to Rubus henryi for the detection of two viruses of the raspberry mosaic complex
RICHARD H. CONVERSE 276
Studies on powdery mildew of strawberry caused by Sphaerotheca macularis
J. S. JHOOTY AND W. E. MCKEEN 281
Purification of a second mechanically transmissible virus latent in apple
HUGH C. KIRKPATRICK, G. I. MINK, AND R. C. LINDNER 286
Blasticidin S, an effective antibiotic against plant virus multiplication .... TOKUZO HIRAI AND TORU SHIMOMURA 291
Rust infection and histological response of susceptible and resistant safflower ..... D. E. ZIMMER 296
Changes in free amino acids and reducing sugars in highbush blueberry fruit infected with Glomerella cingulata
ALLAN W. STRETCH AND RAYMOND A. CAPPELLINI 302
Root-to-root spread of Pseudomonas solanacearum ..... ARTHUR KELMAN AND LUIS SEQUEIRA 304
Control of Verticillium wilt of olive through natural recovery and resistance
STEPHEN WILHELM AND J. BRUCE TAYLOR 310
The aluminum-cap method for testing sugarcane varieties against leaf scald disease ..... HIDEO KOIKE 317

Lipids stimulating sexual reproduction and growth in Pythiaceous fungi
HOWARD W. KLEMMER AND JAMES F. LENNEY 320
The transovarial transmission of wound-tumor virus ..... R. C. SINHA AND SUE SHELLEY 324
Ecology of plant pathogens in soil. IV. Pathogenicity of macroconidia of Fusarium roseum f. sp. cerealis produced on media of high or low nutrient content ..... DOUGLAS J. PHILLIPS 328
Translocated effects of two fungus infections of bean ..... C. E. YARWOOD 330
Antecedent nitrogen sources affecting virulence of Colletotrichum phomoides ..... FLOYD J. WILLIAMS 333
Gomphrena globosa and Vicia sativa: Aids in identification of Wisconsin pea streak virus
D. L. STUTEVILLE AND E. W. HANSON 336
Quantitative sugar changes in barley infected with a facultative parasite ..... ROBERT E. INMAN 341
Relative importance of polygalacturonate trans-eliminase and other pectolytic enzymes in southern anthracnose, spring black stem, and Stemphylium leaf spot of alfalfa ..... J. G. HANCOCK AND R. L. MILLAR 346
Association of cellulolytic, proteolytic, and xylolytic enzymes with southern anthracnose, spring black stem, and Stemphylium leaf spot of alfalfa ..... J. G. HANCOCK AND R. L. MILLAR 356
Predisposition of soybeans to Fusarium wilt by Heterodera glycines and Meloidogyne incognita ... J. P. ROSS 361
Germination of conidia of Erysiphe graminis f. sp. tritici .... K. R. SADASIVAN NAIR AND ALBERT H. ELLINGBOE 365

PHYTOPATHOLOGICAL NOTES

Regaining sporulative ability in cultures of Glomerella cingulata by light and other treatments of the medium ..... A. E. HARVEY AND S. O. GRAHAM 369
Reduced photosynthesis in tobacco plants infected with tobacco ringspot virus
D. A. ROBERTS AND M. K. CORBETT 370
NEWS 372

No. 4—APRIL

Ernst Gram, 1891-1964 ..... ANNA WEBER AND H. RØNDE KRISTENSEN 373
Histological responses of resistant and susceptible soybean varieties, and backcross progeny to entry and development of Heterodera glycines ..... BURTON Y. ENDO 375
In vitro effects of fifty pesticidal substances on an isolate of Cytospora cincta from Italian prune
K. G. ROHRBACH AND A. W. HELTON 382
Fine structure of lesion periphery produced by tobacco mosaic virus ..... T. HAYASHI AND C. MATSUI 387
Host-parasite interaction in root-knot nematode-infected carrot tissue .. ROBERT SANDSTEDT AND MAX L. SCHUSTER 393
Hydrolytic enzyme and toxin production by sweetpotato fusaria ..... KENNETH D. FISHER 396
Effect of storage for three months at 14.1% moisture content and 21 C upon the microflora of barley kernels
M. N. FOLLSTAD AND C. M. CHRISTENSEN 399
Gross cell wall composition of Venturia inaequalis ..... ERNEST G. JAWORSKI AND L. C. WANG 401
Results from grafting chlorotic dwarf and healthy eastern white pine ... LEON S. DOCHINGER & CARL E. SELISKAR 404
Direct penetration of leaves of Populus tremuloides by Colletotrichum gloeosporioides
G. C. MARKS, J. G. BERBEE, AND A. J. RIKER 408
Proteins of wheat associated with infection type of Puccinia striiformis ..... GARY A. STROBEL AND E. L. SHARP 413
Tolerance of Pseudomonas glycinea to freezing ..... B. W. KENNEDY 415
Evaluating genetic potentials in Helminthosporium turcicum .. R. R. NELSON, ALICE L. ROBERT, & G. F. SPRAGUE 418
Comparisons of three serological procedures for identifying Xanthomonas vesicatoria in pepper ... D. J. MORTON 421
Inheritance and linkage of a gene determining resistance in maize to an American race of Puccinia polysora
A. J. ULLSTRUP 425
Organic substances discharged by plant-parasitic nematodes ..... RONALD F. MYERS AND L. R. KRUSBERG 429
Respiratory enzymatic activities in the host and pathogen of barley leaves infected with Erysiphe graminis
K. J. SCOTT 438
Changes in enzyme activity in relation to powdery mildew disease development in barley
ISAAC MALCA, R. C. HUFFAKER, AND F. P. ZSCHEILE, JR. 442
Incidence of Botrytis gray mold of tomato in relation to a calcium-phosphorus balance
R. E. STALL, C. C. HORTENSTINE, AND J. R. ILEY 447
Beet pseudo-yellows virus, transmitted by the greenhouse whitefly (Trialeurodes vaporariorum) .. J. E. DUFFUS 450
Age-correlated changes in susceptibility of bean leaves to Uromyces phaseoli and tobacco mosaic virus
RICHARD D. SCHEIN 454
Electron microscopy of intracellular turnip mosaic virus ..... T. HAYASHI, C. MATSUI, AND A. YAMAGUCHI 458
PHYTOPATHOLOGICAL NOTES
Avirulence of Helminthosporium turcicum on monogenic resistant corn
A. L. HOOKER, R. R. NELSON, AND H. M. HILU 462
Aflatoxins in Spanish peanuts in relation to pod and kernel condition
H. W. SCHROEDER AND L. J. ASHWORTH, JR. 464
Germination of chlamydospores of Thielaviopsis basicola .... Z. A. PATRICK, T. A. TOUSSOUN, & H. J. THORPE 466

Effect of gallic acid on germination, growth, and sporulation of Botryotinia ricini
R. G. Orellana and C. A. Thomas 468
Some problems in the viscometric determination of hydrolytic enzyme activity
R. D. Durbin and J. D. Huppler 471
A semi-automatic scale to meter water for greenhouse irrigation ..... William A. Haglund 473
Response of spores of Cronartium fusiforme and Lenzites saepiaria to metabolites
C. H. Walkinshaw and H. W. Scheld 475
Ceratocystis ulmi in elm wood ..... Charles L. Wilson 477
A foliar nematode in hibiscus ..... Robert D. Raabe and Oliver V. Holtzmann 478
Eradication of latent C virus in the Suwannee variety of strawberry by heat plus excised runner-tip culture
J. R. McGrew 480
Additional evidence of tree-to-tree transmission of sour cherry yellows virus by pollen ..... R. M. Gilmer 482
Dark green spots formed on leaves of Nicotiana glutinosa by tobacco mosaic virus .. T. Hayashi & C. Matsui 484
The relation between the black spot disease of citrus and fumigation with hydrocyanic acid ... J. H. Smith 486
Testing for resistance of avocado to Phytophthora in nutrient solution .. G. A. Zentmyer & S. M. Mircetich 487
A technique for studying the feeding of Trichodorus christiei on isolated root cells of corn
T. A. Chen, Josephine Kiernan, and W. F. Mai 490
Pea enation mosaic virus: A new local lesion host ..... R. F. Bozarth and Ching Chan Chow 492
Letters to the Editor 494
News 496

No. 5—MAY

Report and Abstracts of the 1965 Annual Meeting of the Southern Division of The American Phytopathological Society 497
Report and Abstracts of the 1965 Annual Meeting of the Potomac Division of The American Phytopathological Society 503
Influence of environment on diseases of turfgrasses. IV. Effect of nutrition and soil moisture on Corticium red thread of creeping red fescue ..... Ronald R. Muse and Houston B. Couch 507
Comparative physiology and pathogenicity of Leucostoma persoonii and Rhodosticta quercina
F. L. Lukezic, J. E. DeVay, and Harley English 511
Enzyme levels in tobacco leaf tissues affected by the wildfire toxin ..... G. L. Farkas and L. Lovrekovich 519
Inhibition of germination of Alternaria spores by sulfur dioxide under various moisture conditions
H. Melvin Couey 525
The effect of bean rust on the translocation of photosynthetic products from diseased leaves
A. I. Zaki and R. D. Durbin 528
Elimination of turnip mosaic virus from a stock of horseradish ..... Francis O. Holmes 530
Multiplication of tobacco mosaic virus in tobacco leaves treated with 6-methyl purine ..... R. I. B. Francki 533
Translocation of phosphorus-32 in Rhizoctonia solani .... L. J. Littlefield, R. D. Wilcoxson, and T. W. Sudia 536
Use of stains and pathological histology to detect virus infection in citrus ..... H. M. Elsaid and J. B. Sinclair 543
Leptosphaerulina briosiana on alfalfa: Infection and disease development, host-parasite relationships, ascospore germination and dissemination ..... Leif Sundheim and R. D. Wilcoxson 546
Pseudomonas cichorii, the cause of bacterial blight of celery in the Everglades ... P. L. Thayer and C. Wehlburg 554
A radioautographic study of the formation of local lesions by tobacco mosaic virus ..... L. B. Thrower 558
Host-pathogen relationships of Puccinia sorghi in nearly isogenic resistant and susceptible seedling corn
H. M. Hilu 563
Influence of soil reaction and mineral fertilization on numbers and types of fungi antagonistic to four soil-borne plant pathogens ..... D. D. Kaufman and L. E. Williams 570
Effect of mineral nutrition on development of crown gall on Bonny Best tomato and Mazzard cherry
Hamid Hussin and Ira W. Deep 575
Relationship between the response of oats to crown rust and kernel density ..... M. D. Simons 579
Interactions of Verticillium dahliae and Pratylenchus minyus in Verticillium wilt of peppermint
L. R. Faulkner and C. B. Skotland 583
The isolation of flavensomycin and humidin from the same strain of Streptomyces griseus and their antimicrobial properties ..... C. I. Chacko and David Gottlieb 587
The plate-profile technique for isolating soil fungi and studying their activity in the vicinity of roots
Axel L. Andersen and Don M. Huber 592
A nutritional comparison of some species of Phytophthora ..... Ronald W. Roncadori 595
The President's Column 600
Book Listings 601
News 602

No. 6—JUNE

Wilbur Doane Courtney, 1896-1965 ..... Gerald Thorne 603
Effects of temperature and relative humidity on germination of Rhizopus stolonifer and Monilinia fructicola spores ..... W. L. Smith, Jr., W. H. Miller, and R. D. Bassett 604
Effect of incubation temperature on length and infectivity of potato virus X particles in four host species L. W. Moore and J. W. Guthrie 607
Potential of three Rhizoctonia species to incite foliar blight and damping-off on Tephrosia vogelii in Puerto Rico E. G. Ruppel, D. K. Barnes, and Alma Santiago 612
Xiphinema americanum populations and alfalfa yields as affected by soil treatment, spraying, and cutting Don C. Norton 615
An approach to the study of the physiology of senescence and parasitism in sugarcane A. J. Pappelis and R. A. Katsanos 620
Relationship of seasonal changes in pith condition ratings and density to Gibberella stalk rot of corn A. J. Pappelis 623
Inheritance of resistance to Stemphylium solani in blue lupine endemic to Portugal Ian Forbes, Homer D. Wells, and John R. Edwardson 627
Interactions between Helminthosporium victoriae spores and oat tissue ... Syoyo Nishimura and R. P. Scheffer 629
Differentiation of strains of tobacco mosaic virus by immune diffusion in agar plates ..... W. F. Dudman 635
Harvest practices that increase sweetpotato surface rot in storage ..... L. W. Nielsen 640
Isolation of Agrobacterium tumefaciens–A. radiobacter group from soil Milton N. Schroth, James P. Thompson, and D. C. Hildebrand 645
The pattern of decays and discolorations in northern hardwoods ..... Alex L. Shigo 648
Variability in the genus Phytophthora. I. Effects of nitrogen sources and pH on growth H. Ronald Cameron and G. M. Milbrath 653
Role of the R-group in the fungitoxicity of R-$SCCl_3$ compounds .. R. J. Lukens, Saul Rich, and J. G. Horsfall 658
An assay of the severity of Verticillium wilt on cotton plants inoculated by stem puncture D. C. Erwin, W. Moje, and I. Malca 663
Effect of oxygen and carbon dioxide tensions on growth and inoculum potential of Phytophthora parasitica var. nicotianae ..... P. D. Dukes and J. L. Apple 666
Serological comparison of Cronartium fusiforme, C. quercuum, and C. ribicola by immunodiffusion tests G. V. Gooding, Jr. and H. R. Powers, Jr. 670
Control of virus diseases of citrus trees—an evaluation of methods ..... J. F. L. Childs and L. C. Knorr 675
A species of Physoderma present in citrus and related species J. F. L. Childs, Lowell E. Kopp, and R. E. Johnson 681
Influence of relative humidity on fungi causing crown rot of boxed bananas ..... Alison M. Badger 688
Host-parasite relationships of Allium cepa and Meloidogyne hapla ..... John J. Smith and W. F. Mai 693
Phytopathological Notes
Basidiospore infection by Pellicularia filamentosa (= Corticium microsclerotia), the incitant of web blight of common bean ..... Eddie Echandi 698
Seedling resistance to Puccinia coronata avenae race 264 found in Avena sterilis ..... M. D. Simons 700
Nematocidal substances selective for plant-parasitic nematodes in extracts of decomposing rye Z. A. Patrick, R. M. Sayre, and H. J. Thorpe 702
A root rot of sugarcane caused by Pythium catenulatum in Taiwan ..... S. C. Hsu 705
Saco potato infected with potato virus S by grafting ..... Richard H. Bagnall 707
Control of bluegrass foot-rot disease with a single drench of fungicide ..... R. J. Lukens 708
Announcement 709
News 710

No. 7—JULY

A Fusarium wilt of Tagetes marigolds ..... Carl M. Olsen 711
Transfer of dahlia mosaic virus with liquid nitrogen and relation of transfer to symptoms and inclusions Roger H. Lawson and P. J. Taconis 715
Mode of penetration and movement of fire blight bacteria in apple leaf and stem tissue Sally Lewis and R. N. Goodman 719
Inheritance of smooth-spore-wall and pathogenicity in Melampsora lini ..... H. H. Flor 724
Use of surfactants in the soil dilution and plate count method ..... G. W. Steiner and R. D. Watson 728
Origins of Rubus cultivars resistant to Verticillium wilt Stephen Wilhelm, R. S. Bringhurst, and Victor Voth 731
Relation of calcium content and nature of the pectic substances in bean hypocotyls of different ages to susceptibility to an isolate of Rhizoctonia solani ..... D. F. Bateman and R. D. Lumsden 734

Lignin degradation as related to the phenoloxidases of selected wood-decaying Basidiomycetes
T. Kent Kirk and Arthur Kelman 739
Clarification of extracts containing potato yellow dwarf virus ..... R. F. Whitcomb 746
Inheritance of resistance in jute to anthracnose (Colletotrichum corchori) .... G. A. Fakir and Q. A. Ahmed 749
The expression and inheritance of resistance to pink root in onion seedlings
C. G. Nichols, W. H. Gabelman, R. H. Larson, and J. C. Walker 752
Plant spacing and Fusarium root rot of beans ..... D. W. Burke 757
Influence of an epiphytic bacterium on cucumber anthracnose, early blight of tomato, and northern leaf blight of corn ..... Curt Leben and Gilbert C. Daft 760
Host-parasite relationship of Impatiens balsamina and certain nematodes ... R. A. Odihirin and W. R. Jenkins 763
Yield losses in Garry oats infected with crown rust ..... G. Fleischmann and R. I. H. McKenzie 767
Hypoxylon canker of aspen: Seasonal development of cankers and ascospore ejection in winter
Francis A. Wood and D. W. French 771
Identification of galactose in cultures of Sclerotinia homeocarpa as the factor toxic to bentgrass roots
Isaac Malca and R. M. Endo 775
Morphological and cytohistological responses of primary roots of bentgrass to Sclerotinia homeocarpa and D-galactose ..... Robert M. Endo and Isaac Malca 781
Influence of sterols on growth and reproduction of Pythium and Phytophthora spp. ..... James W. Hendrix 790
Phytopathological Notes
An embryo test for detecting seed-borne barley stripe mosaic virus in barley ..... R. I. Hamilton 798
Hybridization of Heterodera schachtii and H. glycines ..... J. W. Potter and J. A. Fox 800
Maize dwarf mosaic, a new corn disease ..... Lansing E. Williams and L. J. Alexander 802
A canker condition of peach seedlings induced by chilling ..... J. R. Davis and Harley English 805
Spread of Physalospora tucumanensis in stalk tissue of sugarcane ..... A. J. Pappelis and R. A. Katsanos 807
Thermal inactivation of barley yellow dwarf virus ..... Jeanie Heagy and W. F. Rochow 809
Cryptostroma corticale—allergen, plant pathogen, saprophyte
Kenneth J. Kessler, Jr. and John H. Ohman 811
Pattern of respiratory changes in oats caused by victorin .. Harry Wheeler, E. J. Amador, and H. S. Black 813
The principal fungus in the summer bunch rot of grapes ..... G. Douglas Barbe and W. B. Hewitt 815
The President's Column 817
News 818

No. 8—AUGUST

Symposium on Taxonomy of Pathogenic Fungi 819
Taxonomic concepts as applied to the fungi ..... C. Gardner Shaw 819
Pathogenic specialization in relation to taxonomy ..... M. F. Kernkamp 821
Assessing biological relationships in the fungi ..... R. R. Nelson 823
The taxonomy of sterile fungi ..... J. R. Parmeter, Jr. 826
Classification of the Loculoascomycetes ..... E. S. Luttrell 828
Current status of taxonomy in Fusarium species and their perfect stages
William C. Snyder and T. A. Toussoun 833
Occurrence of aster yellows in barley in the field and its comparison with barley yellow dwarf
E. E. Banttari 838
Effect of some fungicides on the synthesis of chlorophylls, deoxyribonucleic acid, and ribonucleic acid in onion leaves ..... Jiko Shishiyama, Masao Fukutomi, and Shigeyasu Akai 844
Pathogenic and enzymatic variations in Fusarium oxysporum f. callistephi ..... R. K. Horst 848
Ecology of plant pathogens in soil. V. Inorganic nitrogen utilization as a factor of competitive saprophytic ability of Fusarium roseum and F. solani ..... Ralph Byther 852
Some sap-transmissible viruses from apple ..... R. M. Lister, J. B. Bancroft, and M. J. Nadakavukaren 859
Lysis of fungal mycelium by Streptomyces spp. and their chitinase systems
A. B. Lloyd, R. L. Noveroske, and J. L. Lockwood 871
Filamentous forms of Erwinia amylovora ..... J. Vörös and R. N. Goodman 876
Symptomatology, host range, and effect on yield of a seed-transmitted peanut virus ..... C. W. Kuhn 880
Effect of temperature and age of egg population on the in vitro hatching of Meloidogyne hapla eggs
P. J. Wuest and J. R. Bloom 885
Resistance in Phaseolus to halo blight ..... P. N. Patel and J. C. Walker 889
Isolation and identification of watermelon mosaic viruses 1 and 2 ..... R. E. Webb and H. A. Scott 895
Fungistatic effects of soil bacteria on root-rotting fungi with particular reference to Helminthosporium sativum
Kenneth M. Old 901
The rate of accumulation, specific infectivity, and electrophoretic characteristics of bean pod mottle virus in bean and soybean ..... A. G. Gillaspie and J. B. Bancroft 906

Histology of pathogen-suscept relationship of Stemphylium botryosum and alfalfa ... R. E. Pierre and R. L. Millar 909
The influence of age of tissue on the development of bean anthracnose lesions
Richard Thomas Griffey and J. G. Leach 915
Influence of temperature on mild mottle and veinbanding in Fragaria vesca and Fragaria virginiana
H. Stingl and T. H. King 919
The local lesion reaction for recognizing cowpea varieties immune from and resistant to cowpea yellow mosaic virus ..... D. G. Robertson 923
Phytopathological Notes
Influence of age and side of tung leaves on susceptibility to angular leaf spot
A. D. Draper and T. van der Zwet 926
Visualization of tobacco mosaic virus in local lesions of Datura stramonium
Thomas W. Carroll and Thomas A. Shalla 928
Puncture method for isolating bacterial blights of bean ..... R. W. Goth 930
Some comparative biochemical changes associated with downy mildew infection in soybeans
D. F. Millikan, T. D. Wyllie, and E. E. Pickett 932
Wild plant hosts of a cactus virus ..... M. Chessin 933
Reduction of Sclerotium bataticola infection of peanut kernels by Aspergillus flavus .... Curtis R. Jackson 934
Vetch pod rupture associated with unrelated streak-inducing viruses of peas ..... Richard E. Ford 935
Infection of oil palms by Ganoderma ..... P. D. Turner 937
Movement of Wisconsin pea streak virus in Pisum sativum ..... J. N. C. Maduewesi and D. J. Hagedorn 938
Fixation of $C^{14}O_2$ in the dark by fungus-infected bean, beet, barley, and oat plants
C. J. Mirocha and A. I. Zaki 940
News 942

No. 9—SEPTEMBER

Symposium on Weather and Plant Disease 943
The contribution of modern meteorology to plant disease forecasting ..... P. M. Austin Bourke 943
Micrometeorology and plant disease epidemiology ..... E. P. Van Arsdel 945
Meteorology and crop pests ..... J. A. Riley 950
Relation of moisture content and length of storage to changes in the microflora and germination percentage of rough rice ..... C. M. Christensen and L. C. López 953
Decay and discoloration in sprout red maple .....Alex L. Shigo 957
Comparative survival of Fusarium solani f. cucurbitae and F. solani f. phaseoli in soil
Shirley M. Nash and J. V. Alexander 963
Effects of victorin on Krebs cycle intermediates of a susceptible oat variety .. H. H. Luke and T. E. Freeman 967
Dehydrogenase activity of potato tuber tissue infected with Phytophthora infestans
A. Held, N. Kedar, and Y. Birk 970
Brown spot disease of banana fruit caused by Cercospora hayi ..... W. J. Kaiser and F. L. Lukezic 977
Temperature effects on symptom expression and concentration of six muskmelon viruses
R. E. Foster and R. E. Webb 981
Control of Pythium infection in table beet seedlings by antagonistic microorganisms
Shu-yen Liu and Edward K. Vaughan 986
Effect of soil temperature on resistance of tomato to root-knot nematode (Meloidogyne incognita)
Oliver V. Holtzmann 990
Inheritance in rice of reaction to races 1 and 6 of Piricularia oryzae .. John G. Atkins and T. H. Johnston 993
Chemical inhibition in germination of Cronartium fusiforme aeciospores ..... C. H. Walkinshaw 996
Biochemistry of resistance in cucumber against Cladosporium cucumerinum. I. Presence of a pectinase inhibitor in resistant plants ..... A. Mahadevan, J. Kuć, and E. B. Williams 1000
The integral association of chlorogenic acid to crown gall tumor formation
Harvey W. Spurr, Jr., A. C. Hildebrandt, and A. J. Riker 1004
The effect of surfactants on growth of fungi ..... G. W. Steiner and R. D. Watson 1009
Effect of spore population and age of infection on the response of Botrytis cinerea to gamma radiation
H. Melvin Couey and William J. Bramlage 1013
Pythium ultimum and the soil fumigation growth response ..... Stephen Wilhelm 1016
Influence of host exudates on growth and survival of germlings of Fusarium solani f. phaseoli in soil
R. James Cook and William C. Snyder 1021
Relative susceptibility of selected cover crops and coastal bermudagrass to plant nematodes
J. M. Good, N. A. Minton, and C. A. Jaworski 1026
Phytopathological Notes
A simple apparatus for preparing sucrose density-gradient tubes ..... Richard Stace-Smith 1031
Reversal by red light of blue light inhibition of sporu'ation in Alternaria solani ..... R. J. Lukens 1032

Method of obtaining fluid from the intercellular spaces of foliage and the fluid's merit as substrate for phytobacterial pathogens ..... Zoltan Klement 1033
A bacterial leaf spot disease of banana .....G. Rangaswami and M. Rangarajan 1035
A host-specific toxic metabolite from Helminthosporium carbonum .. R. P. Scheffer and A. J. Ullstrup 1037
Effects of gamma irradiation on symptom expression of barley stripe mosaic virus disease and on two viruses in vivo ..... Robert S. Halliwell and Ruble Langston 1039
Inheritance of necrotic reaction in red clover to bean yellow mosaic virus Stephen Diachun and Lawrence Henson 1041
A smut hybrid causing dwarfness in oats ..... W. J. Cherewick 1042
Longevity of some plant viruses stored in chemically dehydrated tissues Harold H. McKinney, Gustave Silber, and Lester W. Greeley 1043
Testing beans for field tolerance to Fusarium root rot ..... D. W. Burke and M. J. Silbernagel 1045
The President's Column 1047
Letter to the Editor ..... H. H. McKinney 1048
Book Listings 1049
News 1050

No. 10—OCTOBER

Abstracts of Papers Presented at the Fifty-seventh Annual Meeting of The American Phytopathological Society, Miami, Florida, 3-7 October 1965 1051
Claude Wilbur Edgerton, 1880-1965 ..... Irvin L. Forbes 1086
Wheat, rust, and people ..... Norman E. Borlaug 1088
Violent spore release in Helminthosporium turcicum ..... Donald S. Meredith 1099
Penetration of nematocides for control of Radopholus similis and for destruction of citrus roots in the deep sands of central Florida ..... R. J. Collins and A. W. Feldman 1103
A strain of alfalfa mosaic virus occurring naturally on field tobacco .... Gustave Silber and H. E. Heggestad 1108
Effects of environment on oak wilt development ..... D. R. Houston, C. R. Drake, and J. E. Kuntz 1114
Fusarium root rot of beans and behavior of the pathogen in different soils ..... D. W. Burke 1122
Cation effect on reproduction of Pythium spp. ..... Charles Yu-Di Yang and John E. Mitchell 1127
Parasitic aspects of a fairy ring fungus, Marasmius oreades ..... T. H. Filer, Jr. 1132
Bacterial polysaccharides. IV. Longevity of Xanthomonas phaseoli and Serratia marcescens in bacterial exudates H. A. Wilson, V. G. Lilly, and J. G. Leach 1135
Reclassification of the causal agent of root rot of alfalfa from Phytophthora cryptogea to P. megasperma D. C. Erwin 1139
A comparison of the modes of action of soil amendments and pentachloronitrobenzene against Rhizoctonia solani ..... L. R. Smith and L. J. Ashworth, Jr. 1144
Nitrification lag following soil fumigation ..... J. M. Good and R. L. Carter 1147
Host range and strains of peach mosaic virus ..... T. S. Pine 1151
Phytopathological Notes
Root rot of oak associated with Cylindrocarpon radicicola ..... John H. Hart 1154
Sporulation of Macrophomina phaseoli on propylene oxide-sterilized leaf tissues R. W. Goth and S. A. Ostazeski 1156
Letters to the Editor 1157
News 1158

No. 11—NOVEMBER

Symposium on Nematology 1159
The nature of resistance in plants to nematodes ..... Richard A. Rohde 1159
The inheritance of resistance of plants to nematodes ..... W. W. Hare 1162
Physiological strains of Aceria tulipae and their relationships to the transmission of wheat streak mosaic virus Maria Salome E. del Rosario and Webster H. Sill, Jr. 1168
Verticillium wilt of mint: Interactions of inoculum density and host resistance M. L. Lacey and C. E. Horner 1176
Leaf spot of bananas caused by Mycosphaerella musicola: A comparative anatomical study of juvenile and adult leaves in relation to lesion morphology ..... M. W. McGahan and R. H. Fulton 1179
Factors affecting direct recovery of Phytophthora cinnamomi from soil F. F. Hendrix, Jr. and E. George Kuhlman 1183
The near immobility of Fusarium solani f. phaseoli in natural soils ..... D. W. Burke 1188

Serological identification of Pseudomonas solanacearum in four solanaceous hosts
D. J. Morton, P. D. Dukes, and S. F. Jenkins, Jr. 1191

Factors affecting infection of red and chestnut oaks by Ceratocystis fagacearum
F. W. Cobb, Jr., C. L. Fergus, and W. J. Stambaugh 1194

Loss of melanin-containing structures by Verticillium cultures ..... W. H. Brandt and J. N. Roth 1200

Inactivation of two strawberry viruses in plants grown in a natural high-temperature environment
N. W. Frazier, V. Voth, and R. S. Bringhurst 1203

Inheritance of resistance in Musa acuminata to bacterial wilt caused by tomato race of Pseudomonas solanacearum ..... Nader G. Vakili 1206

Geotrichum candidum: Plant and animal isolates pathogenic to certain plant tissues
Zeineb M. El-Tobshy and J. B. Sinclair 1210

Selection and inheritance of resistance in tomato to isolates of races 1 and 2 of the Fusarium wilt organism
R. E. Stall and J. M. Walter 1213

Inducement of germination of Penicillium digitatum spores by orange rind components and effect of pH of substrate ..... Paul L. Davis and J. J. Smoot 1216

Biochemical and cytological processes associated with hydration of uredospores of Puccinia striiformis
Gary A. Strobel 1219

Enzymatic inactivation of the papaya blight fungus, Phytophthora parasitica, by papain and other proteolytic enzymes ..... Richard B. Hine, Minoru Aragaki, and Junzo Tokunaga 1223

Breeding for Fusarium root rot resistance in beans ..... D. H. Wallace and R. E. Wilkinson 1227

Origin of indoleacetic acid in tobacco plants infected by Pseudomonas solanacearum ..... Luis Sequeira 1232

2,4-Dihydroxy-7-methoxy-1,4-benzoxazin-3-one glucoside in corn. I. Relation of water-soluble, 1-butanol-soluble glycoside fraction content of pith cores and stalk rot resistance .. J. N. BeMiller and A. J. Pappelis 1237

2,4-Dihydroxy-7-methoxy-1,4-benzoxazin-3-one glucoside in corn. II. Isolation of 6-methoxy-2(3)-benzoxazolinone fraction as a measure of glucoside content and tissue differences of glucoside content
J. N. BeMiller and A. J. Pappelis 1241

Pathological histogenesis in oleander tumors induced by Pseudomonas savastanoi ..... E. E. Wilson 1244

Properties of a mosaic virus of corn and Johnson grass and its relation to the sugarcane mosaic virus
Robert J. Shepherd 1250

Utilization of carbon compounds by zoospores of Phytophthora drechsleri and their effect on motility and germination ..... I. Barash, J. M. Klisiewicz, and T. Kosuge 1257

Taxonomy, pathogenicity, and physiological properties of the fungus causing sour rot of citrus
L. E. Butler, R. K. Webster, and J. W. Eckert 1262

Vein necrosis: A new virus disease of strawberry ..... H. Stingl and T. H. King 1269

Physiologic specialization in Phytophthora megasperma var. sojae
Frederic L. Morgan and Edgar E. Hartwig 1277

Phytopathological Note

Serological reaction of virus isolates from cherry with eola rasp leaf
Kaung-Chien Liu and T. C. Allen, Jr. 1280

News 1282

No. 12—DECEMBER

Report and Abstracts of the 1965 Annual Meeting of the Northeastern Division of The American Phytopathological Society 1283

Germination of teliospores and type of growth of common and dwarf bunt fungi as affected by light, photoperiod, and temperature ..... F. P. Zscheile, Jr. 1286

The role of papaya residues in papaya root rot caused by Pythium aphanidermatum and Phytophthora parasitica ..... Eduardo E. Trujillo and Richard B. Hine 1293

Translocation of southern bean mosaic virus in phloem fibers ..... J. F. Worley 1299

Carbon dioxide fixation by rust-infected bean plants in the dark ..... A. I. Zaki and C. J. Mirocha 1303

Biosynthesis of chitin in cell-free extracts of Venturia inaequalis
Ernest G. Jaworski, Li C. Wang, and Will D. Carpenter 1309

A form of Stemphylium floridanum pathogenic to species of Kalanchoë ..... E. K. Sobers 1313

Effect of certain temperatures on identification of physiologic races of Puccinia recondita f. sp. tritici
Ervin Williams, Jr. and C. O. Johnston 1317

Nature of fertilization and inheritance of virulence in Puccinia coronata
David E. Zimmer, John F. Schafer, and Fred L. Patterson 1320

Normal and abnormal mycelial characteristics of Cronartium quercuum in shortleaf pine
F. F. Jewell and Nely M. Walker 1325

Development of respiratory enzyme activities during spore germination
Kaoru Ohmori and David Gottlieb 1328

Effects of symmetrical-dichlorotetrafluoroacetone and nickel sprays on rust control, yield, and germination of seed of Poa pratensis ..... J. R. Hardison and W. S. Anderson 1337

Role of pinosylvins and borax in control of Fomes annosus by stump treatments
DAVID W. JOHNSON AND ELLIS B. COWLING 1341

Comparative resistance of coniferous root wood and stem wood to decay by isolates of Fomes annosus
W. D. PLATT, E. B. COWLING, AND C. S. HODGES 1347

Partial purification of a mechanically transmissible virus associated with tatter leaf of citrus
J. S. SEMANCIK AND L. G. WEATHERS 1354

Host-parasite relations and host range studies of a new Meloidogyne species in southern USA
W. BIRCHFIELD 1359

PHYTOPATHOLOGICAL NOTES

Systemic infection of watermelon by a strain of squash mosaic virus
M. R. NELSON, J. C. MATEJKA, AND H. H. MCDONALD 1362

Temperature effect on growth and pathogenicity to celery of Pseudomonas apii and P. cichorii
P. L. THAYER 1365

Separation and purification of fermentive concentrates containing the antibiotic Phytoactin
ALAN E. HARVEY AND SHIRL O. GRAHAM 1366

Smut, an additional cause of oat blast ..... W. J. CHEREWICK 1368

Sporulation of Cercospora beticola affected by an interaction between light and temperature
L. CALPOUZOS AND G. F. STALLKNECHT 1370

Predisposition to mildew by rust infection, heat, abrasion, and pressure ..... C. E. YARWOOD 1372

Selective hygroscopicity of diseased leaves ..... C. E. YARWOOD 1373

Field tests for disease control by an epiphytic bacterium
CURT LEBEN, GILBERT C. DAFT, J. D. WILSON, AND H. F. WINTER 1375

Virulent races of oat stem rust found near barberry
D. M. STEWART, B. J. ROBERTS, M. A. CAMPBELL, AND E. D. ECKESS 1377

Luffa acutangula for separation and maintenance of watermelon mosaic virus 1 free of watermelon mosaic virus 2 ..... R. E. WEBB 1379

Ecology of plant pathogens in soil. VI. Inoculum density of Fusarium solani f. sp. phaseoli in bean rhizosphere as affected by cellulose and supplemental nitrogen ..... RALPH BAKER AND SHIRLEY M. NASH 1381

NEWS 1383

INDEX FOR 1965 i

ERRATA xl

TABLE OF CONTENTS FOR 1965 iii